PAVING STONES • RETAINING WALLS • OUTDOOR LIVING paver-shield

Color That Lasts for Generations







TABLE OF CONTENTS

WHERE DO I START?

Welcome to Nicolock4
Warranty5
Financing6
paver- shield ™7
Designing with Borders & Inlays9
START WITH COLOR10
Nicolock's Top Selling Colors11
PROJECT TYPE
Patios & Pool Decks14
Driveways & Walkways26
Fire Pits, Fireplaces & Outdoor Dining38

PRODUCT SPECIFICATIONS

paver- shield ™ Color Swatches	.138
Textured Wall Swatches	.142
Smooth Wall Swatches	.144
Nicostone Swatches	.146
Paver Installation Guide	.148
Retaining Wall Installation Guide	.150

PAVING STONES & Retaining walls

PAVING STONES
paver- shield ™ pavers51
Inlays, Borders & Circle Kits66
Environmental Pavers73
Nicostone Pavers77
WALL SYSTEMS83
Landscape Walls86
Retaining Walls94
Garden Walls99
PIERS, COPING, CAPS & STEPS102
Pier Kits103
Pier Caps105
Coping & Caps107
Steps 113

FAQ & MORE

Stain Removal1	52
Frequently Asked Questions1	53
Paving Stone Patterns1	55

OUTDOOR LIVING

FIRE PITS	116
Fire Pit Accessories	123
FIREPLACES	. 124
OUTDOOR DINING	128
Appliance Kitchen Packages	133
Pergolas	134
Stainless Steel Appliances	134
NEW! Segmental Kitchen Systems	136
NATURAL STONE VENEERS	137





TO NICOLOCK PAVING STONES

Roberto Micolia CEO/President, Nicolock Paving Stones

If you're like me, you turn to your family and closest friends when times are tough--and they've sure been tough for a while now. Constantly changing directives still impact the way people gather in public. But in our homes, it's our rules.

So, whether you're more comfortable working remotely and hanging at home with your immediate family or you're ready to invite the whole crew over for some long overdue celebrating, you can expand your outdoor living space with a custom backyard by Nicolock.

For over 60 years, three generations of my family have been bringing people's backyard dreams to life. Now, it's your turn.

WHY HOMEOWNERS CHOOSE NICOLOCK

Color. For many homeowners, it's ALL about the color! And no one offers a larger selection of stunning color palettes than Nicolock. Match your hardscape to your siding or shutters, go with natural earthy tones, or maybe add a pop of color as an accent—your project's color options are limitless.

Plus, only Nicolock offers paver-**shield™**. This technology floods each durable stone with rich, vibrant color throughout the entire paver—ensuring color, beauty, and strength that will last for generations.

Supportive Sales Team. No one likes a pushy salesperson-or one who doesn't have the answers you need. Many of our Territory Managers are former contractors so they're very knowledgeable and speak from experience when answering your questions. And the quality, color, and photos of past Nicolock projects are so stunning, there's no need for a hard-sell approach. Our sales consultants will even come to your home with up to three (3) free sample pavers for you so you can see them in your own backyard.

Easy Shopping Experience. If you want to wander around a cavernous showroom to see samples of inspiring outdoor living layouts, our 10,000 square foot design center on Long Island is open 24/7!

Or if you prefer a more private and pampered shopping experience, we will literally bring our showroom to you. Relax and plan out your project in our spacious, well-lit, 10' x 20' Mobile Design Center that pulls right up to your front door! You'll get to see the colors and sizes and feel the textures of the most popular outdoor living elements-including pavers, walls, fire features, grills, and more. Book your personal Mobile Design Center event today.

Lifetime Transferable Warranty. A true test of a company's integrity is if it's there for you after the job is complete. Our reputation means everything to us and it has for over six decades. We are so confident in the quality of our product that we back it with a lifetime transferable warranty. So not only can generations of your family make special memories in the space we build for you, but the warranty transfers with the sale of the home.

Affordability and Financing. No matter what your budget is, your Nicolock project will be stunning. We offer several flexible financing plans to make your outdoor living dream a reality. Whether the project is done all at once, or in stages over time, there are multiple financing options available to help you maximize the scope of your outdoor dream space--so that special feature you thought was out of reach might be affordable after all.

You may have financed your home purchase or some interior home improvements. So why not consider financing your outdoor living space vision, too?

No Supply Chain Worries. The only thing harder than choosing your color and design is then having to wait a long time to build it because the manufacturer is out of product. Many homeowners are expanding their outdoor living spaces now, so choosing a manufacturer that can actually deliver the goods is crucial.

Not only did Nicolock ramp up production in our existing plants 24/7 to meet the anticipated increased demand for hardscape materials, but we have three brand new manufacturing plants under construction, two of which are nearing completion this year. When you choose Nicolock, we're ready to roll when you are.

So, are you ready? Let's get started.

🕜 paver-**shield**

COME HOME TO NICOLOCK!

Nicolock pavers have a full, structural lifetime warranty* and are transferable to the next owner should you sell. Register your products at NICOLOCK.COM and follow the 3 easy steps below.



LIFETIME WARRANTY*

Nicolock provides a limited lifetime warranty on the structural integrity of its manufactured product used in residential applications. Nicolock pavers are warrantied for as long as you own your home and are transferable to the next owner should you sell. Nicolock products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with products of equal value. Removal and replacement labor cost is not the responsibility of Nicolock. Regarding de-icing products, Nicolock recommends sand for slip resistance as it is the most environmentally friendly option for use on concrete products. If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) which should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent. **NOTE:** De-icing agents of any kind are not recommended for our Nicostone line.

Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Nicolock representative. Other exclusions apply.

Nicolock / Nicolia Concrete Products is the owner or authorized user of all patents and trademarks for products and designs illustrated herein. Firma®, Checker Block®, Sante-Euro® & paver-shield® are examples of registered trademarks of Nicolia Concrete Products. SF-Rima® is a trademark of SF Concrete Technology, Inc. Trinity® is a trademark of Earth Reinforcement Technologies. • US Patent # : Firma® 6,082,933.



DEFER PAYMENT, NOT YOUR DREAMS!

Introducing **Nicolock Financing** powered by Service Finance, a nationwide consumer finance program. Our exclusive financing plans make it possible for homeowners to complete their dream outdoor living spaces now with the help of multiple financing options, including true no interest payment (SAC), low monthly payments, or a combination of both plans.

Increase your homes value with the peace of mind of **Nicolock Financing**. Ask your Territory Manager for more information.



LOW MONTHLY PAYMENTS Avoid high credit card interest rates. Choose the best payment option for you.




FAST, EASY AND SAFE Easy application for nearinstant approvals via phone, online or mobile app, 24/7



UNSECURED FINANCING 100% unsecured financing up to **\$100,000** on approved credit.



PEACE OF MIND The application is free, there are no closing costs and no prepayment penalties





Things to consider ...

A key aspect to consider when choosing your product is your landscaping. Keep in mind the change of seasons and the way the colors around your home project will change. Different times of day may cast shadows in different areas of your pavers. It's important to plan how the environment affects your aesthetic. The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.**

Images below were photographed minutes apart in the same location. Image on the left is in full sun, image on the right is with cloud cover.



Shade variations are inherent in colored concrete products using natural materials. Delivered product can vary slightly from physical samples.

Using advanced design fundamentals to CREATE A STRIKING VISUAL OUTDOOR SPACE

Nicolock has everything you need to create the **"WOW"** factor when you're designing your outdoor space. Whether it's a new patio, poolscape, driveway, or any other outdoor project, our design fundamentals make it easy to create a customized look that complements your particular style and taste. It all begins with color. Choose from our vast collection of rich, artisan colors. Then, get creative with our different-shaped paving stones and paver laying pattern options. Check out a few examples of popular laying patterns on the next few pages-- or mix and match to create your own unique design.




90°traditional

PAVER DIRECTION

Go from a traditional installation to an exceptional look by laying pavers at a 45 degree angle to create the illusion of space.





BORDERS

Borders define edges and softly combine large areas that would otherwise be toneless. Monochromatic or contrasting colors help define your style.





INLAYS

Inlays allow you to define an area within your outdoor space. Often created with contrasting colors and textures, inlays add visual interest to make your space pop.

start with **COLOR**

Nicolock's Top-Selling colors bring in a variety of cool and warm neutral tones. Blends of grays, tans, blues and browns help you bring your outdoor living dreams to life.

> Use your future hardscape to complement colors in your home. Use your siding, shutters, fence and roof as guides to help you choose what best works for you.

South Bay Blend

h Colocc

paver-shield[™]



CAPPUCCINO BLEND*

A blend of earthy Browns and vibrant tans



CHESAPEAKE BLEND*

A blended mix of Travertina and Pewter



TOP

SELLING

COLORS

GRANITE CITY BLEND

A two color blend of Pewter and Charcoal



GRAPHITE PEARL BLEND*

A rich mixture of white, Pewter and Raven



OCEANIC BLUE*

A tranquil blend of Pewter, light stormy blue and white



PENNSYLVANIA BLUE**

A deep blue resembling the natural color of Pennsylvania Bluestone



SOUTH BAY BLEND*

A blend of gray, white and tan



TRAVERTINA*

A two-tone blend of coral and white




WESTCHESTER BLEND

A three color blend containing Pewter, Charcoal and Chamois accents

> *Premium Color **Deluxe Color





ultimate family STAYCATION **Patios & Pool Decks**






Granite City Blend 6" Colonial Wall

Colonial Cap





Graphite Pearl Blend

Stonegate[®] Contemporary Wall Stone Ridge Contemporary

South Bay Blend Stone Ridge

Oceanic Blue

Verona Wall Contemporary Alpine Ridge


18



Westchester Blend

Alpine Contemporary

Sector W - M





come home to NICOLOCK

Driveways & Walkways




Westchester Blend

Verona Wall Contemporary















Pennsylvania Blue Stone Ridge

6



Westchester Blend

Stone Ridge

Oceanic Blue

F

Plank Paver 6x13 (special order)

discover OUTDOOR LIVING

Fire Pits, Fireplaces & Outdoor Dining



Verona Fire Pit





Pembrey

Natural Ledgestone Sizzler Pro Kitchen Package

Sizzion CCO COCOCO

GE




Verona Wall






Westchester Blend

Serafina Fire Pit



Graphite Pearl Blend



Serafina Fire Pit

Travertina

& HAMILY





check out PAVER-SHIELDTM

Graphite Pearl Blend

When determining what size and texture to choose, consider the style of your home. Is your home modern? Is it traditional?

Nicolock's Top-Selling products include a combination of smooth and textured styles. Each option comes in a variety of sizes to best fulfill your outdoor vision.

Oceanic Blue

В

Α

39156

Stone Ridge

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge XL.



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**

WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
4½"	9"	23⁄8"	3.8		130	
9 "	9"	23⁄8"	1.9	110	60	2,950
9"	13½"	2¾"	1.3	-	50	-

Sizes not sold separately





SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



С

OCEANIC BLUE*

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend Marble Blend* Oceanic 5* Oyster Blend* Peconic 6*

Daver-shield

Stone Ridge Contemporary


South Bay Blend

W Sala

Westchester Blend

Multi-sized rectangular shapes with a smooth and modern finish. Slightly chamfered edge.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	4½"	9"	23%"	3.8		130	
В	9"	9"	23⁄8"	1.9	110	60	2,950
С	9"	13½"	23⁄8"	1.3		50	
D	18"	18"	23⁄8"	2.25	131	60	3,537 *sold as separate pallet
	ze D sold separ						









GRANITE CITY BLEND

CAPPUCCINO BLEND*





PENNSYLVANIA BLUE**



GRAPHITE PEARL BLEND*



OCEANIC BLUE*



WESTCHESTER BLEND

SOUTH BAY BLEND*

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend Marble Blend* Oceanic 5* Oyster Blend* Peconic 6*



paver-shield

Stone Ridge XL

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge. Not recommended for vehicular applications. WIDTH LENGTH THICKNESS PCS/SF SF/PALLET PCS/PALLET LBS/PALLET

Α	9"	9"	23⁄8"	1.9		20	
В	9"	18"	23⁄8"	.93	110	50	2,950
С	18"	18"	2%"	.46	-	20	
	izos not sold se						

• B••• B•••



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



Α

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



Travertina

OCEANIC BLUE*

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend	Μ
Autumn Blend*	0
Crab Orchard Blend*	0
Golden Brown Blend	Pe

Marble Blend* Oceanic 5* Oyster Blend* Peconic 6*




Alpine Ridge

These multi-sized shapes will add a great feel to any project. Natural cleft texture with a lightly chamfered edge. Not recommended for vehicular applications.

WIDTH LENGTH THICKNESS PCS/SF SF/PALLET PCS/PALLET LBS/PALLET

Α	7¾"	15%"	23⁄8"	2.55		30	
В	15%"	15%"	23⁄8"	1.7	127	30	3,500
С	15%"	23½"	23⁄8"	.84		20	





CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



Α

В

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



С

Oceanic Blue

OCEANIC BLUE*

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Golden Brown Blend Marble Blend* Oyster Blend*



Alpine Contemporary


a later

Multi-sized rectangular shapes with a smooth texture and slightly chamfered edges. Not recommended for vehicular applications.





PENNSYLVANIA BLUE**





CAPPUCCINO BLEND*



CHESAPEAKE BLEND*

SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



В

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



С

South Bay Blend

D

OCEANIC BLUE*

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Golden Brown Blend Marble Blend* Oyster Blend*



The long and narrow design of this Nicolock favorite gives a finished and sleek appearance to complement modern design trends.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6"	9"	2¾"	2.66		54	
В	6"	13"	2¾"	1.85	103	81	3,122
С	6"	17"	2¾"	1.41		54	
D	6"	13"	2¾"	1.85	103	189	3,122





GRANITE CITY BLEND





MARBLE BLEND*




RAVEN*



WESTCHESTER BLEND






SOUTH BAY BLEND*



Ridge Brick

A universal, oversized brick shape with a textured riven surface. Slightly chamfered edges. Use as a field paver or as a border.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	Δ
A	41⁄2"	9"	23⁄8"	3.63	110	400	2,950	



Adobe Blend
Autumn Blend*
Crab Orchard Blend*

Golden Brown Blend Marble Blend* Oyster Blend*

Oceanic Blue



BROWN



OCEANIC BLUE*



CAPPUCCINO BLEND*

PENNSYLVANIA BLUE**



CHARCOAL

RAVEN*



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



Rustico 6x6

Rustico 6x9

SOLAR LIGHT PAVERS BY



Easy to install • DIY, No wiring Up to 8 hours of light White & Colored lights available On/Off Switch on bottom

Comparable to 6x9 in size

Granite City Blend

Granite City Blend

Single-sized square and rectangular shapes with a slightly dimpled surface. Chamfered edges and square corners make these perfect for inlays and borders.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	6"	6"	2¾"	4	120	480	3,027	Α
В	6"	9"	23⁄8"	3	113	300	2,982	
	C:							

Sizes sold separately



ADOBE BLEND (6x9 only)



AUTUMN BLEND* (6x9 only)



BROWN




CAPPUCCINO BLEND*




В

CHARCOAL



CHESAPEAKE BLEND*



CRAB ORCHARD BLEND (6x9 only)



FIRE ISLAND BLEND (6x9 only)



GOLDEN BROWN BLEND (6x9 only)



GRANITE CITY BLEND



GRAPHITE PEARL BLEND* (6x9 only)



MARBLE BLEND* (6x9 only)



OCEANIC BLUE* (6x9 only)



OYSTER BLEND*



PENNSYLVANIA BLUE** (6x9 only)

(i) paver-shield



RAVEN*





TRAVERTINA*



WESTCHESTER BLEND



Rustico 4 Pc Combo



Stylish multi-sized rectangular shapes with a slightly dimpled surface. Chamfered edges with square corners.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
Α	3"	6"	2¾"	8		100		
В	6"	6"	2¾"	4		100		
С	6"	9"	2¾"	2.7	117	160	3,050	
D	9"	9"	2¾"	1.8		40		





ADOBE BLEND



GRANITE CITY BLEND



MARBLE BLEND*



PENNSYLVANIA BLUE**



WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 138-141)

TRAVERTINA*

Autumn Blend* Crab Orchard Blend* Fire Island Blend

Golden Brown Blend Oyster Blend*



Multi-sized rectangular shapes with a textured riven surface and slightly chamfered edges give this paver a sleek look. Not recommended for vehicular applications.

_	WIDTH	10"		PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLE
Α.	6½"	13	23⁄8"	3.8		40	
B	13"	13"	23⁄8"	1.9	106	40	2,761
C	13"	19½"	23⁄8"	1.3		20	







ADOBE BLEND

CHESAPEAKE BLEND*



GRANITE CITY BLEND



OCEANIC BLUE*



PENNSYLVANIA BLUE**



WESTCHESTER BLEND

paver-shield



Blue Ridge

Holland Stone

Granite City Blend

A classic brick shape with a flat surface and chamfered edges. Versatile for many residential and commercial projects. Available in 31%" thickness for special order.

ALL A	WIDTH	LENGTH	THICKNESS	PCS/SF		PCS/PALLET		
S	4"	8"	2¾"	4.5	120	540	3,100	A
1	1	100		Le Is	Caller R	202		
	1			E BE	5- 0.70			and the
				93	and	1		
						10	1.4.2	10g
		BROWN			CHARCOAL		GRANITE CIT	Y BLEND
	100	RICO D	- State				so available ir	
				1.4	and the second	Alter and	olor swatches Jobe Blend	on pg. 138-1
	1				1 Eller		itumn Blend* ab Orchard Ble	nd*
					E		re Island Blend	
				11.2	1000	L. M.	olden Brown Bl arble Blend*	lend
		RAVEN*		WEST	CHESTER BL		/ster Blend*	
4						Pe	ewter	
A.						Re		
							ا النا	paver -shield ``

Single-sized paver with a flat, smooth surface. Chamfered edges and pillowed corners make this paver perfect for driveways, walkways and more.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET		
A	6¾"	9¾"	23⁄8"	2.4	124	300	3,223	Α	







WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Golden Brown Blend Oyster Blend*



Colonial Cobble 1.5 Normal



Heritage Slab

Heritage Slab is a great stone for various architectural applications including rooftops and plazas. Suitable for overlays and at-grade applications.



CHARCOAL



PEWTER



WIDTH LENGTH THICKNESS PCS/SF SF/PALLET PCS/PALLET LBS/PALLET

A	8"	16"	2"	1.13	80	90	1,783	
В	12"	12"	2"	1	120	120	2,654	А
С	18"	18"	2"	.44	135	60	2,990	
D	24"	24"	2"	.25	80	20	1,776	
Ε		Round	2"	n/a	n/a	40	1,562	

Pedestals (All sold separately)



8X Coupler

adds 4" (for use with

8X adjustable only)

5X Adjustable Pedestal adjust from 1¼"- 2" a with ¾6" spacer tab wi



7X Stackable

Pedestal

6¹3⁄16" x 6¹3⁄16" x ⁹⁄16"

with 1/8" spacer tab

table 7X Adjustable tal Pedestal adjust from 3"-4¾" accer tab with ¾6" spacer tab

Shim 1/16"



С

D

В







18x18 Heritage Slab with 7X Adjustable Pedestal

Pewter

E

18x18 Heritage Slab with 7X Stackable Pedestal

RED

63



	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	3%"	6¾"	23⁄8"	7.1		100	
B	6¾"	6¾"	2¾"	3.6		100	
С	6¾"	9¾"	23⁄8"	2.4	155	160	5,454
D	9¾"	9¾"	23%"	1.6		40	-
	9¾"	9¾"	2¾"	1.6		160 40	
					-	D	
					-		-
						1000	

SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.



	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	4.6"	7"	2¾"	4.27	131	560	3,519
	4.6"	4.6"	23%8"			740	2 270
В	2.33"	4.6"	23%"	N/A	126	120	3,278
	Sizes A & B sold						
				~			



SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.



Daver-shield



	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	7¾"	15%"	23⁄8"	.84		30	
B	15%"	15%"	23%"	1.7	127	30	3,500
С	15%"	23½"	2¾"	2.56		20	
	Sizes not sold se						
						-	
			A	B	🚬 C 🖌	CE-	

SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.





	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6¼"	81⁄8"	2¾"	3.6	111	400	2,823
B	4¾"	81⁄8"	2¾"	4.5	111	500	2,877

SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.

							paver -shield "
Diamond Paver	₩IDTH A 57/16"	LENGTH 13½"	THICKNESS	PCS/SF 2.48	SF/PALLET 96	PCS/PALLET 192 full pcs 32 half pcs	LBS/PALLET 2,750
AL PL I	PECIAL ORD lor availability va		DUCT	A Contact yo	ur local deale	er to confirm p	ricing and availability.
8x8	WIDTH A 8"	LENGTH 8"	THICKNESS 2¾"	PCS/SF 2.25	SF/PALLET 106	PCS/PALLET 240	LBS/PALLET 3,724
	PECIAL ORD			contact yo	ur local deale	er to confirm p	ricing and availability.


incorporate an ACCENT

Consider adding an accent to your project. Choose from a variety of Inlay & Border styles, or make one of our Circle Kits your focal point. These products make the perfect finishing touch for driveways, seating areas and much more.

Granite City Blend

Old Vienna with paver-shield





Rustic antique clay brick surface. Borders come to life with this aesthetic inlay.

WID	TH LE	NGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	Α
A 23/		71⁄2"	2¾"	55	425	1,554	
		15	23529	The set of			
			1-2-2-2-2				
		1	a series	1.5			
		1.	Patrice	5-10-1			
		2/3		AND DECK	a. 1. 3		
			ないない	3/2017	-		
			AUTUMN BL	END*	BR	OWN	
			日月月	0.000		31.165	
			200				
			国際	1421	A 2020		8
		1	CALEBRA	Constant of the second			1
		108	and the second			THE PERSON	

FIRE ISLAND BLEND

<u>()</u> paver**-shield**

Multi-sized, irregular shapes with a textured surface and textured edges. Makes a stunning accent and is just as beautiful on its own. No spacer lugs.

RAVEN*


WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET A 2¾" 31/4" 2%" **3**/4" 4" 23⁄8" **C** 3¼" 4" 2%" 65 630 1,663 D 35/8" 4" 2%" 4" 4" 2%" Sizes not sold separately Α В D Ε (1) paver-shield CHARCOAL **GRANITE CITY BLEND**

RAVEN*

Euro Cobble







BROWN

GRANITE CITY BLEND

RAVEN*



Decorative solution for use around walkways, patios and gardens.

	WIDTH	LENGTH	THICKNESS	LF/PALLET	PCS/PALLET	LBS/PALLET	A
A	4"	10"	71⁄2"	100	120	2,695	








ADOBE BLEND

GOLDEN BROWN BLEND

GRANITE CITY BLEND



Graceful curves and a stone texture make this circle kit a favorite for patios and driveways. Large oversized pieces, with 6 rings plus a center stone, all with a ridge, to complement any of our Ridge products.







Ridge Circle

UNBREDNARHAN

ALL STATE





GRANITE CITY BLEND







PENNSYLVANIA BLUE**









TRAVERTINA*



Raven

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend Marble Blend* Oyster Blend*

WESTCHESTER BLEND



SISTER

You can mix in a Rustico Circle with other paver styles or use it with Rustico pavers to create incredible designs. This 10-ring with center circle kit makes a beautiful 10'4" circle with a dimpled surface texture.

_	PCS/PALLET	SIZE	SF/PALLET	LAYERS/PALLET	LBS/PALLET	
Α	10					
B	20					
С	20	Kit Makes	00 5	10	2,842	
D	220	10'4" Circle	86.5	10		
E	320					
	10					

F 10 Sizes not sold separately





BROWN





GRANITE CITY BLEND





Α





Granite City Blend

WESTCHESTER BLEND

Ε

Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Autumn Blend* Crab Orchard Blend*

Fire Island Blend Golden Brown Blend Marble Blend*

Charcoal

Sante-Euro[®] Circle

Circle designs with sweeping curves are all possible with the stunning Sante-Euro[®] Circle Kit. A beautiful way to enhance your walkway, patio or driveway.















CHARCOAL

GOLDEN BROWN BLEND

GRANITE CITY BLEND

OYSTER BLEND*

WESTCHESTER BLEND



A complete circle pack on a pallet! Naturally aged and textured surface with an authentic character of reclaimed flagstone, in circular design with stone cut edges.

	PCS/PALLET	SIZE	THICKNESS	SF/PALLET	LBS/PALLET
A	4				
B	16	Kit Creates 9' Circle	1½"	64	1,100
С	16	5 enere			
D	16	13'	1½"	69	1,200
ŝ	Size D sold separately as a	large circle extension			
	A	B	° <	₽<	
	4	10-10		J. A.	
	В	LUESTONE		IRONDE*	
		МОСНА	YO	RK BROWN	

Old Town Flagstone Quartered Square



This classic design features a series of rectangular bands of slabs running out from a single central unit and radial lines that provide a quartered effect.



ENVIRONMENTAL options

Granite City Blend

Going green was never so easy or cost efficient. Nicolock's environmental pavers work with nature to provide visually appealing pavement options, plus the bonus of storm water management.

Available in a range of attractive colors, textures and styles, our environmental paver collection comes with ADA-compliant joint openings and is designed to filter rainwater safely back into the ground.

An oversized brick shape with a slightly textured riven surface. Slightly chamfered edges with a 13% open surface area. Joint opening is compliant with the Americans with Disabilities Act. (ADA)





0

A square shape and flat surface give these pavers a contemporary look. Chamfered edges give it a real stone feel. 10% open surface area and joint opening make these stones compliant with the Americans with Disabilities Act. (ADA)



paver-shield







Eco-Tre


Textured, chamfered edges give these pavers an authentic, stone feel yet provide a 10% open surface area and joint opening that is compliant with the Americans with Disabilities Act. (ADA)





GRANITE CITY BLEND

WIDTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET LENGTH







OYSTER BLEND*



WESTCHESTER BLEND

Α




Westchester Blend

С



Checker Block[®]


Gives you the strength of concrete with steel reinforcement in areas where you wish to maintain a grassy look including overflow parking, service roads, tree pits and fire lanes. It is also ideal for stabilizing embankments along streams, rivers and lakes. 75% surface open area for excellent drainage.



latural

NATURAL

Lattice concrete grid in rectangular pieces allows rainwater to gradually filter back into the soil. 40% flat, open surface area.





NICOSTONE pavers

Love the look and feel of real stone? Look no further than Nicostone. Offered in either free-form Grand Flagstone or an array of rectangular and square options, the look, durability and color-blending make Nicostone pavers a wildly-popular choice.

> Nicostone pavers come with Cool Touch™ technology that reflects solar heat. Bye-bye burning feet!

cool touch

York Brown



Natural stone appearance with a thermal, smooth finish and consistent texture. Sold as a patio pack or purchase sizes individually.



BLUESTONE



GIRONDE*



мосна

Thermal Finish Flagstone

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	6	6	
В	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	

Patio Pack Specifications 68 sq. ft.

W	DTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	.2"	12"	1½"	40	40	700
B	2"	18"	1½"	60	40	1,100
C	2"	24"	1½"	80	40	1,400
D	.8"	18"	1½"	45	20	800
E	.8"	24"	1½"	60	20	1,000
F	24"	24"	11/2"	80	20	1,400

Individual Size Specifications



YORK BROWN



A uniquely attractive natural cleft texture with an Old World charm. Sold as a patio pack or purchase sizes individually.

York Brown

BLUESTONE

GIRONDE*



мосна



YORK BROWN



Natural Cleft Flagstone

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	12"	12"	1½"	6	6	
В	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	. 1175
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	

Patio Pack Specifications 68 sq. ft.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	40	40	700
B	12"	18"	1½"	60	40	1,100
С	12"	24"	1½"	80	40	1,400
D	18"	18"	1½"	45	20	800
E	18"	24"	1½"	60	20	1,000
F	24"	24"	1½"	80	20	1,400
		pecifications				

F







Versailles Travertine

Sleek multi-sized rectangular shapes with a flat surface and natural travertine markings.





GIRONDE*

MARBLE BLEND*

_	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	8"	8"	1½"		16		
B	8"	16"	1½"		18	1,051	
С	16"	16"	1½"	64	8		
D	16"	24"	1½"		8		
E	12"	24"	1½"	N/A	15	493	
F	12"	12"	1½"	N/A	N/A	12	
G	18"	18"	1½"	N/A	N/A	18	





Old Town Flagstone

A complete patio on a pallet! Naturally aged and textured surface with stone cut edges.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	6	6	
B	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	
D	18"	18"	1½"	5	2	1,200
E	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	
		parately, Patio Pacl				





BLUESTONE



GIRONDE*



мосна







York Brown

Grand Flagstone

Stunning natural stone texture and 15 unique shapes that replicate large, irregular flagstone. Fast installation with easy-to-install pattern. Uniform thickness with a comfortable end result. Multiple natural color blends are available.









York Brown

BLUESTONE

мосна

YORK BROWN

WALL systems

Today, walls are not only functional but are distinctive focal points in numerous outdoor living and design projects. Whether it's a commercial or residential installation, you'll find the perfect wall in The Nicolock Wall Collection.


> Get inspired by our endless color and style options to create an exceptionally attractive and functional wall that will stand the test of time.

Landscape Walls



Ideal for retaining, free-standing seat walls and many other outdoor living features

Retaining Walls



Walls built for earth retention-- suitable for residential or commercial installations

Garden Walls



Perfect for tree rings, edgings, garden borders and low retaining wall installations Nicolock Walls are available in a variety of styles and include features designed for multiple applications. To help you select the best wall for your installation, please review the chart below. Additional information is included on each product page.

				WALL	HEIGHTS*					OUTDOOR
WALL STYLE	SYSTEM	Engineered Retaining Wall System	CORNERS	GRAVITY (+/-)	REINFORCED (+/-)	ALIGNMENT	SETBACK	CORE	FEATURES	LIVING KITS
L A N D S C A P	E WALLS									
Mini Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
5" Colonial	4-Piece	Yes	Yes/Split	2.5'	6'	Tongue & Groove	Vertical or 1.5"	Solid	Double Sided	N/A
6" Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Verona	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Stonegate®	3-Piece	Yes	Yes	2.5'	6'	Pin	Vertical or 1"	Solid	Double Sided	Yes
Claremont	2-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Belvedere	6-Piece	Yes	Yes	2.0'	6'	Concrete Adhesive	1/2"	Solid	Double Sided	Yes
Kodah	4-Piece	Yes	Yes	2.5'	6'	Concrete Adhesive	3/4"	Solid	Double Sided	N/A
RETAININC	G WALLS									
Firma®	1-Piece	Yes	Yes	3.0'	12'	Tongue & Groove	3/4"	Solid	Single Sided	N/A
Alta	1-Piece	Yes	Yes	3.0'	12'	Rear Lip	1"	Hollow	Single Sided	N/A
Alta Pro	1-Piece	Yes	Yes	3.0'	40'	Rear Lip	1"	Hollow	Single Sided	N/A
Compac III	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Outcropping	12-Piece	Yes	Yes	6'	15'	Shear Heel Lugs	14 Degrees	Solid	Single Sided	N/A
GARDEN W	ALLS									
Serafina	1-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Mountain Block	2-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical or 1"	Solid	Single Sided	N/A

N/A

*Wall heights shown are intended as a guide and not for construction purposes. **Note:** Gravity walls rely on unit weight and unit set-back to retain soils. Reinforced walls rely on unit weight, unit set-back and geogrid to retain and stabilize soils.

N/A

1.5'

N/A

Garden Wall

1-Piece



Rear Lip

1"

The symbol signifies that this product is suitable for building elevated wall heights using geogrid reinforcement or other design methods. Consult a licensed engineer for design assistance.

Single Sided

N/A

Solid



Belvedere Wall

A Belvedere Wall provides the rich texture of quarried stone for an organic finish without the expense. Create warm, rustic silhouettes with our Belvedere.



BLUESTONE









3"	18"	9"		12	
6"	18"	9"		12	
3"	12"	9"		12	
6"	12"	9"	21	12	2,475
3"	6"	9"		12	
6"	6"	9"		12	



6" Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.



CAPPUCCINO BLEND



TRAVERTINA*







WESTCHESTER BLEND



GRANITE CITY BLEND



4,068

GRAPHITE PEARL BLEND*



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	16"	9"		15	
c "	10.2	0"		25	•

Α	6"	16"	9"		15
В	6"	12"	9"	25	25
С	6"	9"	9"	35	25
D	6"	16"	9"		10




CORNER PIECE

Westchester Blend

5" Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.





CHESAPEAKE BLEND*



GRANITE CITY BLEND



TRAVERTINA*



WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



Mini Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLE
A	3"	16"	9"		30	
В	3"	12"	9"		50	0.001
С	3"	9"	9"	30	50	5,921
D	3"	16"	9"		20	
	Sizes not sold sep					





CAPPUCCINO BLEND



TRAVERTINA*



CHESAPEAKE BLEND*



WESTCHESTER BLEND



GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



Graphite Pearl Blend

SOUTH BAY BLEND


Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



Verona Wall

The Verona Wall's antiqued, double-sided finish mirrors the look of natural stone. It's a versatile wall to construct almost any outdoor feature including free-standing walls, steps, outdoor kitchens and fireplaces. You can also build Verona Piers to complement your wall.







CHESAPEAKE BLEND*



TRAVERTINA*



GRANITE CITY BLEND



WESTCHESTER BLEND



GRAPHITE PEARL BLEND*

Verona Wall Contemporary also available with **smooth edges**. *See image above.



OCEANIC BLUE*



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend









Made in New York, additional freight rates may apply. The 3-piece Stonegate[®] Contemporary Wall System features a unique, modern contemporary finish on three sides. It's offered in three face lengths and has a matching cap. Specialized pin system allows vertical to 1" setback.

Н	EIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
4	6"	16"/14"	10"			
B	6"	12"/10"	10"	30	60	2,623
C	6"	6"/4"	10"			
	3"	12"/10"	11"	66 LF	72	2,033





CHESAPEAKE BLEND*



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND



WESTCHESTER BLEND



GRANITE CITY BLEND



OCEANIC BLUE*



TRAVERTINA*

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend




CORNER SOLD SEPARATELY

AND NO

Claremont Wall

Linear, horizontal proportions evoke a contemporary yet classic stone appearance. Each unit is finished on both the front and back surfaces, allowing for both freestanding and retaining walls. Crisp, chiseled stone texture is indistinguishable from natural-shaped, limestone drywall.







BLUESTONE

мосна

В

ROSETTA" By Nicolock

С

YORK BROWN





Α

York Brown

Kodah Wall

Kodah Wall is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfect for a variety of applications. The Kodah Wall also makes it easier than ever to provide you with the big block look without the over-the-top installation costs.

6" 12" 10½" 3 6" 21" 10½" 31½ 24 2,400	HEI	GHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
6" 30" 10½" 3 2,400 A B C D E Conner sc 6" 12" 10½" 3 3 Conner sc Conne sc Conner sc C	6	5"	42"	10½"				
6" 21" 10½" 6 6" 12" 10½" 3 6" 21" 10½" 31½ 24 2,400	6	5"	30"	10½"	21	3	2 400	
6" 12" 10½" 3 SEPARATE 6" 21" 10½" 31½ 24 2,400	6	5"	21"	10½"	Z1		2,400	
6" 21" 10 ¹ / ₂ " 31 ¹ / ₂ 24 2,400 Size E sold separately	6	5"	12"	10½"		3	•	CORNER SOL SEPARATELY
Size E sold separately	6	5"	21"	10½"	31½	24	2,400	
				2072				
		20	3	C. C.	and and			Engineered Retaining Wa
		33			A. C.	19 10 10		System
Engineered Retaining Wa System				6 1 2	C. C. C.	STANK CONT		



_	-	-	-			_
D 1		- 1	~-	^		-
BL		÷٩	S I.	()	N	F



Adobe Blend

Alta Wall

Alta Wall is a versatile wall for everyday landscape applications. Its tapered design simplifies installation of inside and outside curves so you can design with freedom. The hollow core design and rear lip connection make this wall system a go-to system for professionals.





FIRE ISLAND BLEND

GOLDEN BROWN BLEND

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6"	16"	12"	1.5	26.6	40	1,962
B	6"	8"	12"	2	24	48	2,164
	Sizes sold senara						

GRANITE CITY BLEND







TRAVERTINA*

WESTCHESTER BLEND

Alta Pro Wall

A taller version of our beautiful Alta Wall, this system helps landscape and hardscape professionals create stunning outdoor living spaces with structural integrity.

						- 1
A 8"	18"	12"	1	40	40	2,404
B 8"	18"	9"	1	32	32	2,509





ADOBE BLEND



FIRE ISLAND BLEND



GOLDEN BROWN BLEND



GRANITE CITY BLEND

TRAVERTINA*



GRAPHITE PEARL BLEND*



Granite City Blend

WESTCHESTER BLEND






Firma Wall

The Firma® Wall is a segmental retaining wall with a natural split-face texture. Its classic line complements any natural or architectural landscape. A solid block with tapered sides, this wall system combines rich color, form and function into your project.



CRAB ORCHARD BLEND

ADOBE BLEND















OYSTER BLEND

York Brown

With this large rock landscaping look, your new retaining wall, stairs or poolscape will stand out among your neighbors. Get the look you want without sacrificing the structurally sound solution you need.

	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A 12"	42"	24"/20"			
B 12"	48"	24"/20"	- 18	4	4,000
C 12"	60"	24"/20"		7	4,000
D 12"	66"	24"/20"			
Sizes not sold sep	arately		C	D	
	and the second	A	and the second		L C
Pallet B					
HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A 6"	24"	24"/20"			
B 6"	36"	24"/20"			
C 6"	48"	24"/20"		6	4,000
D 12"	36"	24"/20"			·
12"	54"	24"/20"			
Sizes not sold sep	72"	24"/20"			
Pallet C					
HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
	a . "	24"/20"			
A 6"	24"				
A 6" B 6"	24″ 36"	24"/20"	18	4	4.000
			18	4	4,000
B 6"	36" 60" 48"	24"/20"	. 18	4	4,000
 B 6" C 18" D 24" 	36" 60" 48"	24"/20" 24"/20" 24"/20"	18	4	4,000
B 6" C 18" D 24" Sizes not sold sepa A Corners	36" 60" 48" rrately	24"/20" 24"/20" 24"/20"			Ð
B 6" C 18" D 24" Sizes not sold sepa A Corners CORNERS	36" 60" 48" rrately E S HEIGH	24"/20" 24"/20" 24"/20"	DEPTH	D PCS/PALLET	LBS/PALLE
B 6" C 18" D 24" Sizes not sold sepa A Corners CORNERS A 6" CORNE	36" 60" 48" rately 5 HEIGH R 6"	24"/20" 24"/20" 24"/20" T WIDTH 39"	DEPTH 27"	PCS/PALLET 1-6	LBS/PALLE 489
B 6" C 18" D 24" Sizes not sold sepa A Corners CORNERS	36" 60" 48" rately S HEIGH R 6" ER 12"	24"/20" 24"/20" 24"/20"	DEPTH	D PCS/PALLET	LBS/PALLE

System

By Nicolock



Outcropping

BLUESTONE



мосна

YORK BROWN

York Brown

Keystone[®] Compac III Straight Split

The Compac III's shape allows for tight radius curves and vertical core alignments. This wall can do it all with vertical or battered setback construction options. With triangular-shaped receiving holes, construction adjustments are simplified. Natural stone appearance and rich colors complement any setting.

_	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	Α
A	8"	18"	12"	1	40	40	2,417	



EYSTONE®





FIRE ISLAND BLEND



GOLDEN BROWN BLEND



GRANITE CITY BLEND



Granite City Blend


Made in New York, additional freight rates may apply.

ADOBE	BLEND
-------	-------



Mountain Block

Mountain Block's single-sided face provides a unique stone texture with its 4" x 12" wall face. Solid block makes this system structurally sound for walls with a maximum height of 36". Its organic design stylishly connects your home to its natural surroundings. Nicolock's Rockface Multi-Cap can be used to add the finishing touch to a great outdoor setting.







BLUESTONE

мосна



Α

ROSETTA By Nicolock

CORNER SOLD SEPARATELY

YORK BROWN



Serafina Wall

Fire Island Blend

The Serafina Wall's trapezoid shape and split face on two sides makes it a multifaceted solution for many hardscape applications. From straight and curved walls, single or two-sided borders for your garden, Serafina is a great option where walls less than three feet high are required. Available in colors for every home.

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	A
A	4"	10"/6"	9"	3.5	17	60	1,519	





GRAPHITE PEARL BLEND*



TRAVERTINA*



WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

GRANITE CITY BLEND



A pleasing 4"x12" garden wall with straight lines and a rear lip connection. This single-sided wall has tapered lines and is perfect for small applications in straight or serpentine walls.







HEIGHT

A 4"

WIDTH

12"

DEPTH

8"

PCS/SF

3.5

SF/PALLET

36

Also available in the following: (color swatches on pg. 142-143)

PCS/PALLET LBS/PALLET

1800

Α

Adobe Blend Charcoal Fire Island Blend Golden Brown Blend

108

TRAVERTINA*

WESTCHESTER BLEND

Charcoal

PIERS, COPING, CAPS & STEPS

Nicolock's Piers and Caps provide a decorative finishing touch to any wall system. Choose from a variety of styles and vivid colors to complement your outdoor project.

York Brown

Golden Brown Blend

Mini Colonial Pier

Builds Per Pallet:

One: 24" x 24" x 60" high pier Two: 24" x 24" x 30" high piers

 1000	-	-	1000	-	Sec.
1000		1000			1000
20030		Sec.			
and the second	-				1000
1000		- 25	-		1000

_	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
	3"	14¾"	9"	40	80	2,620

Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



CAPPUCCINO BLEND (Mini & 6" only)



CHESAPEAKE BLEND*

GRANITE CITY BLEND

Granite City Blend

Builds Per Pallet:

HEIGHT

5"

One: 24" x 24" x 70" high pier

Two: 24" x 24" x 35" high piers

WIDTH

14¾"

DEPTH

۹"

SF/PALLET

46.6

PCS/PALLET LBS/PALLET

56

2,849

5" Colonial Pier



GRAPHITE PEARL BLEND* (Mini & 6" only)



	18.0	100			2	
	1	199	100	253	- AN	1
	100	-	147.1	240	100	2.21
2	233	8-23	22	100		12.5
	1			Ser.	the P	
	the set	Ditte	- 19		SEL	220
	-	1000	1		1	-
8.0	5.18	100	100		See	699
	53	1		1.70	12-	-
-	010	1000	Sec. a	2022		100

SOUTH BAY BLEND (Mini & 6" only)



 \mathcal{O} \square ш





You can also use our 6" and 8" corners to create piers.

Builds Per Pallet: One: 20" x 20" x 72" H pier Two: 20" x 20" x 36" H piers

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	8"	12"	24	48	2,164

8" Corner

Builds Per Pallet: One: 27" x 27" x 64" H pier Two: 27" x 27" x 32" H piers



HEIGHT SF/PALLET PCS/PALLET LBS/PALLET WIDTH DEPTH 8" 9" 18" 32 32 2,509



WESTCHESTER BLEND

Verona Pier

Stonegate[®] Contemporary Pier



Builds Per Pallet:

One: 20" x 20" x 60" high pier or One: 30" x 30" x 30" high pier or Two: 20" x 20" x 30" high piers

4" 10")" 10"		60	2.800	
0" 10"		60	2 800	and the second second
			2,000	1
' 10"				
)" 11"	66 LF	72	2,033	
))" 11"		" 11" 66 LF 72	







CHESAPEAKE BLEND*

GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

OCEANIC BLUE*

SOUTH BAY BLEND

TRAVERTINA*

WESTCHESTER BLEND

WIDTH	DEPTH	SF/PALLET	PCS/PALLET
12"	8"	32	96

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal

Builds Per Pallet:

HEIGHT

4"

Two: 20" x 20" x 48" high piers

Crab Orchard Blend Golden Brown Blend Oyster Blend





Westchester Blend

LBS/PALLET

2,739

Nantucket Pre Built Pier

Ry Bluestone



QTY	HEIGHT	WIDTH	DEPTH	LBS/PALLET
1 Pier	35"	24"	24"	250
1 Pier	35"	30"	30"	350

TEXTURE:








LEDGE STONE

BISCOTTI TAN

NY BLUESTONE



A clean, chiseled stone edge providing a sturdy platform for additional landscape lighting.

HEIGHT	WIDTH	DEPTH
21⁄2"	18"	18"
21⁄2"	20"	20"
3"	24"	24"
3"	26"	26"
3"	27"	27"
3"	28"	28"
3"	30"	30"



BLUESTONE



BROWN







YORK BROWN

York Brown

Belvedere Pier

Corner blocks are used to build the pier; multiple textures provide a random look for your finished project. The matching cap provides the finishing touch as well as additional landscape lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units): One: 24" x 24" x 36" high pier

н	IEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	3"	15"	9"	24	16	1,520
B	6"	15"	9"	21	16	1,520
			Cap: 2	2½" x 27" x 2	27"	
					Ros By Nic	
The second	aller .	N. C. N.				





YORK BROWN



Claremont Pier

Chiseled, finished corner blocks are used to build the pier. The matching cap provides the finishing touch as well as additional lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units):


One: 30" x 30" x 40" high pier

BLUESTONE

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
4"	22"	8"	33	40	2,200	
		D Cap:	3" x 34" x 34'	,		
					DSETT By Nicolock	A [*]
	N. C.					

мосна

YORK BROWN



Kodah Pier

Corner blocks are used to build the pier. The cap provides the finishing touch as well as additional landscape lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units):

One: 32" x 32" x 36" high pier

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	21"	10½"	31.5	24	2,400






YORK BROWN

BL


LUESTONE

мосна





Features a hard-split face design on one edge. Suitable for single-sided walls but also compatible with all Nicolock Walls.



Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Charcoal Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

Offered in a hard-split rock face finish on two sides. Corners can be split into trapezoid shapes suitable for Colonial Wall Systems, but also compatible with any Nicolock Wall.

3"	9"	12½"		40	
3"	12"	12½"		40	
3"	15"	12½"	100	20	5,700
3"	15"	12½"		20	



GRANITE CITY BLEND GRAPHITE PEARL BLEND*



CAPPUCCINO BLEND

SOUTH BAY BLEND



CHESAPEAKE BLEND*

TRAVERTINA* WESTCHESTER BLEND




Also available in the following: (color swatches on pg. 142-143)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



Contemporary double-sided wall cap with clean lines and a slight chamfer. Perfect for pools, steps, or walls.



Stone Face Cap

Charcoal

RAVEN**

TRAVERTINA*

(i) paver-shield

WESTCHESTER BLEND

Features cast stone texture on two sides. Trapezoid shapes and available in two depths. Compatible with all Nicolock walls.

2"	9"	11½"	11	14	
2"	12"	11½"	14	14	
2"	15"	11½"	18	14	1,200
2"	15"	11½"	5	4	



Rockface Multi Cap Grande

		-				
	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
A	2"	9"	14"	11	14	
B	2"	12"	14"	14	14	
С	2"	15"	14"	18	14	1,400
D	2"	15"	14"	5	4	
		arately Combined				

Sizes not sold separately. Combined 48 LF

Bluestone






Features chiseled stone texture on two sides. Compatible with all Nicolock walls.


	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
A	2½"	24"	12½"		18	
B	21⁄2"	18"	12½"	61	12	500
C	21⁄2"	19"	12½"		4	
I	A	B	Calleren	END UNIT		SETTA Nicolock

Rockface Multi Cap





Creates the rustic appearance of natural stone and complements our Belvedere Wall.



Rectangular shapes and a dimpled surface give this coping a unique look. Textured edges add a special charm. No spacer lugs needed.

HEI	GHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET	
A 1 ¹	1⁄2"	18"	12"	30	20	30	600	
B 1 ¹	1⁄2"	19 "	12"	30	20	30	600	
C 1 ¹	1⁄2"	12"	12"	N/A	N/A	12	N/A	
D 1 ¹	1⁄2"	18"	18"	N/A	N/A	18	N/A	
Sizes so	old separately							
	A		8		OUTSIDE CORNER	INSIDE CORNER		
	and the second se	No.	11	A CON				にいるの間のとうの
AUTUMN COTSW	OLD	BLUESTO	NE	GIRONDE'	* N	ЮСНА	YORK BROWN	I

Flat surface with natural travertine markings. Fullnose on one side. Inside and outside corners available .

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET
A	1½"	24"	12"	30	15	-	493
B	1½"	12"	12"	N/A	N/A	12	N/A
С	11⁄2"	18"	18"	N/A	N/A	18	N/A
	Sizes sold separa	tely					



Old Town Coping



Versailles Coping









These treads have a chiseled stone edge treatment on three sides making them the perfect finishing touch to any wall, step or pool coping. A Thermal finish top surface gives them a smooth texture.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A	2"	51"	14"	13	118	1,810	
B	2"	64"	14"	13	147	2,245	The second
С	2"	74"	14"	13	165	2,515	

Sizes sold separately







GIRONDE*

These classic treads offer a flamed or rounded stone edge treatment with a thermal finish top surface. Six sizes make it easy to fit your design. Perfect for walls, steps and pool coping.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET
A	2"	48"	12"	15	96	1,490
E	2"	60"	12"	15	120	1,850
C	2"	72"	12"	15	143	2,200
D	2"	48"	14"	15	118	1,815
	2"	60"	14"	15	147	2,250
F	2"	72"	14"	15	165	2,515

Sizes sold separately

Fullnose Treads offered **ONLY** in 14" depth




BLUESTONE





BROWN

GIRONDE*



6x12 Fullnose

Surround your pool or create sturdy steps. 6x12 Fullnose Pavers come in a wide variety of colors. Rectangular in shape and a smooth surface gives this coping a unique look. Rounded edges add a special charm. No spacer lugs needed.

	HEIGHT	WIDTH	DEPTH	PCS/LF	LF/PALLET	PCS/PALLET	LBS/PALLET	Α
A	23⁄8"	6"	12"	2	104	208	2,566	

*8x12 Fullnose available for special order in Charcoal & Granite City Blend

Also available in the following:	
(color swatches on pg. 138-141)	

Adobe Blend Autumn Blend* Crab Orchard Blend* Fire Island Blend

Golden Brown Blend Oyster Blend* Red



BROWN



OCEANIC BLUE*



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHARCOAL



RAVEN**



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*





WESTCHESTER BLEND



Irregular Steps





Our Irregular Steps will give a magnificent appearance that's indistinguishable from natural stone. They have a uniform rise that is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.

_	HEIGHT	WIDTH	DEPTH	UNITS/BUNDLE	LBS/PC	LBS/PALLE
A	7"	54"	24"		458	
B	7"	60"	24"		600	
С	7"	42"	17"		349	
D	7"	48"	28"	6	567	2,962
Ε	7"	42"	26"		476	
F	F 7"	48"	24"		512	

Sizes not sold separately

OSETTA

By Nicolock









YORK BROWN

BLUESTONE

OYSTER BLEND*

мосна

Smooth top with a textured finish, the Roma Step provides transition and

functionality to your hardscape design.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LF/LAYER	LBS/PALLET	٨	
A	6"	48"	18"	6	8	2,250	A	



CHARCOAL



TRAVERTINA*

GRANITE CITY BLEND



WESTCHESTER BLEND



Rockface Steps

Makes a 6" change in elevation with a single unit. Thermal finish top surface with chiseled stone edge treatment on three sides.






BROWN



GIRONDE*

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
Α	6"	51"	16"	6	365	4,745	100
В	6"	64"	16"	6	455	5,915	Mar all and
С	6"	74"	16"	6	545	7,085	

Sizes sold separat





Effective in protecting lawns from traffic. Create winding paths acr	OSS §	gravel,
mulch or grass.		

L		in procee		mulch or g	grass.	niang path	success graver,
	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	-
A	1½"	22"	16½"	20	37	777	A
							1000
Sec.	2	11-94	-	12 1 6 10	19		1
-							~
					E. Car		
				Y STW	1 Park	1	
30			1	C. Kal		3	and and
A		COTSWOL	D	BLUESTO	DNE	_	GIRONDE*
6			-			8 14	
					2 43		
				maint		1	
	LIL	AC*		YORK BRO	OWN		

Create an authentic, rustic feel with a cut-log look. Create winding paths across gravel, mulch or grass.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A	1½"	24"	10"	20	23	483	A



RUSTIC BROWN

Bring the heat with FIRE PITS & FIREPLACES

WOOD

The Standard Wood option is for fire lovers who appreciate the full aesthetics of burning wood. Choose your coping option for added height.

SMOKE-LESS WOOD

A unique double-wall design results in smoke reduction. When a fire is burning, the walls heat up, hot air rises and exits the wall cavity through the line of holes around the rim. This pressurized, heated oxygen mixes with the smoke and causes it to reburn, reducing smoke.



Granite City Blend

Whether you prefer propane or natural gas, each ignition type includes everything you need to experience season-round enjoyment day or night. Packages include the vent kit for all ignition systems and control panels for MT and TMSI options.

Serafina Fire Pit

There is something magical about sitting around the fire pit. The Serafina Fire Pit provides a charming focal point for entertaining with family and friends.



B		Action	Ries	100	
			S.	P	
18		-		-	đ
18		1.3	1		8
	133			公历	1

DUTSIDE DIAMETER	HEIGHT	LBS/PALLET	-
48"	16"	1,350	
51½"	19"	1,714	N.



A WITHOUT COPING

B WITH COPING





GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

TRAVERTINA*



WESTCHESTER BLEND

COPING

OPTIONS:

Granite City Blend

Also available in the following: (color swatches on pg. 142-143) Adobe Blend Bluestone*

Fire Island Blend Golden Brown Blend Oyster Blend

Crab Orchard Blend



GI	R	0	Ν	D	E

GAS	Full Pallet Wall Stone & Coping	Lava Rocks ² (min qty)	Match Throw Burner Kit	TMSI Burner Spark Ignition Kit	TFS Burner w/ remote	Deluxe Brass Match Throw	Deluxe Brass AWS
*Deluxe Match Throw ¹	0	0	0				
*Deluxe Spark TMSI ¹	0	0		0			
Deluxe Remote TFS**	Ø	0			0		
Deluxe Brass Match Throw**	0	0				0	
Deluxe Brass AWS**	Ø	0					0

BLUESTONE

Vent kit included with all ignition systems.

*Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish

**Must be ordered with natural gas or liquid propane


CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD	Full Pallet Wall Stone	Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Rockface Coping
Wood Standard 1	0	0			
Wood Standard 2	Ø	0			0
SMOKE-LESS					
Smoke-Less 1	0		0		
Smoke-Less 2	Ø		0		0
Smoke-Less 3	Ø			0	
Smoke-Less 4	Ø			0	0

117



What better way to enjoy your outdoor living area than to gather together around this cozy Belvedere Fire Pit with your loved ones. The natural textures and colors of the Belvedere seamlessly fit together with every Nicolock stone.



MOCHA

By Nicolock




BLUESTONE



YORK BROWN


CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD	Half Pallet Wall Stone	Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Belvedere Coping
Wood Standard	0	0			0
SMOKE-LESS					
Smoke-Less 1	0		0		0
Smoke-Less 2	0			0	0



Vent kit included with all ignition systems. Control panel included. Brass options available. ¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish. ****Must be ordered with natural gas or liquid propane**



1

2

3

4

「「「「「「「「「」」」	Every season is the season for the Ovation. Easily installed, the
Ovation Fire Pit	Ovation can create warmth and ambiance at your home tonight! Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-Less or Gas), then select from our various options.
	BASETOPHEIGHTLBS/PALLETA WITHOUT TOP B WITH TOP40" DIAMETER44" DIAMETER18" 191/2"345
	*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan and NY Bluestone colors.
P. H. H. H.	CHOOSE YOUR TEXTURE: Image: Choose Image: Choose
	CHOOSE YOUR COLOR:Image: Colored and the second
Ny Bluestone Ledge Stone	CHOOSE YOUR TOP: BLUESTONE BROWN

CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD	2 Panels and Connectors	Stone-Face Top	Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert
Wood Standard 1	0	0	0		
SMOKE-LES	S				
Smoke- Less 1	0	0		0	
Smoke- Less 2	0	0			0

GAS	2 Panels and Connectors	Stone-Face Top	Lava Rocks ² (min qty)	Match Throw Burner Kit	TMSI Burner Spark Ignition Kit	TFS Burner Kit w/ remote
*Deluxe Match Throw¹	0	0	0	Ø		
*Deluxe Spark TMSI ¹	0	0	0		0	
Deluxe Remote TFS**	0	0	0	-		0

Vent kit included with all ignition systems. Control panel included. **Brass options available.** *Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish ****Must be ordered with natural gas or liquid propane**

VERTICAL PANEL TECHNOLOGY

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce material waste and

material waste and environmental impact, while delivering the highest quality vertical masonry structures.



CHOOSE YOUR WOOD OR GAS PACKAGE:


WOOD	4 Panels and Connectors	Stone-Face Top	Square Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert
Wood Standard 1	0	0	0		
SMOKE-LESS					
Smoke-Less 1	0	0		0	
Smoke-Less 2	0	0			0

GAS	4 Panels and Connectors	Stone-Face Top	Lava Rocks ² (min qty)	Match Throw Burner Kit	TMSI Burner Spark Ignition Kit	TFS Burner Kit w/ remote
*Deluxe Match Throw¹	0	0	0	0		
*Deluxe Spark TMSI ¹	0	0	0		0	
Deluxe Remote TFS**	0	0	0			0
/ent kit included with all ignition systems. Control panel included. Brass options available.						

*Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **Must be ordered with natural gas or liquid propane



BISCOTTI TAN NY BLUESTONE



CHOOSE YOUR TOP:


BLUESTONE



VERTICAL PANEL TECHNOLOGY

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce

material waste and environmental impact, while delivering the highest quality vertical masonry structures.



SG Grande Fire Pit

Α TOP HEIGHT LBS/PALLET LENGTH WIDTH HEIGHT A 62¼" $1\frac{1}{4}$ " 3,500 40' 24"

INCLUDES:

- 30 SF Stonegate[®] Wall
- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 6LNTS
- 1 LOF-BO-LP40 (Conversion Kit)
- 1 Paver CP-TMSI
- 1 LOF-36LHTMSI-N (12" x 36" linear burner)
- Lava Rocks







SG Linear Fire Pit

	LENGTH	WIDTH	HEIGHT	TOP HEIGHT	LBS/PALLET	A
A	52¼"	30"	18"	11⁄4"	3,200	

INCLUDES:

30 SF Stonegate[®] Wall 34" x 56" Granite Top 1 Paver Vent 6LNTS 1 LOF-BO-LP40 (Conversion Kit) 1 Paver CP-TMSI 1 LOF-30LHTMSI-N (10" x 30" linear burner) Lava Rocks







CHESAPEAKE BLEND*

SOUTH BAY BLEND



TRAVERTINA*





WESTCHESTER BLEND



OCEANIC BLUE*


Also available in the following: (color swatches on pg. 144-145) Adobe Blend Bluestone* Charcoal

Crab Orchard Blend Golden Brown Blend Oyster Blend

VERTICAL PANEL TECHNOLOGY

Biscotti Tan Brickface

Triumph Fire Pit



4 GFRC Wall Panels 4 GFRC Corner Pieces 44" x 66" Granite Top 1 Paver Vent 4LNTS

Lava Rocks

1 FG-32LPHRK Propane Regulator & Hose 1 LOF-36LHTMSI-N (12" x 36" linear burner)

GRANITE TOP

1 NPS 14" x 20" Access Door w/ Vents

1 LOF-BO-LP40 (Conversion Kit)

Caledonia

CHOOSE YOUR TEXTURE:



BRICKFACE STACKED STONE

CHOOSE YOUR COLOR:





BISCOTTI TAN

NY BLUESTONE*

*Harbor Gray not available in Stacked Stone. NY Bluestone not available in Brickface.

HARBOR GRAY'



CUSTOMIZE YOUR FIRE PIT

SNOKE-LESS



LIDS | ROUND AND SOUARE

Smoke-Less Fire Systems work through a double-wall, secondary combustion design. When the fire is burning, the walls heat up and the hot air rises through the gap between the two walls. The air then exits the wall cavity through the line of holes around the rim. Pressurized, heated oxygen mixes with the smoke and causes it to reburn.

SQUARE SMOKE-LESS INSERT W. LID | STEEL



ROUND SMOKE-LESS INSERT | STEEL





ROUND SMOKE-LESS INSERT W. LID | STAINLESS





MODEL	DIMENSIONS	DESIGNED TO FIT
Round LID-19R2*	22¾" Diameter x ‰" H - lid height 2" with handle	Ovation Gas
Round LID-29R2*	32½" Diameter x ¾" H - lid height 2" with handle	Ovation Gas or Serafina Gas
Square LID-20S	22¼" W x %" H - lid height 2" with handle	Encore Gas
Square LID 26S	28¼" Diameter x ¾" H - lid height 2" with handle	Verona & Encore Wood or Gas
LID-LUME29R	27" Diameter x 1¼" H - lid height with handle	Serafina Wood
LID-LUME34R	32" Diameter x 1¼" H - lid height with handle	Belvedere Wood

SPARK SCREENS

MODEL	DIMENSIONS	DESIGNED TO FIT
Square 770 Black	30" Screen (30" x 12")	Verona & Encore
Round 775 Black	30" Screen (30" x 15")	Serafina & Ovation
Round 775 Stainless Steel	30" Screen (30" x 15")	Serafina & Ovation
Round 781 Black	39" Screen (39" x 18")	Belvedere
Round 24SS	24" Screen Black	N/A



Silver

Seabreeze

GLASS

REFLECTIVE	Mirror finish broken reflective. Approx. 1/2" to 3/4" in size	5lb bag
BROKEN	Large broken. Approx. 1/2" to 3/4" in size	5lb bag

LARGE REFLECTIVE GLASS COLORS



BROKEN GLASS COLORS



Crystal Pepper

A FIREGEAR

Nicolock is a master Firegear distributor. Please visit Firegearoutdoors.com for a complete selection of products.





See Firegearoutdoors.com for more Log/Twig options



Verona Fireplace

INCLUDES:

- 6 Pallets of Verona Wall
- Cast Concrete Fireplace opening surround
- Wood burning fireplace inset with single piece, brushed stainless face, stainless mesh screens with hidden pockets Round top cap with mesh screen
- Realistic textured brick liner in natural white, EZ access damper & gas log ready feature
- 4 concrete lintels
- Double wall flue pipe
- Pre-cast concrete medallion

LENGTH WIDTH HEIGHT LBS/PALLET A 91" 56" 97" 16,828





0.0	100	e-N		1.000
100	100			1.18
Sec.				
Sec.	100		Ú¢.	12
200	all the same			

BROWN



BLUESTONE

GIRONDE*

Gather 'round the fire day or night! Complement your patio with the sleek look of the Verona Fireplace. Add warmth to your backyard in any season! Contains everything you need to construct this stunning fireplace.





GRANITE CITY BLEND



GRAPHITE PEARL BLEND³

SOUTH BAY BLEND



WESTCHESTER BLEND




OCEANIC BLUE*

TRAVERTINA*

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend



A smaller version of the Verona Fireplace but just as awesome! Enjoy the warmth all year round. Extend your outdoor living season with a toasty fire anytime!



CHESAPEAKE BLEND*



EPLACES

FIR

 \sim

PITS

FIRE

GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



Also available in the following: (color swatches on pg. 144-145)





WESTCHESTER BLEND



OCEANIC BLUE*

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

INCLUDES:

2 Pallets of Verona Wall

4' Rockface step tread

4" Rockface accent piece

- Top piece with 8" cut out for smoke
- Lentil with keystone
- Steel insert not included, firebrick recommended
- Does not come with flue pipe



BOX AVAILABLE

ACCENT **OPTIONS:**







BLUESTONE

BROWN

GIRONDE*



Granite City Blend

A compact version of the Verona Fireplace with all of the fire power! Enjoy all year long!



CHESAPEAKE BLEND*

GRAPHITE PEARL BLEND*

SOUTH BAY BLEND

WESTCHESTER BLEND



GRANITE CITY BLEND



OCEANIC BLUE*



TRAVERTINA*

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

Verona Jr Fireplace


INCLUDES:

- 2 Pallets of Verona Wall
- Wet Cast 52" x 44" Wet Cast 36" x 36"
- Wet Cast 32" x 32"
- Insert, Flue Pipe & Vent Cap
- 6" x 48" x 16 ½" Rockface Step

OPTIONAL WOOD BOX AVAILABLE -28" W-



		LENGTH	WIDTH	HEIGHT	LBS / PALLET
A	FOOTPRINT W/O STEP	47"	40"	70"	
	INSERT (INSIDE DIAMETER)	24"	24"	N/A	6,003
	STEP	48"	16½"	6"	





Α





BROWN



BLUESTONE

GIRONDE*

Biscotti Tan Ledge Stone

Kalea Bay Fireplace


Perfect for entertaining or when you desire a place to retreat, relax and reconnect. Available in single-sided and see-through configurations.

SINGLE SIDED KALEA BAY INCLUDES:

- 1- 42" high x 84" wide with cut out
- 1- 42" high x 84" wide panel (no cut out)
- 2-42" high x 17" wide side panel
- 4- 42" high structural corner units, smooth
- 1- Cast Stone top (24½" x 91½")
- 1- 48" Kalea Bay Fireplace insert with black crushed glass

	LENGTH	WIDTH	HEIGHT	LBS/PALLET	
A WITHOUT TOP	87"	19½"	42"		
B WITH TOP	91½"	24½"	43½"	750	
B					





VERTICAL PANEL

TECHNOLOGY





BISCOTTI TAN





*Only offered in Ledge Stone texture

Non LED

*Must order see through conversion

DOUBLED SIDED KALEA BAY INCLUDES:

4- 42" high structural corner units, smooth

1- 48" Kalea Bay Fireplace insert with black crushed glass

2- 42" high x 84" wide with cut-out

2- 42" high x 17" wide side panel

1- counter top (24½" x 91½")

CLARK STREET, STREET, ST.

Our take on OUTDOOR ENTERTAINMENT

Patios and poolscapes really pop with the crowning touch of one of Nicolock's spectacular dining options. Give yourself the gift of year-round expanded living space and endless memory-making moments. No matter what size your outdoor space is, Nicolock has a package that will take it to the next level.

Choose from our pre-designed packages or customize your dream outdoor culinary space.



Cook up a feast on the Verona Grill Island Deluxe! A granite countertop and pro grill make this the perfect addition to your backyard patio.



CHESAPEAKE BLEND*



GRAPHITE PEARL BLEND*

GRANITE CITY BLEND



OCEANIC BLUE*

TRAVERTINA*



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 144-145) Adobe Blend Bluestone*

Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend





Caledonia



_	LENGTH	WIDTH	HEIGHT	LBS/PALLET	B
A WITHOUT TOP	79"	32"	36"	6 500	
B WITH TOP	82"	36"	37¼"	6,500	



KIT ALSO AVAILABLE WITHOUT **GRANITE TOP**



COUNTERTOP IS 11/4" IN HEIGHT

*Please order gas specific LP/NG

INCLUDES:

- 2 Pallets of Verona Wall
- 32" Sizzler Pro Grill cutout dimensions: 30%" (W) x 8½" (H) x 20¾" (D)
- Double-lined roll top hood
- 740 in. Stainless steel cooking grates, warming rack, drip pan
- Illuminated control knobs
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- Granite Top covers 12 sq. ft of area
- Concrete Lintels

Verona Kitchen

the the second

Nothing beats firing up that steak year-round with your Verona Kitchen! These hard-wearing units include a stainless steel grill, stainless steel refrigerator, six-piece granite countertops and lintel. Customize for maximum enjoyment with the many accessories offered!

> COUNTERTOP IS 11/4" IN HEIGHT KIT ALSO AVAILABLE WITHOUT **GRANITE TOP**

		LENGTH INSIDE	LENGTH OUTSIDE	WIDTH	HEIGHT	LBS/PALLET	В
A	GRILL SIDE	96"	128"	32"	36"	12.000	1
В	REFRIGERATOR SIDE	87"	119"	32"	40"	12,000	

INCLUDES:

- 4 Pallets of Verona Wall
- 6 Piece Granite Tops
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- 30" Double Access Door cutout dimensions: 30¼" (W) x 19¼" (H) x n/a (D)
- 38" Stainless Steel TRL Grill
- 21" Standard Refrigerator cutout dimensions: 20 ½"(W) x 33"(H) x 24"(D)
- 15" Sink cutout dimensions: 14%"(W) x n/a (H) x 14%" (D)
- Refrigerator Trim Kit cutout dimensions: 20¾" (W) x 33⅛" (H)
- Concrete Lintels







Caledonia	Golden Bro Oyster Bler
State Ro	

GRANITE TOP



CHESAPEAKE BLEND*

GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

OCEANIC BLUE*

SOUTH BAY BLEND



Golden Brown Blend

*Please order gas specific LP/NG

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Brown Blend nd



ACCESSORIES INCLUDED:







IMPERIAL Oven Only Option Available 304 stainless steel Black top

Refractory brick floor

Removable door with wood handles Thermostat

Opening: 17%"

Fits a 16" Pizza

INCLUDES:

- 2 Pallets of Verona Wall
- 1- 30" Combo (2 drawer/1 door) enclosure cutout dimensions: 30¼"(W) x 19¼" (H) x 20 ¾" (D)
- 3 4" Wetcast Tops
- Pizza Peel
- Cleaning Brush
- All-Weather Cover
- Cast Stone top
- Imperial Wood Fired Oven
- Concrete Lintel



OPTIONAL WOOD

Verona Wood Fired Oven

Dazzle everyone with an outdoor pizza oven! Cook up delicious pizza and a whole lot more! Leave the kitchen and cook outdoors!

Also available in the following: (color swatches on pg. 144-145)

Adobe Blend Bluestone* Charcoal



he	OUTSIDE OVEN	33½' x 38¼"
	ТОР	49" x 49"
	BASE	44" x 44"
	OVERALL HEIGHT WITHOUT TOP	99"
	OVERALL HEIGHT WITH TOP	103"
	LBS/PALLET	7,500

INSIDE OVEN





GIRONDE*

CHESAPEAKE BLEND*

Crab Orchard Blend Golden Brown Blend



291/2" x 321/2"







WESTCHESTER BLEND

GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

OCEANIC BLUE*

SOUTH BAY BLEND





Nantucket Kitchen Island

We are changing the way outdoor kitchens are built. Engineered stone panels make it possible to have the outdoor kitchen of your dreams in one day. This system gives you the flexibility of using our grill and door combinations or you can customize with other accessories. You can choose the design, colors and stone profile of your outdoor kitchen to perfectly fit the rest of your landscape and your home.

PACKAGE A INCLUDES:

- 📕 1 Back panel
- 1 Front panel
- 4 Corners
 2 End panels (sides)
 Top



- Drop cloth/sheet protector
- 32" Sizzler Pro Grill cutout dimensions: 30%" (W) x 8½" (H) x 20¾" (D)
 30" Double Access Door cutout dimensions: 30¼" (W) x 19¼" (H) x n/a (D)
 1 Strap
- 1 Strap
 1 Bag of PMG-2
- 2 Tubes of adhesive

WITHOUT TOP	35" x 84" x 41"
WITH TOP	36½" x 86" Horizontal
LBS/PALLET	1,000

PACKAGE B INCLUDES:

2 Horizontal panels

2 End panels (sides)

Drop cloth/sheet protector

4 Corners

Top

1 Strap

1 Bag of PMG-2

2 Tubes of adhesive











BLUESTONE

BROWN



*Please order gas specific LP/NG

CHOOSE YOUR TEXTURE:





BARN WOOD*



CHOOSE YOUR COLOR:





NY BLUESTONE



*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan and NY Bluestone colors.

WEATHERED WOOD



Great cooking performance, innovative features and purposeful design allow you to enjoy more time outdoors. Each stainless steel package option provides everything you need to cook like a pro: grill, burner, refrigeration and storage. Build your kitchen using any Nicolock wall or create a kitchen using the natural stone of your choice.





Pergolas

Constructed of vinyl

- Easy maintenance
- Customizable

Lifetime warrantyTwo stock sizes: 13'x16' or 15'x15'

CUSTOM SIZES AVAILABLE

CUSTOMIZE YOUR OUTDOOR DINING SPACE

DOORS & DRAWERS

PRODUCT	SKU	CUTOUT DIMENSIONS
Vertical Door	SSDV-18	14%" (W) x 19½" (H)
Small Vertical Door	SSDV-16	14¼" (W) x 16¼" (H)
Large Vertical Door	SSDV-20	17%" (W) x 24%" (H)
36" AMG Double Door	SSDD-36AMG	34½" (W) x 17¾" (H)
30" Double Door	SSDD-30	27¾" (W) x 19¾" (H)
33" Double Door	SSDD-33	30¼" (W) x 19¾" (H)
39" Double Door	SSDD-39	36¾" (W) x 19¾" (H)
42" Double Door	SSDD-42	39¾" (W) x 19¾" (H)
Horizontal Door	SSDH-27	24¾" (W) x 17¾" (H)
33" 2-Drawer/Door Combo	SSDC2-33	30¾" (W) x 19¾" (H) x 20½"(D)
33" 3-Drawer/Door Combo	SSDC3-33	305%" (W) x 19½" (H) x 20½"(D)
17" Single Drawer	SSDR1-17	15¼" (W) x 10" (H) x 20¾"(D)
17" Double Drawer	SSDR2-17	15¼" (W) x 19¾" (H) x 20¾ "(D)
17" Triple Drawer	SSDR3-17	15¾" (W) x 27¾" (H) x 20¾"(D)
Towel/2-Drawer Combo	SSTDC-17	16" (W) x 27¾" (H) x 20¾"(D)
32" Double Horizontal Drawer	SSDR2-32H	30¼" (W) x 6¼"(H) x 20¼"(D)
36" Fuel Storage Drawer	SSDR1-36AMG	34½" (W) x 18" (H) x 22½"(D)
36" Warming Drawer	SSWD-36	29¾" (W) x 9¾" (H) x 21¼"(D)
26" Utensil Drawer	SSDR1-26U	24¼" (W) x 3½" (H) x 20½"(D)
17" Paper Towel Holder	SSTH-17	14¾" (W) x 8½" (H) x 8½"(D)
20" Vented Propane Tank Drawer	SSDR1-20LP	18" (W) x 24¾"(H) x 20½"(D)
20" Trash 2-Bin Drawer	SSTD2-20	18¼" (W) x 24¾"(H) x 24¾"(D)

Ĵ

Horizontal Drawer SSDH-27



33" 3-Drawer/Combo Drawer-SSD3-33



LIGHTED REFRIGERATION

PRODUCT	SKU	CUBIC FT	CUTOUT DIMENSIONS
21" Compact Refrigerator	SSRFR-21S	4.5	20½"(W) x 33¼"(H) x 20"(D)
21" Deluxe Compact Refrigerator	SSRFR-21D	4.5	20½"(W) x 33¼"(H) x 20"(D)
24" Outdoor Rated Refrigerator	SSRFR-24S	5.3	25"(W) x 34½"(H) x 24"(D)
24" Deluxe Outdoor Rated Refrigerator	SSRFR-24D	5.3	25"(W) x 34½"(H) x 24"(D)
Deluxe Outdoor Rated 2-Drawer Refrigerator	SSRFR-24DR2	5.3	25"(W) x 34½"(H) x 24"(D)
Deluxe Outdoor Rated Single Tower Kegerator	SSRFR-24DK1	6.6	25"(W) x 34½"(H) x 24"(D)
15" Outdoor Rated Refrigerator	SSRFR-15S	3.2	161/8" (W) x 343/4" (H) x 233/4" (d)
15" Outdoor Rated Fridge w/ Glass Door	SSRFR-15SG	3.2	161/8" (W) x 343/4" (H) x 233/4" (d)








21" Compact Refrigerator SSRFR-21S 24" Deluxe Outdoor Rated Refrigerator SSRFR-24D

15" Outdoor Rated Fridge w/ Glass Door SSRFR-15SG



SUMMERSET



as some may have been updated.



19" Undermount Sink

SSNK-19U



' (D) " (D) (D) D)

PRODUCT	SKU	CUTOUT DIMENSIONS
30" Lighted Beverage & Prep Station	SSBC-30L	28" (W) x 10½" (H) x 23½" (D)
17" Small Ice Chest	SSIC-17	15%" (W) x 11¼" (H) x 23" (D)
28" Drop-In Cooler	SSIC-28	26" (W) x 12" (H) x 18¾" (D)
19" Undermount Sink	SSNK-19U	13" (W) x 7" (H) x 16½" (D)
15" Drop-In Sink	SSNK-15D	14¼" (W) x 14¼" (H) x 16½" (D)

30" Lighted Beverage & Prep Station SSBC-30L

SOMMEDSET OUTLES		
PRODUCT	SKU	CUTOUT DIMENSIONS
26" Sizzler Built-in Grill - NG/LP	SIZ26	23¼" (W) x 8½" (H) x 20¾" (D)
32" Sizzler Built-in Grill - NG/LP	SIZ32	30%" (W) x 8½" (H) x 20¾" (D)
40" Sizzler Built-in Grill - NG/LP	SIZ40	37¾" (W) x 8½" (H) x 20¾" (D)
32" Sizzler Pro Built-in Grill - NG/LP	SIZPRO32	30%" (W) x 8½" (H) x 20¾" (D)
40" Sizzler Pro Built-in Grill - NG/LP	SIZPRO40	37¾" (W) x 8½" (H) x 20¾" (D)
32" TRL Built-in Grill - NG/LP	TRL32	30½" (W) x 10¼" (H) x 20¾" (D)
38" TRL Built-in Grill - NG/LP	TRL38	38½" (W) x 10¼" (H) x 20¾" (D)
44" TRLD Built-in Grill - NG/LP	TRLD44A	45" (W) x 11" (H) x 20" (D)
30" Alturi Built-in Grill - NG/LP	ALT30T	28¾" (W) x 10¼" (H) x 215%"(D)
36" Alturi Built-in Grill - NG/LP	ALT36T	34¾" (W) x 10¼" (H) x 215%" (D)
42" Alturi Built-in Grill - NG/LP	ALT42T	40¾" (W) x 10¼" (H) x 21%" (D)

SUMMERSET GRULS

BARS & SINKS

		- 9	8
		_	-
2	-	-	
	88 a		100000000



32" Sizzler Pro Built-in Grill SIZPRO32

38" TRL Built-in Grill TRL38

AMERICAN MADE GRILLS

PRODUCT	SKU	CUTOUT DIMENSIONS
36" Encore Hybrid Grill - NG/LP	ENC36	35" (W) x 15" (H) x 25" (D)
54" Encore Hybrid Grill - NG/LP	ENC54	54" (W) x 15" (H) x 25" (D)
36" Muscle Hybrid Grill - NG/LP	MUS36	35" (W) x 15" (H) x 25" (D)
54" Muscle Hybrid Grill - NG/LP	MUS54	54" (W) x 15" (H) x 25" (D)
30" Estate Gas Grill - NG/LP	EST30	28¾" (W) x 10¼" (H) x 215⁄8" (D)
36" Estate Gas Grill - NG/LP	EST36	34¾" (W) x 10¼" (H) x 215⁄8" (D)
42" Estate Gas Grill - NG/LP	EST42	40¾" (W) x 10¼" (H) x 21%" (D)





MUS54

36" Encore Hybrid Grill ENC36

54" Muscle Hybrid Grill

00000 36" Estate Gas Grill EST36

36" Alturi Built-in Grill

ALT36T

SUMMERSET GRILLS - SIDE BURNERS

PRODUCT	SKU	CUTOUT DIMENSIONS
Alturi Power Burner - NG/LP	ALTPB2	21" (W) x 10¼" (H) x 22¾" (D)
Alturi Double Side Burner - NG/LP	ALTSB2	13¼" (W) x 10¼" (H) x 23¼" (D)
Sizzler Pro Double Side Burner - NG/LP	SIZPROSB2	10¾" (W) x 8" (H) x 20¾" (D)
TRL Power Burner - NG/LP	TRLPB2	11¾" (W) x 9" (H) x 19" (D)
Single Side Burner - NG/LP	SSSB1	8" (W) x 2½" (H) x 15½" (D)
TRL Double Side Burner - NG/LP	TRLSB-2	10¾" (W) x 8" (H) x 20¾" (D)
Alturi Sear Side Burner - NG/LP	ALTSS	13¼" (W) x 10¼" (H) x 23¼" (D)
Sizzler Double Side Burner - NG/LP	SIZSB2	10¾" (W) x 8" (H) x 20¾" (D)
TRL Sear Side Burner	TRLSS	11¾" (W) x 9" (H) x 19" (D)









.

Alturi Power Burner ALTPB2

Sizzler Pro Double Side Burner SIZPRROSB2

AMERICAN MADE GRILLS - SIDE BURNERS

PRODUCT	SKU	CUTOUT DIMENSIONS
Muscle Power Burner - NG/LP	MUSPB2	21" (W) x 10¼" (H) x 22¾" (D)
Encore Power Burner - NG/LP	ENCPB2	21" (W) x 10¼" (H) x 22¾" (D)
Estate Power Burner - NG/LP	ESTPB2	21" (W) x 10¼" (H) x 22¾" (D)
Estate Double Side Burner - NG/LP	ESTSB2	13¼" (W) x 10¼" (H) x 23¼" (D)
	2011 02	



Muscle Power Burner MUSPB2

PRODUCT

Outdoor Oven (Built-in)

The Oven (Freestanding)

OUTDOOR OVENS



Encore Power Burner ENCPB2

SKU

SS-OVBI

SS-OVFS



231⁄2" (W) x 61⁄4" (H) x 20" (D)

N/A

Estate Double Side Burner ESTSB2





NEW! Segmental Kitchen Systems

Create your customized outdoor dining area the way you envision it. Use our Segmental Kitchen Systems to create grill islands, kitchens, bar spaces and much more. Options are endless when you choose from a variety of cabinet options and stainless appliances. Use our Natural Veneer stones on the next page to finish your desired look.




AVAILABLE CABINETS:

3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet 54" Grill Cabinet 48" Door/Drawer Cabinet NPS-48DDC-CAB End Panel Cabinet 6" Filler Cabinet

NPS-3DR-CAB 12" Filler Cabinet NPS-CSC-CAB Side Burner Cabinet NPS-48GRL-CAB Power Burner Cabinet NPS-54GRL-CAB Sink Cabinet NPS-FP-CAB NPS-6FL-CAB

NPS-12FL-CAB NPS-SB-CAB NPS-PB-CAB NPS-SNK-CAB Trash Drawer/LP Cabinet NPS-TD/LP-CAB Universal Corner Cabinet NPS-UC-CAB

COLD STORAGE CABINET




COMPATIBLE WITH:

- 15" Outdoor Rated Refrigerator
- 15" Outdoor Rated Wine Cooler
- 21" Compact Refrigerator
- 24" Outdoor Rated Refrigerator 24" Outdoor Rated Wine Cooler
- 24" Outdoor Rated Refrigerator
- 24" Deluxe Outdoor Rated 2-Drawer Refrigerator
- 24" Deluxe Outdoor Rated Kegerator

SIDE BURNER CABINET

NPS-SB-CAB




COMPATIBLE WITH:

TRL Sear Side Burner TRL Double Side Burner w/LED Illumination Sizzler Double Side Burner Sizzler Pro Double Side Burner w/ LED Lights Alturi Double Side Burner w/ LEd Lights Alturi Sear Side Burner w/ LED Lights

17" Double Drawer

48" GRILL CABINET

NPS-48GRL-CAB



COMPATIBLE WITH:

32" Sizzler Built-in Grill 32" Sizzler Pro Built-in Grill 32" TRL Built-in Grill 30" Alturi Built-in Grill 36" Alturi Built-in Grill 38" TRL Built-in Grill

30" 2-Drawer/Door Combo 30" Double Door 33" 2-Drawer/Door Combo 33" 3-Drawer/Door Combo 33" Double Door 36" 2-Drawer/Door Combo 36" Double Door



Panels are designed using a unique Z-joint design that becomes nearly invisible after installation. Panels interlock for a seamless fit. Ledgestone Corners are two pieces that seamlessly interlock to create a 90 degree corner.

STRAIGHTS HEIGHT WIDTH THICKNESS PCS/BOX BOX/PALLET LBS/PALLET 6" 24" 34" 6 25 1.200


6"	24"	3⁄4"	6	25	1,200
CORNER	s				

CORNERS										
	HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET				
	6"	16"	3/4"	8"	3	994				
12 pieces makes 6 corners										





PEMBREY



GOLDEN HONEY

STERLING

Flat Panel



Natural stone veneers that feature the bold look of natural stone. Variation in size and shape complement any project. Artisan colors help create a look that will leave a lasting impression.

STRAIGHTS								
HEIGHT	WIDTH	THICKNESS	SF/PALLET	LBS/PALLET				
4"-8"	8"-15"	1¼"	120	1,600				

CORNERS

HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET
4"-8"	4"-6"	1¼"	4"-6"	5	1,162







BOSTON




PEARL









CRAB ORCHARD BLEND*

FIRE ISLAND BLEND

GOLDEN BROWN BLEND*



MARBLE BLEND*

*Premium Color **Deluxe Color






OCEANIC 5* ONLY OFFERED IN STONE RIDGE COLLECTION

OCEANIC BLUE*

OYSTER BLEND*






RAVEN*



SOUTH BAY BLEND*



WESTCHESTER BLEND

*Premium Color **Deluxe Color

TEXTURED WALLS





ADOBE BLEND



CAPPUCCINO BLEND*



CHESAPEAKE BLEND*



BLUESTONE*



CHARCOAL



CRAB ORCHARD BLEND



FIRE ISLAND BLEND



GRAPHITE PEARL BLEND*



TRAVERTINA*



GOLDEN BROWN BLEND



OYSTER BLEND



WESTCHESTER BLEND



GRANITE CITY BLEND



SOUTH BAY BLEND

*Premium Color **Deluxe Color

SMOOTH WALLS





ADOBE BLEND



CHARCOAL



CRAB ORCHARD BLEND



BLUESTONE*



CHESAPEAKE BLEND*



GOLDEN BROWN BLEND



GRANITE CITY BLEND



OYSTER BLEND



WESTCHESTER BLEND



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND



OCEANIC BLUE*



TRAVERTINA*

*Premium Color **Deluxe Color

The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.**

NICOSTONE



The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.



MOCHA



YORK BROWN




*Premium Color

The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.**

PAVER INSTALLATION

MATERIALS NEEDED

- GlovesTape Measure
- Stakes
- Shovel
- 📕 3 lb. Hammer
- Levels
- 📕 Line Level
- Carpenters Square
- String Line
- Broom
- Wheelbarrow
- 📕 Pry Bar
- Wire Cutters
- Mason's Chisel
- Markers
- Screed Board
- Two 1" o.d. Screed Pipes
- Plate Compactor
- Paver Cutter
- Diamond Blade Table Saw



A. Compacted Sub-BaseB. 4" - 6" Compacted Aggregate (for Pedestrian Traffic)

C. 8" - 12" Compacted Aggregate (for Vehicular Traffic)

BEFORE YOU BEGIN

Your dealer can assist you in obtaining the necessary materials and equipment needed to complete your paving stone installation.

D. Edge Restraints

E. 1" Bedding Sand

F. Pavers

*Three color blends are not recommended for projects less than 500 sq.ft

Lay out your entire paver pattern prior to cutting any stones.

Find an area away from your installation to cut pavers. Concrete dust created by saw cutting pavers can stain the surface.

The use of an approved safety mask is recommended when cutting any concrete products.




1. PLAN

Determine the area to be paved. Measure for square footage and sketch a diagram of the shape & pattern of paving stone desired.



2. PREPARE / EXCAVATE

Before beginning excavation, make sure there are no utility lines within the area to be paved. Excavate area to the proper depth depending on the type of traffic.



3. GRADE

Establish the finish grade and slope or pitch of pavement to allow for drainage. Lay out the lines and corners with string line and stakes. Compact sub-base.



4. PREPARE / EXCAVATE

Spread aggregate base uniformly throughout the entire excavated area and 8 in. beyond perimeter lines. Base aggregate material should be processed 3/4" minus gravel or crushed concrete blend.



5 BASE COMPACTION

Compact the base aggregate evenly throughout the area with a mechanical plate compactor. Do not compact the base aggregate in more then 4" layers. The compacted base should conform to the contour of the finished paved area. The grade of the base aggregate should be 3" to 4" below the finished paving stone surface depending on the thickness of the paver.



6. EDGE RESTRAINTS Install edge restraints as required. Pavers butting against curbs or

foundations will not need an edge restraint. Various types of edging

materials can be used. Nicolock recommends a Snap Edge edge restraint system since it is easy to install and will not rot or decay.

7. BEDDING

Spread 1" of concrete sand evenly over the compacted base. Screed the bedding sand to a level, smooth surface using a screed board. For areas wider than the width of the screed board, use 1" conduit pipe as screed guides 4' apart. Screed sand, remove screed rails & fill in depressions with fresh sand. You should end up with a complete layer of smooth sand. Do not disturb sand bed after it has been screeded.



8. PAVER PLACEMENT


Begin placing paving stones on the screeded sand bed in the desired pattern. Hand place the paving stones with a hand tight joint. Work from the paving stone side of the installation as they are set. To achieve the best mixture of colors and blends, remove pavers from delivered bundles section by section, not layer by layer, and work from several bundles at a time. Cut pieces as needed to fill in the pattern.


FINISHING

When complete, sweep surface clean. Spread a fine jointing sand over the entire surface and broom sweep to fill all joints. Leaving excess sand on the paving stone surface, tap the paving stones into the setting bed with the mechanical plate compactor with a rubber pad. Broom sweep more sand to fill any open joints. Finally, backfill over the top edge restraint and grade. Your installation is now complete and ready for use.

RETAINING WALL INSTALLATION

MATERIALS NEEDED







NOTE: The following Installing procedures apply to all Nicolock retaining wall units constructed as a conventional gravity wall system.

PREPARING/EXCAVATING: Before beginning excavation, make sure there are no utility lines in the wall area. Excavate area to the proper depth. For geogrid-reinforced retaining walls or for more detailed information, consult your local distributor or contact Nicolock.


For most non-critical walls (and under favorable soil conditions) Nicolock wall units are constructed as a conventional gravity wall system. Walls up to 3 feet in height are attainable without the need for soil reinforcement (geogrid). Recommended installation procedures should be followed to ensure the life of your wall structure.

1. SITE PREPARATION AND EXCAVATION

Excavate a trench a minimum of 6" beyond the front and back of the wall block. Dig trench 9" to 14" deep, enough to create a 6" thick leveling pad and to bury at least one whole wall block below grade. Compact the soil at the bottom of trench. Shape the slope behind wall to allow for 12" of drainage material.

2. INSTALL LEVELING PAD

Place filter fabric in trench and up the cut slope. Fill trench with clean, graded aggregate and compact.



3. PLACE BASE COURSE (FIRST ROW)

Position a level string line at the straight face of the unit to maintain alignment. Place the wall units side by side in the center of the prepared base. Bury the first course of block below grade to a depth equal to 10% of the height of the wall or a minimum of 6", whichever is greater. Level units from side to side, and front to back.

4. DRAINAGE SET-UP

5. STACKING UNITS

approved design drawings.

Fill the space in front of wall with clean fill to grade to hold units from shifting. Place a perforated pipe behind wall on top of base for drainage. Fill any block cores and the drainage area with clean aggregate keeping filter fabric in place. Backfill soil on outer side of fabric and compact.

Place successive courses by fitting the keys

and grooves onto the units in the row below (if

applicable). Keep the tops of each course clean

at a time in a running bond pattern (crossing


to maintain a level surface. Stack units one layer

joints). Utilize geogrid when the wall height is 3 ft

or more or as required by the project engineer or

6. PLACE GRAVEL AND BACKFILL MATERIALS


Continue building the wall to the desired height. Backfill with clean aggregate behind each course as completed. Backfill and compact soil. Finish the wall by securing the wall cap with a suitable masonry adhesive.



^{*}Geotextile may be necessary when the infill soil includes fine-grained sand that have the potential to infiltrate the gravel fill

Note: Illustrations shown are not for construction purpose. Please confer with your local engineer for proper placement of geogrid.

Important: Walls higher than 36" above grade, terraced walls, weak soils, and other loading conditions require special considerations in design and construction. This should be done by a qualified engineer & a professional contractor. Check with your local building department for code requirements.





STAIN REMOVAL

The stain removal methods suggested here are merely a guide and may not work to your satisfaction in all instances. Nicolock is not responsible for any damage caused while using these methods. Nicolock recommends that you keep several pavers from your initial installation available to replace any pavers that become damaged or excessively stained or soiled.

ALGAE & FUNGAL GROWTHS

Apply a fungicide according to manufacturer recommendation.

BEVERAGE STAINS

Scrub the stain with hot soapy water. For stubborn stains apply a 1:10 diluted sodium hypochlorite solution (household bleach) use according to the manufacturer's recommendations.

CHEWING GUM

Chewing gum is best removed with a suitable aerosol freezing agent before scraping it off. Use according to the manufacturer's recommendations.

FRESH OIL STAINS

Soak the oil up with an absorbent cloth or paper towels. Do not wipe. Then cover the affected area with a 'dry' absorbent powder and leave for 24 hours. Repeat until the powder has absorbed all or as much of the oil as possible.

If a stain persists, apply a recommended cleaner according to the manufacturer's recommendations.

PAINT /WOOD-STAIN /VARNISH

Soak up the spillage with an absorbent cloth or paper towels. Do not wipe. The stained area should be immediately scrubbed with scouring powder and water.

The stained area should be immediately scrubbed with detergent and water. Paint removers or solvents should not be used on stains that are less than a week old, as this will increase penetration into the concrete. Scrape off as far as possible. Apply an appropriate proprietary paint remover, preferably one supplied as a thick gel. Follow the manufacturer's recommendations or contact the paint manufacturer.

WOOD PRESERVATIVES /CREOSOTE

Soak the stain with mineral spirits and scrub with a hot detergent and water. Finally rinse thoroughly with clean water, or contact the manufacturer of the preserver.

ASPHALT & EMULSIFIED ASPHALT

Chill with ice (if warm outside), scrape away & scrub the surface with scouring or abrasive powder. Rinse with water.

CUTBACK ASPHALT & ROOFING TAR

Use a soft moist putty made with talc or diatomaceous earth (available wherever pools supplies are sold.) Mix with kerosene, scrub, let dry and brush off. Repeat as needed.

CANDY, KETCHUP, MUSTARD, GREASE DRIPPINGS FROM FOOD

For stubborn stains, apply liquid detergent full strength and allow it to penetrate for 20-30 minutes. Scrub and rinse with hot water. Removal is easier if these stains are treated immediately.

CAULKING

Scrape off excess and scrub with denatured alcohol. Rinse with hot water and detergent. For acrylic latex caulk - follow guidelines for removal of latex paint.

CLAY SOIL

Scrape off dry material, scrub and rinse with hot water and strong detergent.

CREOSOTE

Apply a solution made with paint thinner and talc. Scrub and allow to dry. Scrape off, scrub with scouring powder and rinse with water.

MORTAR

Let dry but not harden and carefully remove spots with a towel, putty knife or chisel.

LEAF, WOOD ROT OR TOBACCO STAINS

Apply household bleach diluted 10:1 with water (10 parts water) and scrub with a non-metallic stiff bristled brush.

OIL OR GREASE THAT HAS PENETRATED

Mop up any excess oil with rags. Cover the area with oil absorbent talc, (kitty litter). Diatomaceous earth can also be used. Leave it on the stain for a day, then sweep up.

PAINT

Fresh paint should be mopped up immediately with rags or paper towels by blotting. Do not wipe as this will spread the paint and extend the job of removal. If the paint is latex and water-based, soak and then scrub area with hot water, scouring powder and a non-metallic stiff brush until no more improvement is seen. Let the remaining paint dry and remove as described below.

DRIED PAINT

Scrape any excess oil-based paint, varnish or water-based latex paint off the surface. Apply a commercial paint remover and let sit for 20-30 minutes. Loosen with gentle scrubbing. Do not rub the loosened paint into the surface of the pavers. Instead, blot up the loosened paint and thinner. Repeat as necessary.

TIRE SKID MARKS

Scrub black area with water, detergent and scouring powder.

ABOUT EFFLORESCENCE:

Efflorescence is a whitish, powder-like deposit that may sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. Efflorescence does not affect the structural performance or durability of concrete pavers. Efflorescence is a normal occurrence in all cement based products, as well as many colored paving products. Because it is a natural reaction to the proper hydration of concrete, Nicolock accepts no responsibility or liability for replacement.

If there is a need to remove the efflorescence before it naturally wears away, best results are obtained by using an efflorescence remover which is available from most mason supply dealers. Do not use muriatic acid.

If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealer being applied. For installations over a new or existing concrete base, a cementitious setting bed, or with mortared joints, the occurrence of efflorescence is more likely. Precautions for proper drainage of the paving stones system should be taken to minimize this occurrence.

WHAT IS EFFLORESCENCE?

Efflorescence is a natural phenomenon and can occur with any cement based product, as well as other paving products. It may appear randomly and will possibly appear more pronounced on colored paving slab.

The white bloom may give the impression that the color of the paving slab is fading but, when wet, you will find that the efflorescence vanishes and the paving slab returns to its original shade. The white bloom will often return again when the paving slab dries. Be assured that efflorescence has no detrimental effect on the performance of the paving slab and will generally disappear with time.

HOW DOES EFFLORESCENCE OCCUR?

All concrete products contain cement which produces water soluble calcium oxide (lime).

Concrete paving materials contain millions of tiny invisible pores; when moisture penetrates into these pores – either from rain, dew or condensation – it dissolves part of the lime to make calcium hydroxide.

When the slab dries out, the calcium hydroxide rises to the surface and reacts with the carbon dioxide in the air, sometimes leaving a white bloom of calcium carbonate once the water has evaporated.

WILL EFFLORESCENCE DISAPPEAR NATURALLY?

Yes. The efflorescence action is arrested by carbon dioxide reacting with calcium oxide within the pores of the concrete. The efflorescence itself is then, over a period of time, either converted back to soluble salts and washed away by rain or simply disappears through the action of trafficking, snow or ice.

Once the efflorescence has disappeared naturally it does not usually recur. It is therefore not necessary to replace the paving or to take other measures against efflorescence.

HOW LONG WILL EFFLORESCENCE LAST?

This is difficult to predict as factors such as climate, location and conditions (damp/shady or open/sunny) are variables which can affect the extent of the phenomenon. However, on average, it can take from 12 months to 24 months to disappear.

ised products, as well as can tak use it is a natural reaction to

FAQ

WHY DO NICOLOCK PAVERS MAKE THE BEST PAVEMENT?

Not only are Nicolock pavers beautiful, but they provide the best pavement solution in freeze/thaw conditions, when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, they can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. And, by definition, concrete pavers are about 3 times stronger than regular poured concrete.

WHAT MAKES PAVER-SHIELD™ BETTER THAN THE COMPETITION?

paver-**shield**[™] is not a thin veneer of color coating. paver-**shield**[™] pavers are guaranteed to look great year after year, retaining their vibrant color and smooth texture. Products without paver-**shield**[™] may look worn and faded over time with exposed aggregate on the surface.

DOES THE COLOR GO ALL THE WAY THROUGH NICOLOCK PAVERS?

All Nicolock pavers have color throughout. Those manufactured with our exclusive paver-**shield**[™] process have an extra concentration of cement and pigment on the wear layer providing deep rich colors and a smooth, dense wear layer.

CAN I USE A PRESSURE WASHER TO CLEAN MY PATIO?

Yes – but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paver.

CAN PAVERS BE INSTALLED OVER A POURED CONCRETE BASE?

Absolutely, provided certain steps are taken. Care must be taken so that water does not pool underneath the pavers. Drainage holes should be drilled in large slabs and filled with pea gravel and covered with landscape fabric. Edge pavers must be restrained to keep joints from opening up.

CAN I USE A SEALER ON MY PATIO?

Yes – check proprietary manufacturer's instructions and suitability for sealing concrete paver. Please note: applying sealant to paver may affect the color.

HOW DO PAVERS COMPARE WITH PATTERNED CONCRETE?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. Therefore, they are prone to the same problems with freeze/thaw cycles, namely cracking and spalling. Also, unlike Nicolock pavers, patterned concrete pavements don't allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock Pavers are clearly a superior choice.

HOW DO I DETERMINE HOW MUCH STONE BASE MATERIAL AND SAND SETTING BED MATERIAL I NEED?

One half ton of modified stone or sand will cover about 100 square feet at 1" thick. Using a 10' x 10' (100 square feet) patio as an example, you would need 1/2 ton of sand for the setting bed (1" thick) and 3 tons of modified stone for the base (6" thick). You'll need about 5% more sand for the joints between the pavers. The thickness of the base material depends on the application and subgrade soil conditions (use a thicker base for poorly drained soils). As a rule of thumb, you'll need 4" to 8" of base material for walkways and patios, and 8" to 12" for driveways and parking lots.

I HAVE WHITE DEPOSITS ON MY PAVERS/WALLS, WHAT IS IT?

You are probably referring to efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. This is not a product defect or harmful to pavers and walls and Nicolock accepts no liability for its occurrence. It will usually weather away with time.

HOW CAN I REMOVE MOSS OR MOLD FROM MY PAVERS?

Try liquid bleach diluted in water (10 parts water to one part bleach). Be careful not to get it on plant material. Keep in mind that there is nothing that will keep moss and mold from reappearing in a shady, damp area.

WHAT IS POLYMERIC SAND AND WHAT IS ITS ADVANTAGE?

Polymeric sand is a high-tech mix of graded sand and binder, specially formulated for filling joints between pavers. When installed properly, polymeric sand will remain in the paver joints and inhibit weed growth and insect infestation.

CAN I USE NICOSTONE PAVING INSIDE MY HOUSE?

Yes – but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

WHY DO THE PAVING STONES HAVE DARK PATCHES?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

HOW OFTEN SHOULD I CLEAN MY PATIO?

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.

WHAT ARE THE BENEFITS OF SEALING MY PAVERS? HOW LONG Do I need to wait before I apply a sealer?

Sealers help resist stain and may enhance the color. Some can also bind the sand in the joints to make it difficult for weeds to germinate. As a rule of thumb we generally want you to wait at least six months to allow any efflorescence to appear. Prior to the application of any sealers, the pavers must be cleaned with an appropriate product to remove dirt and efflorescence.

CAN NICOLOCK PAVERS BE USED FOR MY DRIVEWAY?

Absolutely! For residential driveways, 8" to 12" of compacted base material is recommended. A standard 2-3/8" thick paver can be used for light vehicular (cars & pickup trucks) applications. A herringbone pattern is most suitable in these situations. (Not applicable for Stone Ridge XL, Alpine series and Nicostone products.)



FAQ

Not only do Nicolock Pavers make an attractive pool deck, but they also provide a slip-resistant walking surface. Pavers actually are better than poured concrete around pools from the standpoint that the joints will take on moisture and leave the pavement cooler under foot. Like all products that are used outdoors, lighter colors will tend to stay cooler as they reflect the sunlight. Furthermore, our Fullnose and Pool Coping Pavers are ideal for the pool's edge. Make sure the base material around the pool is well compacted before installing pavers. Safety covers can also be installed over pavers with the use of special anchors.

WILL WEEDS GROW BETWEEN MY PAVERS?

Weeds and grass between pavers occur when seeds or spores lodge in the joints between pavers. They will not grow from underneath. This can be minimized by using polymeric sand or mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-UpTM) can be used and will not damage the pavers.

CAN I SHOVEL AND PLOW MY PAVERS?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended when needed. Do not use sharp objects to chop ice as they can damage the pavers.

WHAT SHOULD I USE TO MELT SNOW AND ICE ON MY PAVERS?

Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant.

If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent.

De-icing agents of any kind are not recommended for our Nicostone line. We recommend using only sand for providing skid and slip resistance.

I'VE GOT A RAILROAD TIE WALL THAT IS ROTTING AND FALLING Down. What can I do?

Our segmental retaining wall systems provide an excellent solution to this problem. They are strong and will last a lifetime. Nicolock offers several different wall systems to meet your needs.

WHAT IS GEOGRID AND WHEN SHOULD IT BE USED?

As a rule of thumb, all walls over 3' high should be reinforced with geogrid. Geogrid is placed between the layers of block at different intervals to stabilize the soil behind the retaining wall and secure the wall face to the earth behind it. The height of the finished wall, soil characteristics, and the pressure on the wall caused by slopes, structures, and/or paved areas all affect the proper placement and lengths of geogrid.

WHAT IS RECONSTITUTED STONE?

Reconstituted Stone – is manufactured from the highest grade materials and will last for years. It is hand crafted, with molds taken from original natural stone for an authentic appearance. Nicostone products are a consistent thickness and are therefore easy to lay.

Colors – shades are subtle and subject to slight variations, especially highlighted in the weathered shades where many products are hand made to ensure a completely random, natural look. Colors will appear different depending upon the prevailing conditions such as sunlight, heavy shade or rain.

Therefore it is advisable to check the color and appearance of the actual product samples in dry daylight conditions before purchasing. Where possible, products should also be selected from the same production batch. Reconstituted stone will weather over time in a fashion similar to natural stone.

PAVING SLAB AND WALLSTONE COLOR

Please note that some products have a multi-color mix where the manufacturing process means that different color percentages are likely selected from multiple pallets prior to installation. Choose from three to five different packs.

Multi-colored products are produced randomly, therefore color proportions in different slabs may vary widely.

APPLICATION/SUITABILITY

Unless otherwise stated, the Nicostone materials featured in this catalog are intended for use in residential landscape projects. Nicostone decorative slabs are not suitable for driveways. The manufacturer cannot accept any liability where products have been used for any inappropriate purpose.

In the unlikely event of products reaching you in a less than satisfactory condition, please contact your local distributor directly, allowing time for the rejected product to be replaced. If a complaint is raised after laying the product, Nicostone cannot accept responsibility for any defect. **De-icing salts should not be used on Nicostone slabs.**

SIZES & JOINT WIDTHS

All dimensions quoted in this catalog are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, Nicostone recommends dry laying the product to check area required.

When laying random slabs and circles, and in particular Old Town Flagstone Paving Slabs with their fettled edges, joint widths will depend on the slab type & laying pattern chosen and will be variable – from approximately 1/2" to 1".

HANDLING

Standard manual handling techniques should be adopted when handling products. Some products in the Nicostone range are heavy or an awkward shape to lift and it is recommended that suitable lifting equipment be used for these products. Always wear gloves and safety footwear when handling product.

If product is to be cut, always wear safety goggles and when using a high speed saw also wear suitable respiratory protection, such as a dust mask.

Before removing wrapping or banding, ensure that the products are on level ground or retained in some way to prevent them from tipping over. When removing, shrink wrapping and banding use the appropriate cutting tools; also it is recommended that safety goggles are worn.

Product should always be handled with care as breakages, chipping and other damage may result from mishandling. Minor scuffing can occur due to movement in transit and will generally disappear in time. If in doubt do not install the product, consult your Nicolock Territory Manager.

SPECIAL NOTES

All measurements are nominal. Dimensions include the joint widths when fully installed. Dimensions/height: May vary up to 1/4" due to unique manufacturing technique. Nicostone provides only general installation guidelines, climate and soil conditions may vary by region.

PATTERNS

Patterns, whether simple or complex, help to define a paved area and add your own personality to your project. The following are examples of popular patterns.

RUNNING BOND Products that can be used:

Plank Paver **Ridge Brick** Rustico 6x6 Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Heritage Slab Old Vienna with paver-**shield™** The Montauk Euro Cobble Eco-Ridge SF-Rima


HERRINGBONE Products that can be used:

Plank Paver **Ridge Brick** Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Old Vienna with paver-**shield™** Eco-Ridge

BASKET WEAVE Products that can be used:


Plank Paver **Ridge Brick** Holland Stone Old Vienna with paver-**shield**™ Eco-Ridge





\sim	(入)	' X Y	ЪΥ	$\lambda Y \lambda$	\sim _					
. ``	~``	$\land $	\mathcal{N}	\mathbf{S}	$\Sigma \top$					L
Х	$\times \times$	XX,	XX	$\langle X X \rangle$	X					Γ
Ż	\sim	\sim	\sim	\sim /	\checkmark \neg			1 🗆		1
\sim	$^{\prime}\lambda\rangle$	$' \lambda Y$	'ХУ	$\lambda Y \lambda$	\sim $-$					
. ``	~``	\land \checkmark	$\sim \sim$	\mathbf{S}	$\Sigma \top$		· [Т
Х	$\times \times$	XX.	XX/	$\langle X X \rangle$	×Γ			\square		Γ
\checkmark	\sim	\sim	\sim	\sim /	\checkmark –			1 🗖		1
>	$^{\prime} \lambda \rangle$	$' \lambda Y$	'λY	$\lambda Y angle$	\sim $-$					-
5	\land	$\land $	$\mathcal{N}\mathcal{V}$	$\mathbf{\Sigma}$	$\Sigma \top$					Г
Х	XX	XX,	XX	$\langle X X \rangle$	\times [\square		Γ
\checkmark	\sim	\sim	\sim	\sim \checkmark	\lor \neg			1 🗖		1
\sim	' > >	' > > >	×Υ.	$\left(\right) \right) $	$^{-}$					-
>	\land	$\land $	$\mathcal{N}\mathcal{V}$	$\Sigma \Sigma$	$ > \top$					Г
X	XΧ	$^{\times}$	$\langle \times \rangle$	$\langle \vee \wedge$	XI					Γ
\checkmark	\sim	\sim	\sim /	\sim \checkmark	\sim –			1 🗖		1
\sim	$' \sim$	$' > \!\!\!> \!\!\!>$	\sim	$\times \!$	$^{-}$			-		-
>	\wedge	$\wedge $	$\mathcal{N}\mathcal{V}$	$\Sigma \Sigma \Sigma$	$\rightarrow \top$		—			Г
X	$\times \times$	XX.	\land \land \land	$\langle \times \rangle$	X				-	Г

													11			_
								1		1		1			11	
1		1		1		1	_		11	<u> </u>	1		11		-	
							[_						<u> </u>	-		
			11		1			1		11		1	T	-	11	7
									11		11		11		-	
1		1		1		1							<u> </u>		П	7
								1		11		1		-	11	1
			11		1				11	<u> </u>	11		11		-	
							r —							+	П	-
1		1		1		1		1		11		1	T		11	7
							- 1		11	<u> </u>	11		11		ч	
			11		1			t r				1 1		+	гt	-
							i i	1		1		1	H	-	11	-
1		1		1		1	-		1		11		1		-	
			İΤ				- 1			+-			╈	+	\Box	-
			11		1		t i	1		11		1	H	-		-
	_								11				11		ч	



RANDOM 3-PIECE RECTANGULAR & STAGGERED RUNNING BOND Products that can be used:

Stone Ridge Stone Ridge Contemporary Alpine Ridge Alpine Contemporary Blue Ridge Eco-Tre Natural Cleft Flagstone (Individual Sizes) Thermal Finish Flagstone (Individual Sizes)


RANDOM 3-PIECE SQUARE & DIAGONAL PATTERN Products that can be used:




RANDOM 6-PIECE PATIO PACK Products that can be used:

Natural Cleft Flagstone Patio Pack Thermal Finish Flagstone Patio Pack Old Town Flagstone Patio Pack


RANDOM 4-PIECE Products that can be used:






FRENCH ASHLER PATTERN Products that can be used:

Versailles Travertine



Please use patterns as a reference to get you started. The diagrams shown may require additional material if followed directly.





LOCATIONS

New York Corporate Headquarters 612 Muncy Avenue • Lindenhurst, NY 11757 P: 631.669.0700 • F: 631.669.0711

Nicostone by Nicolock 200 Henry Street • Lindenhurst, NY 11757 P: 631.669.0600 • F: 631.669.8052

Albany

801 Watervliet Shaker Road • Latham, NY 12110 P: 518.888.2731 • F: 518.252.4937

New Jersey

482 Houses Corner Rd • Sparta, NJ 07871 P: 551.232.6443 • F: 973.425.5188

New Jersey Design Center 620 Cedar Swamp Road • Jackson, NJ 08527

P: 201.932.4500 • F: 732.960.9950

New England

99 Stoddard Avenue • North Haven, CT 06473 P: 203.234.2800 • F: 203.985.0381

Massachusetts

241 Francis Avenue • Mansfield, MA 02048 P: 508.298.2243 • F: 508.590.7678

Maryland

8400 Progress Court • Frederick, MD 21701 P: 301.620.0100 • F: 301.620.0007

Delaware

1000 South Market Street • Wilmington, DE 19801 P: 302.981.0986 • F: 302.691.4500

Virginia

9135 Barricade Lane • Mechanicsville, VA 23116 P: 571.332.3513 • F: 571.406.1251



CAT1# 2022 01.26.100M.\$2.53 | ©nicolock 2022 | all rights reserved