



2022 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru. door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.



Uncompromising quality, inside and out.

Your favorite doors - reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction 2022 Trends	4–9 . 10–16 7, 20–21 0, 22–23 . 24–25 . 26–27 . 28–29 . 30–35 . 36–37
Retractable Screen Doors	Entry
Classic Craft. Decorative & Specialty Glass Accessories	. 60–69 . 70–71
Fiber-Classic. & Smooth-S	
Decorative & Specialty Glass 1 Accessories	34–141 142
Steel 2	28–253
Profiles _™	
Traditions 230, 2 Decorative & Specialty Glass 2	
Fire Doors 2	254–259
Pulse 2	260–273
Finish Options 2	74_278
PrismaGuard. Stain & Paint 2	
Same-Day _® Stain Kit	
Door System Components	
2	279–293
Special Quote Program	294
3'6" Width Options Chart	005
	295
7'0" & 6'6" Height Options Charts	296–297
Product Details 2	298–299
Index 3	800–314
Trade Resources	215

CASUAL HAVEN

HOME TRENDS



Natural Light














Calming Environment



MODERN REVIVAL

HOME TRENDS





Warm Minimalism









renewed HISTORY

HOME TRENDS



Heritage Architecture

Dressy

Elevated

Classic




Textured Materials



Relaxed Refinement














NEW Shaker-Style Entry Door Options

for Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_®



NEW Flush-Glazed Saratoga™ Decorative Glass

Elevate the entry with handcrafted appeal. Shaker-style Craftsman doors and sidelites are now available with flush-glazed Saratoga decorative glass.

Available in Fiber-Classic and Smooth-Star, starting on page 210.



^{*}To confirm code requirements in your jurisdiction, always check with your local building code authority.

^{**}Available for full-lite sidelites only.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

NEW 7'0" Shaker-Style Options

for Smooth-Star.

Our assortment of popular Shaker-style looks expands to include 7'0" heights, bringing this on-trend design to more homes. The new 7'0" Craftsman Shaker-style door also features an elevated bottom rail for ADA applications.*


Available in Smooth-Star, starting on page 210.

Available Door & Sidelite






Available Glass Options



Glass Shapes with GBG Patterns

Available Glass Shapes & SDL Patterns





Rainglass (XR) Granite (XN)


Additional Sidelite Glass Options

NEW 8'0" Smooth-Star_® Flush-Glazed Doors with Elevated Bottom Rail



More natural light.

Ideal for multi-family new construction and remodeling, the popular 8'0" Smooth-Star flush-glazed full-lite door has been redesigned with an elevated bottom rail to meet ADA requirements.* Starting on page 153.







Multi-Resident



EnLiten™ Flush-Glazed Riders for Construction & Installation, and Homeowners



Elevated U1: 10-1/4" Book / Hybrid: 10-15/32"


8'0" Flush-Glazed Full-Lite Door

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

^{*}For ADA compliance, door must be 3'0" wide.

NEW Retractable Screen Doors

for Therma-Tru_® Door Systems



A breath of fresh air.

Discover a retractable screen solution with a discreet, hidden design – providing a seamless transition from indoors to outdoors. The Therma-Tru retractable screen door allows fresh air and natural light inside while keeping debris and insects out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.

Available with most Therma-Tru, inswing door systems, starting on page 42.



When purchased with a Therma-Tru door system.







Fiber-Classic, Smooth-Star, Pulse Fiberglass

Profiles, Traditions, Pulse Steel When installed separately.





Installation is quick and easy, taking approximately 30 minutes.*



Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

^{*}Based on average DIY skills and standard door application, widths 32"-36".

NEW Impressions_™ Storm & Entry Door System

Therma-Tru_® in Partnership with LARSON®



Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Starting on page 44.

We're better together.

Therma-Tru and LARSON offer a combined 120+ years of innovation and market-leading solutions to deliver high-quality products you can trust from the #1 entry door brand** and #1 storm door company.***





^{***}Based on market data 2020 / 2021.



^{*}Patent pending.

^{**}Brand Use Studies, 2021 Builder and 2019 Remodeling magazines.

A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.






Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.





The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 22–23.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 30–35.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, stain on pages 274–278.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 24–29.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S2000SL, Finish – Onyx Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest





Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Make a Smart Investment



The importance of curb appeal.

A stylish new front entryway can help convey your personal style and highlight your home's overall architectural style and curb appeal.


"The door gives a focal point to the front of the house."


– Homeowner, Survey Respondent



Fresh look. Increased value.

In a recent survey, real estate agents were shown images of various homes, including some that had been modified with a new Therma-Tru door, and asked to estimate the value of the home. While results varied, the survey suggests choosing a Therma-Tru door that complements the home's architecture could add up to 7% to the perceived value of a remodeled home.*









Renovating?

Get the most for your money. A new entry door can pay for itself – and then some. A recent survey suggests homeowners who choose a stylish new Therma-Tru entry can significantly improve the curb appeal of their home, and with a door that complements their home's architecture, can increase the overall perceived value of their home.*

Selling soon?

In a recent survey, 44% of homeowners said they were more likely to purchase a home with an enhanced entry, and one in three homeowners said they were willing to pay a premium for one.*

"In my experience on both the seller and buyer side, the entry door is always key."

- Real Estate Agent, Survey Respondent



According to most real estate agents and trade professionals in a recent survey, curb appeal is one of the top three factors for home buyers.*

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.


The Classic Craft_® Series Pages 46-127

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.










Fiber-Classic. Collections Pages 128-227

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star_{® Pages 128-227}

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 228-253

Bring style and affordability together to create very attractive results with our steel doors.








Pulse_{® Pages 260-273}

A contemporary series of door styles and glass designs that can be combined to make a bold statement.













Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.






Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame* delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



(recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the weatherstrip's seal even under wind pressure.



Cip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



Composite Door Frame* featuring Tru-Guard Composite Technology

Therma-Tru₀ composite door frame featuring Tru-Guard_™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense. Warranty Rider



A Therma-True door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-True genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the () icon.



^{*}The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

^{**}Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame •

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads •

(Inswina Only) Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill •

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip *

Features a resilient design



Bottom Sweep ♣ (Inswing Only) A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates

added barriers against moisture.



to help deliver a precise seal between the door and frame.



Hinges **!**

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Astragal • (Double Doors) Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Rain Guard ♣ (Outswing Only) Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System 4

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³ 22% Back Door³



Home burglary rates are highest in the summer.4

Therma-Tru Composite Door Frame

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.





^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: www.asecurelife.com

[&]quot;Source: U.S. Department of Justice, Bureau of Justice Statistics, "Seasonal Patterns in Criminal Victimization Trends," June 2014.



Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products. Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.









Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

Find entry doors arranged by glass size, from large to small, to help you find products that meet homeowners' needs for natural light.











EnLiten™ Flush-Glazed Designs

For Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites



See the difference.


EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking ▲



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.







Lip-Lite Frame

Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL; Low-E Glass, Transom – 19220T, Finish – Acorn

^{*}Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600







Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten_™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Therma-Tru_® Doors


Convenient choices for more light.

Privacy & Textured Glass

Therma-Tru₀ doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulsedoors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (**) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.


- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten_m flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic, Smooth-Star, Profiles, and Traditions doors and sidelites.


Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see page 68. For Fiber-Classic & Smooth-Star, see pages 140–141.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru₀ product options in this catalog.



6—

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*




Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.





Other Considerations

Fire Doors
See pages 254–259.

➡ Noise Reduction Doors
See page 218.

E Elevated 10" Bottom Rail Look for the (E) symbol.

Connect with nature, inside and out.




Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth
Right Page, Top: Smooth-Star, Clear Glass, Doors – S2000, Finish – Alpine, Retractable Screen – White
Right Page, Bottom: Impressions Storm & Entry Door System – IM100, Finish – Black; Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2380,
Finish – Raven





Hinged Patio Door Systems



Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru. entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.

- Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- **5** Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- **7** Frame Components
- 8 Multi-Point Locking System (Included)
- Removable Screens



Vented Sidelites

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the () symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.




Classic Craft, starting on page 124.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 222.

NEW Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru, entry door systems.



^{*}Adjusts quickly for 32"-36" doors. If less than 32" a hacksaw is required for one cut to each track.

^{**}Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.



Available Sizes

(Available for most inswing units.)



Single Door SystemWidths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"

Available Color Options

Coordinates with exterior trim.**









Black

Available Configurations









See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.



· LIMITED WARRANTY



Fiber-Classic, Smooth-Star, Pulse Fiberglass Profiles, Traditions, Pulse Steel When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



NEW Impressions_™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a Therma-Tru. single entry door** to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with composite brickmould and an aluminum storm door panel. For added protection from rotting, choose a composite frame featuring Tru-Guard_™ composite technology.



The storm door features a modern. profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.


^{*}Patent pending.
**Compatible with with most 6'8" single entry Therma-Tru doors.






The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold technology 5 enable a quick and intuitive installation experience. The storm door panel is handed in the field, simplifying what you need to order. After the installation of the entry door, hand your storm door by installing the closer, sweep and hardware. Then, follow these three simple steps to complete the job.







6 Aluminum Storm Door Options

Available for Single Entry Sizes

Choose Low-E or clear glass. Interchangeable screen panel included.




Low-E / Clear

IM100 3'0" x 6'8" 2'8" x 6'8"

Color Options

Features a maintenance-free finish.



White Color matched to PrismaGuard Alpine.

Gray Color matched to PrismaGuard Granite.




Brown Complements most PrismaGuard stains.



Black Color matched to PrismaGuard Onyx.

🕡 QuickFit_™ Handlesets



CLASSIC CRAFT.




An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.







Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuardopremium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.






Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can





Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru_o Door Frame


Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



Right Page Top: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelite - DRS82131SL, Finish - Acorn Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door - CCR30020; Provincial Glass, Sidelites - CCR3408SL;

Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door - CCV220, Low-E Glass, Sidelites - CCV100SL, Finish - Indigo





Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.




Built for Strength and **Security**

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins


Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain_® technology.



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.



Mahogany Grain Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.











ARTÍSSA Collection

Rooted in simple nostalgia, the Artíssa
Collection pays homage to the handmade
culture of the American Arts and Crafts
movement. Highlighting the beauty of
straight-forward design, this selection of
premium Classic Craft. doors features clean
lines, Shaker styling and Craftsman-inspired
glass for a casual and welcoming approach
to the entryway.

CASUAL
RELAXED
SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven











FOUNDERS

Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design.

Taking a more decorative approach to the entryway, this selection of premium

Classic Craft. doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.


TRADITIONAL

TIME-HONORED

DECORATIVE

Left Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM82802, Finish – New Earth Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn











MINIMAL

VISIONARY Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft. doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA2310XE, Sidelite – CCA2310XESL, Finish – Flaxseed Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx





Homeward_{TM}

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes





Glass Privacy Rating







Brushed Nickel

^{*}Only available in Classic Craft Oak grain.

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

- narrow reeded glass, 2 M seedy glass,
- 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and
- 6 clear bevels.

Glass Shapes





Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 54 to see an example on a home.






Brushed Nickel

Arcadia_™

With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

Glass Shapes



Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass*

Decorative & Specialty Glass Designs

Augustine_®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ogranite glass for the ultimate in privacy, Augustine pays homage to classic English styling.


Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 314 to see an example on a home.

Borrassa_®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 10 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.


Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating





Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 48 to see an example on a home.

Provincial_{TM}

A unique diamond-based motif features

1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes





Glass Privacy Rating







Brushed Nickel




Brass*

Longford

The traditional design of Longford integrates a hint of a Celtic knot with

- 1 seeded glass, 2 clear bevels,
- 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating









Brushed Nickel

Decorative & Specialty Glass Designs

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using

- glue chip glass, 2 clear curved bevels,
- 3 double waterglass and caming.


Glass Shapes





Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass

Lucerna

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

Glass Shapes



Glass Privacy Rating





Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCR1838, Finish – Shale

Zaha®


Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating







Black Nickel Brushed Nickel



Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.





Geometric (XG)

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.





Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.





Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.





Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.





Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.





Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.







Flush-Glazed Sticking Profiles

EnLiten $_{\text{\tiny ML}}$ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the ($\stackrel{\blacktriangle}{\bullet}$) and ($\stackrel{\blacktriangle}{\bullet}$) icons.



Detailed Sticking Look for the (△) icon.



Square Sticking
Look for the (▲) icon.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft, Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

Bottom: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Strap Hinges, Finish – Lynx



^{*}Pairs with 3'6" wide doors.

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





Full Lites

Artíssa Collection





Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Simulated Divided Lites (SDLF3)

Simulated Divided Lites (SDLF4)

Simulated Divided Lites (SDLF5)

■ Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XK = Reeded XJ = Chinchilla XG = Geometric XR = Rainglass XE = Satin Etch XN = Granite XC = Chord



Homeward

Mahogany* CCR9925 3'0"x 6'8"



CCR9925SL 12"x 6'8" 14"x 6'8"



CC9925 3'0"x 6'8"



CC9925SL 12"x 6'8" 14"x 6'8"



CCV9925 3'0"x 6'8"



CCV911SL

12"x 6'8" 14"x 6'8"



CCR1423 3'0"x 6'8"



CCR1423SL 12"x 6'8" 14" x 6'8"



CC1423 3'0"x 6'8"



CC1423SL 12"x 6'8"

14"x 6'8"



CCV1423 3'0"x 6'8"




CCV1423SL 12"x 6'8" 14"x 6'8"

^{*}Formerly Classic-Craft Rustic.

^{**}Formerly Classic-Craft American Style.


^{***}Not available with Reeded (XK) or Geometric (XG) glass. Note: See page 299 for important product details that may help with your purchase decision.



















CCA4910L__*** **▲ ③** 3'0"x 6'8"

CCA84910L__*** **▲ ③ E** 3'0"x 8'0"

CCA84910R__*** **♦ ३ ७ ४ 8 ७ ७**

CCA4920L__***

CCA4920R__***



Fir**









♦ 5 E 3'0"x 8'0"

Full Lites

continued

Fir Grain Formerly Classic-Craft American Style


Key

- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- **■** Elevated 10" Bottom Rail Options

Artíssa Collection







*Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL









CCA84920L ▲ ※ ■ E 3'0"x 8'0"

CCA84920R ▲ ※ ■ E 3'0"x 8'0"

CCA4930 ♦ ***** 5 3'0"x 6'8"

CCA84930 ♦ ※ ⑤ E 3'0"x 8'0"

CCA4940 ♦ *** 5** 3'0"x 6'8" CCA84940 ♦ ※ ⑤ E 3'0"x 8'0"

CCA2400SL ** 12" x 6'8" 14" x 6'8" CCA82400SL **
12"x 8'0"
14"x 8'0"



Full Lites

continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (A)
- X Wrought Iron (W)

Founders Collection









CCR3409SL**

12"x 6'8"

14"x 6'8"



CC109 3'0"x 6'8"



CC2060SL 12"x 6'8" 14"x 6'8"



Canvas CCV10029** 3'0"x 6'8"



CCV109SL**

12"x 6'8"

14"x 6'8"



Mahogany*
CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL

12" x 6'8"

14" x 6'8"



CCV10027 3'0"x 6'8"



CCV100XNSL 12"x 6'8" 14"x 6'8"



CCR1528 3'0"x 6'8"



^{*}Formerly Classic-Craft Rustic.

^{**}Not available in brass caming.



CCV1528 3'0"x 6'8"



Canvas CCV100XHSL

12"x 6'8"

14" x 6'8"



Mahogany* CCR30028** 3'0" x 6'8"



Mahogany CCR3408SL**

12"x 6'8"

14"x 6'8"



CC107 3'0"x 6'8"



CC2040SL

12"x 6'8"

14"x 6'8"



Canvas CCV10028**

3'0"x 6'8"

Canvas CCV108SL**

12"x 6'8" 14"x 6'8"



CCR30023 3'0"x 6'8"



Mahogany





Canvas





Canvas

CCV103SL 12"x 6'8" 14"x 6'8"



Mahogany*

CCR30026 3'0"x 6'8"



Mahogany CCR3406SL

12"x 6'8" 14"x 6'8"



Oak CC106 3'0"x 6'8"



Oak

CC2044SL 12"x 6'8" 14"x 6'8"



CCV10026 3'0"x 6'8"



Canvas

Full Lites

continued





Canvas

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- **■** Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XK = Reeded XC = ChordXG = GeometricXJ = Chinchilla XE = Satin Etch XR = Rainglass XN = Granite

Founders Collection

Lucerna®



CCR10022 3'0"x 6'8"



Mahogany CCR3412SL

12"x 6'8" 14"x 6'8"



CC10022 3'0"x 6'8"



CC3412SL 12"x 6'8" 14"x 6'8"



CCV10022 3'0"x 6'8"



Canvas

CCV3412SL 12"x 6'8" 14"x 6'8"



Mahogany*

CCR30020 3'0"x 6'8"



Mahogany

CCR3400SL **♦ *** 12"x 6'8" 14"x 6'8"



Mahogany

CCR2025SL **♦ * 6** 12"x 6'8" 14"x 6'8"



CC100 3'0"x 6'8"



CC2020SL 12"x 6'8"

14"x 6'8"

Canvas CCV10020 3'0"x 6'8"



12"x 6'8"

14"x 6'8"



Canvas

CCV950SL **≜ * ■** 12"x 6'8" 14"x 6'8"

^{*}Formerly Classic-Craft Rustic.

^{**}Formerly Classic-Craft American Style.

Visionary Collection

3'0"x 8'0"

3'0"x 6'8"



12"x 6'8"

14"x 6'8"

14"x 8'0"

14"x 8'0"

12"x 6'8"

14"x 6'8"

Full Lites

continued



Key

- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded XJ = Chinchilla XG = Geometric XR = Rainglass XE = Satin Etch XN = Granite

XC = Chord

Visionary Collection



^{*}Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com



CCA2340 • * 3 3'0"x 6'8"


CCA82340 ♦ ※ 🛐 E 3'0"x 8'0"



CCA82380

♦ * 5 E 3'0"x 8'0"

CCA2380 • * 5 3'0"x 6'8"



CCA2400SL **♦ *** 12"x 6'8" 14"x 6'8"

CCA82400SL **♦ *** 12"x 8'0" 14"x 8'0"



CCA2300SL * 4 12"x 6'8" 14"x 6'8"

CCA82300SL ** 4 12"x 8'0" 14"x 8'0"



CCA2310SL • * 4 12" x 6'8" 14" x 6'8"



14"x 6'8"



CCA2330SL ♦ ※ 🛐 12"x 6'8" 14"x 6'8"

CCA82330SL ** 2 12"x 8'0" 14"x 8'0"



CCA2340SL ♦ **※** 3 12"x 6'8" 14"x 6'8"



3/4 Lites



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XK = Reeded XJ = Chinchilla XG = GeometricXR = Rainglass XE = Satin Etch XN = Granite

XC = Chord

Artíssa Collection



CCM2801

CCM82801 3'0"x 6'8" 3'0"x 8'0"



CCM9923 3'0"x 6'8'



CCR9925SL 12"x 6'8" 14"x 6'8"

CCR89925SL 12"x 8'0" 14"x 8'0"



CC9922 3'0"x 6'8"

CC89922 3'0"x 8'0"

Oak




Oak CC9925SL CC89925SL

12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"



CCV9922 CCV89922 3'0" x 6'8" 3'0"x 8'0"



CCV911SL 12"x 6'8' 14" x 6'8'

CCV8111SL 12"x 8'0" 14" x 8'0"





CCM1419 3'0"x 6'8'



CCM81418 3'0"x 8'0"



Mahogany CCR81423SL CCR1423SL

12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CC1418 CC81418 3'0"x 6'8" 3'0"x 8'0"

**Not available with Reeded (XK) glass.

^{*}Not available with Geometric (XG) or Chinchilla (XJ) glass.

^{***}Not available with Reeded (XK) or Satin Etch (XE) glass.



CC1423SL CC81423SL 12"x 6'8"

14"x 6'8"

12"x 8'0" 14" x 8'0"



CCV1418 CCV81418 3'0"x 6'8" 3'0"x 8'0"



Canvas CCV1423SL CCV81423SL 12"x 6'8" 12"x 8'0"

14"x 8'0"

14" x 6'8"



CCM2800__* CCM82800__* 3'0"x 6'8" 3'0"x 8'0"



CCM2804 * CCM82804 *



CCM2806 * CCM82806 * **▲ ⑤** 3'0"x 6'8" 3'0"x 8'0"



CCM2812 * CCM82815__* **6 6** 3'0"x 6'8" 3'0"x 8'0"



CCR3400__SL CCR8000 SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CCR2025 SL CCR82035 SL **♦ * 6 12**"x 6'8" **♦ * 6** 12"x 8'0" 14"x 8'0" 14"x 6'8"



CC2020__SL** | CC8000__SL*** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CCV05020XC CCV05020XN 3'0"x 6'8"



CCV100__SL** CCV8100__SL*** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Canvas CCV950__SL** CCV8950__SL*** 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



3'0"x 6'8"

3/4 Lites

continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Artíssa Collection







CCM2806 3'0"x 6'8"

CCM82806 3'0"x 8'0"

CCM2812 3'0"x 6'8"

CCM82815 3'0"x 8'0"





12"x 6'8"

14"x 6'8"



NEW













♦ * 12"x 8'0"

14"x 8'0"









CCV100SL CCV8100SL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14" x 6'8"










12"x 6'8" 14"x 6'8"



Mahogany CCM3309SL* 10"x 6'8" 12"x 6'8" 14"x 6'8"

3'0"x 6'8"





CC2060SL CC8009SL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



CCV05029* | CCV805029* 3'0"x 6'8"



12"x 8'0"

14" x 8'0"

Canvas CCV109SL* CCV8109SL* 12"x 6'8" 12"x 8'0" 14"x 8'0" 14" x 6'8"



Augustine.*

CCM1485



CCM805027 3'0"x 8'0"



CCM1495 3'0"x 6'8"



Mahogany CCR8000XNSL CCR3400XNSL 12"x 8'0" 12"x 6'8" 14"x 8'0"

14" x 6'8"



CCV05027 CCV805027 3'0"x 6'8" 3'0"x 8'0"



CCV8100XNSL CCV100XNSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"

3/4 Lites

continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)

Founders Collection

Orrassa.*

ă



CCM1475

3'0"x 6'8"



CCM81519 3'0"x 8'0"



CCM1465 3'0"x 6'8"



Mahogany

CCR3400XHSL | CCR8000XHSL 12"x 6'8" 14"x 6'8"

12"x 8'0" 14"x 8'0"



CCV1519 3'0"x 6'8"

CCV81519 3'0"x 8'0"



Canvas

12"x 6'8" 14"x 6'8"

CCV8100XHSL CCV100XHSL 12"x 8'0"

14"x 8'0"



Mahogany

CCM203 3'0"x 6'8"



CCM892 3'0"x 8'0"



Mahogany

CCM303 3'0"x 6'8"



Mahogany

CCR3407SL 12" x 6'8" 14" x 6'8"

CCR8007SL 12"x 8'0" 14" x 8'0"



Mahogany

CCM3303SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



CCV05023 3'0"x 6'8"

CCV805023 3'0"x 8'0"

^{*}Not available in brass caming.





3'0"x 6'8" 3'0"x 8'0"








CCR3412SL CCR8102SL 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"

CCV103SL CCV8103SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"









CCM3302SL 10"x 6'8" 12"x 6'8" 14"x 6'8"

Mahogany

CC922 CC898 3'0"x 6'8" 3'0"x 8'0"

Oak

CC3412SL 12"x 6'8" 14" x 6'8"

CC8102SL 12"x 8'0" 14"x 8'0"

CCV3412SL CCV8102SL 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"

⋄ Provincial



Mahogany CCR3408SL* CCR8008SL* 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CC97 CC897 3'0"x 6'8" 3'0"x 8'0"



Oak CC2040SL CC8007SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Canvas CCV05028* CCV805028* 3'0"x 6'8" 3'0"x 8'0"



Canvas CCV108SL* CCV8108SL* 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"

3/4 Lites

continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = ChordXN = Granite

Founders Collection





12"x 8'0"

14"x 8'0"



CC96 CC896 3'0"x 6'8" 3'0"x 8'0"



CC2044SL CC8006SL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"




12"x 6'8"

14"x 6'8"

CCV05026 3'0"x 6'8"

CCV805026 3'0"x 8'0"



CCV106SL 12"x 6'8" 14"x 6'8"

|-W0

CCV8106SL 12"x 8'0" 14" x 8'0"



CCM200 3'0"x 6'8"



CCM300_



CCM200 3'0"x 6'8"



CCM300 3'0"x 6'8"



CCM3300SL 10"x 6'8" 12"x 6'8" 14"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door - CCM82803; Low-E Glass Direct Set Sidelites - DRS82131SL, Finish - Lynx

Visionary Collection











CCM2803

CCM82803 3'0"x 6'8" 3'0"x 8'0"

CCM1844 3'0"x 6'8"

CCM1842 3'0"x 6'8"

CCR1851SL CCR81851SL 12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"

Mahogany CCM1843SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



CCV1843 3'0"x 6'8"

CCV81843 3'0"x 8'0"



Canvas

CCV1851SL 12"x 6'8" 14"x 6'8"

CCV81851SL 12"x 8'0" 14"x 8'0"





Key

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Glass Options

Add the code to the blank in see pages 66-67.

XC = Chord

Artíssa Collection



Mahogany*

CCR9921 CCR89921 3'0"x 8'0" 3'0"x 6'8"



Mahogany*

CCR9919 CCR89919 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR9918 3'0"x 6'8"

CCR89918 3'0"x 8'0"

Privacy & Textured

the style number for the desired door and glass combination. For details on glass options,

XN = Granite



Mahogany*

CCR822218 3'0" x 8'0" 3'6" x 8'0"



CCV9919 CCV89919 3'0"x 6'8" 3'0"x 8'0"



CCV9918 3'0"x 6'8"

CCV89918 3'0"x 8'0"





Mahogany*

CCR1417 CCR81417 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1415 3'0"x 6'8"

CCR81415 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1414 3'0"x 6'8"

CCR81414 3'0"x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Left: Classic Craft Mahogany Grain, Low-E Glass, Door - CCR20520

Right Page, Right: Classic Craft Mahogany Grain, Arborwatch Glass, Door - CCR1415, Sidelites - CCR1423SL,

Finish - Mulberry



Mahogany*

CCR822214 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV1415 3'0"x 6'8" | CCV81415 3'0"x 8'0"



Canvas

CCV1414 3'0"x 6'8" | CCV81414 3'0"x 8'0"



Mahogany*

CCR20520__ | CCR820520__



Mahogany*

CCR822220__ 3'0"x 8'0"



Canvas

CCV20520_ 3'0"x 6'8" CCV820520__ 3'0"x 8'0"



Mahogany*

CCR20520

* 3'0"x 6'8" CCR820520 ** 3'0"x 8'0" 3'6"x 8'0"



Canvas

CCV20520 **
3'0"x 6'8" CCV820520

3'0"x 8'0"





continued



Canvas

Key







Founders Collection





CCR804029 3'0"x 8'0"



CCR820529 3'0"x 8'0"



CCR820029 3'0"x 8'0"



CCR822229 3'0"x 8'0"

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (W)

Optional Accessories



Clavos

Strap Hinge



CCV820529 3'0"x 8'0"



CCV822029 3'0"x 8'0"

Augustine. *



CCR04027 3'0"x 6'8"

CCR804027 3'0"x 8'0" 3'6"x 8'0"



CCR20527 3'0" x 6'8"

CCR820527 3'0"x 8'0" 3'6"x 8'0"



CCR20027 3'0"x 6'8" CCR820027

3'0"x 8'0"



Mahogany* CCR822227 3'0"x 8'0" 3'6" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

*Formerly Classic-Craft Rustic.



CCR04037 3'0"x 6'8"





Mahogany*

CCR20537 3'0"x 6'8"





Mahogany*

CCR20037 3'0"x 6'8"

CCR820037 3'0"x 8'0"



Mahogany*

CCR20537A 3'0"x 6'8"

CCR820537A 3'0"x 8'0" 3'6"x 8'0"



CCR20037A 3'0"x 6'8"

CCR820037A 3'0"x 8'0"



CCV20527 3'0"x 6'8"

CCV820527 3'0"x 8'0"



CCV22027 CCV822027 3'0"x 8'0" 3'0"x 6'8"



CCV20537 CCV820537 3'0"x 6'8" 3'0"x 8'0"

Borrassa.*



Mahogany*

CCR1518 3'0"x 6'8"

CCR81518 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1516 3'0"x 6'8'

CCR81516 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1515 3'0"x 6'8"

CCR81515 3'0"x 8'0"



CCR822215 3'0"x 8'0" 3'6"x 8'0"

continued



Canvas

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)

Optional Accessories



Clavos



Founders Collection



Mahogany*

CCR1514 3'0"x 6'8"

CCR81514 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1512 3'0"x 6'8"

CCR81512 3'0"x 8'0" 3'6" x 8'0"



Mahogany*

CCR1511 3'0"x 6'8"

CCR81511 3'0"x 8'0"



CCR1512A

3'0"x 6'8"

CCR81512A 3'0"x 8'0" 3'6"x 8'0"



CCR1511A 3'0"x 6'8" CCR81511A 3'0"x 8'0"



CCV1516 3'0" x 6'8"

CCV81516 3'0"x 8'0"



CCV1515 3'0"x 6'8" CCV81515



Canvas

CCV1512 CCV81512 3'0"x 6'8"





CCR804028

3'0"x 8'0"



CCR820528 3'0"x 8'0"



CCR820028 3'0"x 8'0"



CCR822228 3'0"x 8'0"



CCV820528 3'0"x 8'0"



CCV822028 3'0"x 8'0"





CCR04023 3'0"x 6'8"

CCR804023 3'0"x 8'0"



CCR20523 3'0"x 6'8"

Mahogany* CCR820523 3'0"x 8'0"



CCR20023 3'0"x 6'8" CCR820023 3'0"x 8'0"



CCR822223 3'0"x 8'0"



CCV20523 3'0"x 6'8"

CCV820523 3'0"x 8'0"



CCV22023 3'0"x 6'8"

CCV822023 3'0"x 8'0"



CCR804026 3'0"x 8'0"



CCR820526 3'0"x 8'0"

continued



- Key
 - Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = ChordXN = Granite

Optional Accessories







Founders Collection

⋄ ambridge™







CCR822226 3'0"x 8'0"



CCV820526 3'0"x 8'0"



CCV822026 3'0"x 8'0"

Lucerna®



CCR04022 3'0"x 6'8"

CCR804022 3'0"x 8'0" 3'6"x 8'0"



CCR20522 CCR820522 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



CCR20022

CCR820022 3'0"x 6'8" 3'0"x 8'0"



CCR822222 3'0"x 8'0" 3'6"x 8'0"



Mahogany* CCR804032 3'0"x 8'0"



CCR820532

3'0"x 8'0"



CCR820032 3'0"x 8'0"











CCR820532A 3'0"x 8'0"

CCR820032A 3'0"x 8'0"

CCV20522 3'0"x 6'8"

CCV820522 3'0"x 8'0"

CCV22022 3'0"x 6'8"

CCV822022 3'0"x 8'0"

CCV820532 3'0"x 8'0"

Textured ರು Privacy



CCR04020_ 3'0"x 6'8"

CCR804020__ 3'0"x 8'0"



CCR20020_ 3'0"x 6'8"

CCR820020__ 3'0"x 8'0"



CCR804030_ 3'0" x 8'0"



CCR820530__ 3'0"x 8'0"



CCR820030__ 3'0"x 8'0"



CCR820530A__ 3'0"x 8'0"



CCV22020_ 3'0"x 6'8"

CCV822020__ 3'0"x 8'0"



CCV820530__ 3'0"x 8'0"

continued



Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Optional Accessories





Strap Hinge

Founders Collection

Textured ರು Privacy





CCM302L_ 3'0"x 6'8"

CCM302R_ **∆** 3'0"x 6'8"



CCM8302L_

3'0"x 8'0"

CCM8302R_ **∆** 3'0"x 8'0"







CCM304L_

CCM304R_ **▲ 6** 3'0"x 6'8"





Mahogany

CCM8304L_

CCM8304R_





CCM303R_





Mahogany

CCM8303L_ **▲ 6** 3'0"x 8'0"

CCM8303R_ **▲ 6** 3'0"x 8'0"

*Formerly Classic-Craft Rustic.

CCM303L_











CCM305CAL_ CCM305CAR_ **▲ 6** 3'0"x 6'8" **▲ 6** 3'0"x 6'8"



CCM8305CAR_







CCR04020

3'0"x 6'8"

CCR804020

3'0"x 8'0" 3'6"x 8'0"







continued



Key

Flush-Glazed Glass with Square Sticking (FG)

* Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos

Strap Hinge

Founders Collection









CCR820530 ** 3'0"x 8'0"

CCR820030 ** 3'0"x 8'0"

CCR820530A ** 3'0" x 8'0"

CCR820030A ** 3'0"x 8'0"







CCV22020 ** 3'0" x 6'8"

CCV822020 **
3'0"x 8'0"







Mahogany



CCM8304L • * 6 3'0"x 8'0"



Mahogany

CCM303L 

Mahogany

CCM8303L * 6 3'0"x 8'0"

CCM8303R ▲ ** 6 3'0"x 8'0"



Mahogany

CCM301CAL **♦ *** 3'0"x 6'8"

CCM301CAR **♦** * 3'0"x 6'8"



♦ * 3'0"x 8'0"

CCM8301CAL | CCM8301CAR **♦ *** 3'0"x 8'0"



Mahogany

CCM305CAR **♦ * 6** 3'0"x 6'8"



Mahogany

CCM8305CAL **♦ * 6** 3'0"x 8'0"

CCM8305CAR **♦ * 6** 3'0"x 8'0"





CCM8306CAL

continued



Canvas

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Visionary Collection



Mahogany*

CCR1841 3'0"x 6'8"

CCR81841 3'0"x 8'0"



Mahogany*

CCR1839 3'0"x 6'8"

CCR81839 3'0"x 8'0"



CCR1838 3'0"x 6'8"

CCR81838 3'0"x 8'0"



Mahogany*

CCR822238 3'0"x 8'0"



CCR81847 3'0"x 8'0"



Mahogany*

CCR81846 3'0"x 8'0"



CCR81845 3'0"x 8'0"



Mahogany*

CCR81846A 3'0"x 8'0"



CCR81845A

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Canvas, Zaha Glass, Door - CCV1839; Clear Glass, Transom - 19200T



CCV1839 3'0"x 6'8"

CCV81839 3'0"x 8'0"



CCV1838 3'0"x 6'8"

CCV81838 3'0"x 8'0"



CCV81846 3'0"x 8'0"



1/2 Lites

Artíssa Collection





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)



Homeward™

Mahogany

CCM9926 3'0"x 6'8"



CC9926 3'0"x 6'8"



CCV9926 3'0"x 6'8"





CCM1424 3'0"x 6'8"



CC1424 3'0"x 6'8"



CCV1424 3'0"x 6'8"



*Not available in brass caming.

Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet

Founders Collection









CC2160SL 12"x 6'8"

14"x 6'8"

CCV06029* 3'0"x 6'8"





Oal CC47 2'8"x 6'8" 3'0"x 6'8"



CC2140SL 12" x 6'8" 14" x 6'8"



CCV06028* 3'0"x 6'8"



CCM603 3'0"x 6'8"



CCV06023 3'0"x 6'8"








CC2144SL
12"x 6'8"
14"x 6'8"



CCV06026 3'0"x 6'8"

1/2 Lites

continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XE = Satin Etch

Founders Collection





CCM612 3'0"x 6'8"



CC612 3'0"x 6'8"



CC2122SL 12"x 6'8" 14"x 6'8"



CCV06022 3'0"x 6'8"

Privacy & Textured







CC48<u>XE</u> 3'0"x 6'8"



CCV06020XE 3'0"x 6'8"





CCM600 **
3'0"x 6'8"



CC48 ** 2'8"x 6'8" 3'0"x 6'8"



CC2120SL ** 12"x 6'8" 14"x 6'8"



CCV06020 ** 3'0"x 6'8"

Founders Collection

Arcadia



CCM709 3'0"x 6'8"

Longford™ ◆::



Mahogany CCM703 3'0"x 6'8"






Mahogany CCM702 3'0"x 6'8"



Mahogany CCM700 3'0"x 6'8"



Craftsman Lites



Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

Artíssa Collection







CCA87112 3'6"x 8'0"



CCA231 CCA8231 3'0"x 6'8" **3**'0"x 8'0"



CCA87132 3'6"x 8'0"

14"x 6'8'



CCA3401SL CCA3501SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CCA211SL 12"x 6'8" 14"x 6'8"




CCV911 3'0"x 6'8"



CCV931 **3**'0"x 6'8"



14"x 6'8"





3'6"x 8'0"

*Formerly Classic-Craft American Style. Note: See page 299 for important product details that may help with your purchase decision.









12"x 6'8" 14"x 6'8"





















Craftsman Lites

continued



Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)



Low-E Glass (LE)

Simulated Divided Lites (SDL)


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XG = Geometric XJ = ChinchillaXE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.





4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

Artíssa Collection



Fir* CCA87400XR 3'6"x 8'0"



CCA8260__*** CCA260__*** 3'0"x 6'8" 3'0"x 8'0"



CCA87600XR **3**'6"x 8'0"







CCA3400__SL** CCA3500__SL** 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



12"x 6'8" 14"x 6'8"

CCA210__SL*** 12"x 6'8" 14" x 6'8"



CCV910 *** 3'0"x 6'8"



Canvas CCV920 *** **3**'0"x 6'8"



CCV930 *** 3'0"x 6'8"



^{*}Formerly Classic-Craft American Style.

^{**}Not available with Satin Etch (XE) glass.
***Not available with Geometric (XG) or Satin Etch (XE) glass.



CCA260

3'0"x 6'8"

CCA8260

3'0"x 8'0"

CCA240

3'0"x 6'8"

CCA8240

3'0"x 8'0"

CCA87400

♦ * ■ 3'6"x 8'0"

CCA87600

3'6"x 8'0"

Craftsman Lites

Fir Grain Formerly Classic-Craft American Style Mahogany Grain Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.





4-Block Dentil Shelf



4-Block Dentil Shelf

Artíssa Collection















CCV910 ♦ * 3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Longford Glass, Door – CCM803, Finish – New Earth

^{*}Formerly Classic-Craft American Style.



CCV950SL ♦ ※ ■ 12"x 6'8" 14"x 6'8"



CCV8100SL

≜ * 12"x 8'0" 14"x 8'0"

CCV100SL • ** 12"x 6'8" 14"x 6'8" Canvas

CCV9020SL ♦ ※ ■ 12" x 6'8" 14" x 6'8"



Canvas

CCV9010SL ** 12"x 6'8" 14"x 6'8"

Center Lites

Founders Collection





CCM809 3'0"x 6'8"



Mahogany
CCM3509SL
12"x 6'8"
14"x 6'8"





Mahogany CCM803 3'0" x 6'8"



Mahogany
CCM3503SL

12"x 6'8"
14"x 6'8"





Mahogany CCM822 3'0"x 6'8"



Mahogany CCM3502SL 12"x 6'8" 14"x 6'8"





CCM800 ** 3'0"x 6'8"



Mahogany
CCM3500SL

*
12"x 6'8"

14"x 6'8"



Solid Panels

Fir Grain Formerly Classic-Craft American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- 9 WBDR Options
- E Elevated 10" Bottom Rail Options

Fir Grain*



CCA1125

3'0"x 6'8"





Artíssa

CCA1149 5 6 3'0"x 6'8"





Artíssa

CCA1127 3'0"x 6'8"

CCA81127 ■ 9 E 3'0"x 8'0"



CCA4905 3 9 3'0"x 6'8"

CCA84905 9 E 3'0"x 8'0"



CCA4915L § 6 3'0"x 6'8"



CCA4915R 3 9 3'0"x 6'8"



CCA84915L 3'0"x 8'0"

CCA84915R 139E 3'0"x 8'0"



CCA4925L | CCA4925R | 6 9 3'0"x 6'8"

*Formerly Classic-Craft American Style. Note: See page 299 for important product details that may help with your purchase decision.











CCA84925L 3'0"x 8'0"

CCA84925R 5 9 E 3'0" x 8'0"

CCA4935 5 9 3'0"x 6'8"

CCA84935 5 9 E 3'0"x 8'0"

CCA4945 5 9 3'0" x 6'8"

CCA84945 5 9 E 3'0" x 8'0"

CCA1166 3'0"x 6'8" CCA81166 5 9 E 3'0"x 8'0"



CCA1158 9 3'0"x 6'8"

CCA81158 **3 9 E** 3'0"x 8'0"



CCA1147 5 6 3'0"x 6'8"

CCA81147 **5 9 E** 3'0"x 8'0"



CCA2420SL CCA82420SL 12"x 8'0" 12"x 6'8" 14" x 6'8" 14"x 8'0"

Arborwatch.

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

CCA2410SL CCA82410SL 12" x 8'0" 12"x 6'8" 14" x 8'0" 14"x 6'8"



CCA1100 3'0"x 6'8"

CCA81100 **9 E** 3'0"x 8'0"



CCA81133 4 9 E 3'0"x 8'0"



CCA1145 3'0"x 6'8"

CCA81145 3'0" x 8'0"



CCA1150 (5) 3'0" x 6'8"

CCA81150 (3 6 E 3'0"x 8'0"

Solid Panels



Key

Low-E Glass (LE)

WBDR Options

E Elevated 10" Bottom Rail Options

Walnut Grain



Visionary

CCW1000 9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW81000 9E

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW900L 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW900R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW901L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW901R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'6" x 8'0"



Visionary

CCW902L 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8902L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS82131SL,

Transoms - 19200T, 19210T, Finish - Shale

Right Page: Classic Craft Walnut Grain Door - CCW903, Finish - Ashburn



Visionary

CCW8902R

CCW902R

2'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 8'0" 3'6" x 8'0"



Visionary

CCW8903

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'6" x 8'0"

CCW903

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



Visionary

CCW904L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW904R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

CCW8904R



Visionary

CCW905

5 E2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCM306F

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") ÇCW8906L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8906R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary

CCW907L

9 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8907L 5'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Visionary

CCW907R C

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907R 9 2'6" x 8'0" 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"

3'6" x 8'0"



Solid Panels

Mahogany Grain Formerly Classic-Craft Mahogany & Rustic Oak Grain

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories







Mahogany Grain*



Artíssa CCR8100

CCR100 3'0"x 6'8" 3'6"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Artíssa

CCM890 **5** 3'0"x 8'0"



Artíssa

CCR8222 3'0"x 8'0" 3'6"x 8'0"



Founders

CCR100R 3'0"x 6'8" 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"

CCR8100R



CCR040R 5 3'0"x 6'8'

Founders CCR8040R 5 3'0"x 8'0"

3'6"x 8'0"



Founders

CCR8225R 3'0"x 8'0" 3'6"x 8'0"



Founders

CCR8005A 3'0"x 8'0"



CCR8205A CCR205A 3'0"x 6'8" 3'0"x 8'0"



Founders



CCR200A

CCR8200A 3'0"x 6'8" 3'0"x 8'0"

*Formerly Classic-Craft Mahogany and Rustic. Note: See page 299 for important product details that may help with your purchase decision.







CCR8005 5 3'0"x 8'0"



CCR040 6 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



CCR205 CCR8205 G 3'0" x 6'8" 3'6" x 8'0" 3'6" x 8'0"





CCM60 9 3'0"x 6'8"



CCM801 3'0"x 6'8"



CCM701 9 3'0"x 6'8"



Oak Grain



CC91 6 3'0"x 6'8"



Founders CC831 9 3'0"x 8'0"




CC60 5 2'8"x 6'8" 3'0"x 6'8" CC860 5 3'6"x 8'0"



CC40 3'6"x 6'8"

Solid Panels

Canvas



Key


- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- **6** WBDR / HVHZ Options

Optional Accessories





Strap Hinge



CCV205 6 3'0"x 6'8"

CCV8205 6 3'0"x 8'0"



CCV220 5 3'0" x 6'8"

CCV8220 5 3'0"x 8'0"



CCV831 6 3'0"x 8'0"



CCV060 6 3'0"x 6'8"



CCV050 5 3'0"x 6'8"



12"x 6'8" 14"x 6'8"

12"x 8'0" 14"x 8'0"



Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward_™◆**::**



HWRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only

Arborwatch...



ABRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



AB30T 3'0" Door Only

Arcadia_™ ◆ :: ❖



CC060T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC600T 3'0" Door Only

Longford™ ◆ ***



LFET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





LFRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LF30T 3'0" Door Only

Provincial_™ ◆ :: ❖



CC040T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC420T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T 3'0" Door Only

Lucerna.



LCET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





I CRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only


LC30T 3'0" Door Only



CC090T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





Continuous Sill Systems Only



CC900T 3'0" Door Only

Zaha₅♦∷



ZHRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Low-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only



19210T

12" & 14" Sidelite Only

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)





Classic Craft. Hinged Patio Doors



A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Grain & Texture Options









Glass Options



Low-E Glass



Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten $_{\tiny \rm IM}$ Flush-Glazed Rider for Construction & Installation, and the EnLiten $_{\tiny \rm IM}$ Flush-Glazed Rider for Homeowners.


I = Available	Classic Craft.
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites ♦	•
Privacy & Textured Glass with and without Divided Lites ♦	•
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	

Available Configurations











EnLiten Flush-Glazed Low-E Glass




Available Collections

- Classic Craft, Fir Grain
- Classic Craft, Mahogany Grain

Available Door Styles



Available Configurations



EnLiten Flush-Glazed Low-E Glass with Divided Lites




Available Collections

• Classic Craft, Mahogany Grain

Available Door Styles



Available Configurations



Low-E Glass




Available Collections

- Classic Craft, Mahogany Grain
- Classic Craft, Oak Grain
- Classic Craft, Canvas

Available Door Styles




Available Configurations





Fiber-Classic. & Smooth-Star. Fiberglass Doors



With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.


Top: Smooth-Star, Maple Park Glass, Doors - S86107 Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley Right Page: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door - FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry

Fiber-Classic, & Smooth-Star,















Fiber-Classic_®
Mahogany Collection_™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic

Oak Collection

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuardapremium finish and Same-Daya Stain color options on pages 274–278.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 134.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass starting on page 152.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic, and Smooth-Star, doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security


An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

A R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.





Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white - are designed for worry-free use.

Available Sizes:

	Width		
Height	12"	14"	
6'6"			
6'8"			
8'0"			



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

= Available= Not ApplicableS = StainP = Paint	Fiber-Classic. Mahogany Collection	Fiber-Classic。 Oak Collection [™]	Smooth-Star.		
Door Widths					
2'0"					
2'4"					
2'6"					
2'8"					
2'10"					
3'0"					
3'6"	•	•			
Door Heights					
6'6"	•				
6'8"					
7'0"					
8'0"					
Glass Options					
Decorative	15	15	15		
Privacy & Textured	7	7	7		
Internal Blinds					
Flush-Glazed					
Screen Vented	•	•			
Simulated Divided Lites					
Grilles Between Glass					
Low-E					
Clear					
Additional Options					
Finish	S/P	S/P	Р		
Vented Sidelites					

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 222–227.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door - S8140

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 254–259.
- Flush-Glazed Options: Look for these icons and / or a blue highlight to find door styles with flush-glazed glass.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 299 for more information.

- ♠ ★ Fiber-Classic* and Smooth-Star* products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 33 for more information.
 - Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 26–27 for details.



^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Decorative & Specialty Glass Designs


Blackstone_®

Traditional English design meets
1 clear curved bevels, 2 rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.









Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel


Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.









Brushed Nickel

Black Nickel

Salinas_®

Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Wrought Iron

Maple Park

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel





Brushed Nickel

Avonlea®

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.



Black Nickel



Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels,


2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.





Black Nickel





Brushed Nickel


Texas Star

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating






Brushed Nickel


Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Glass Privacy Rating





Brushed Nickel



Brass

Black Nickel

Riserva_®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.





Glass Privacy Rating


Wrought Iron

Concorde_M

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.



Black Nickel





Brushed Nickel



Brass

Kensington_™

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels, 2 glue chip glass,
- 3 granite glass and caming.



Glass Privacy Rating





Brushed Nickel

Black Nickel


Pembridge_m

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Note: The use of gray baroque glass varies based on glass size.

Black Nickel





Brushed Nickel



Brass


Axis.

Simple and smart, Axis combines

• narrow reeded glass in horizontal
and vertical arrangements to create
contrast and modest privacy. A vertical
band of • clear glass bevels completes
this linear design, ideal for Modern
home styles.



Black Nickel



Frosted Images

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of 1 white-frosted glass.






Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



2 Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded



Glass Privacy Rating



Geometric



Glass Privacy Rating









Chinchilla

Glass Privacy Rating



Rainglass

(8) 1

Glass Privacy Rating



Granite

Glass Privacy Rating














SDL Bar Options










Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.







Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*


Smooth-Star. 4-Block Dentil Shelf*





Transoms

For transoms. see page 221.



Blackstone. • ::



FCM108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM871 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




FCM310 ■ 2 9 E FCM816 **1** 9 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



FCM871SL 12"x 8'0" 14"x 8'0"



FCM808SL 10"x 6'8"





FC108 **9 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

2'8"x 8'0"

2'10"x 8'0"



FC310 ■ 🛮 9 E 2'6"x 6'8" \(\frac{1}{2} \) (7'0") 2'6"x 6'8" \(\frac{1}{2} \) (7'0") 2'8"x 6'8" \(\frac{1}{2} \) (7'0") 2'10"x 6'8" \(\frac{1}{2} \) (7'0") 3'0"x 6'8" \(\frac{1}{2} \) (7'0") 3'0"x 8'0"



FC108SL 4 6 10"x 6'8" 81918PSL 2 6 12"x 8'0" 12"x 6'8" 14"x 8'0"



FC808SL 81918SL --116 **••446**




S85892 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S310 26 E 2'6" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 6'8" \$\frac{1}{2}\$ (7'0") 2'8" x 8'0" 2'10" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S6002SL ⊿ ∡ S85892SL **⊿ 3 6** 12"x 8'0" 12" x 6'8" 14" x 6'8" 14"x 8'0"



Smooth S4570SL S85927SL **■●⊿¼∮ ■●⊿¼∮** 12"x 8'0" 10"x 6'8" 12"x 6'8" \$\((7'0") \) 14"x 8'0" 14"x 8'0"

Key

14"x 6'8"






NEW Scrolled & Flat Advanta Lite Frame









3'0"x 8'0"

3'6"x 8'0"

↑ 6'6" Height Available

Crystalline_™ ◆ ::



FCM8114 FCM16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM668 ■ 4 9 E FCM814 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM8114SL 4 6 12"x 8'0" 14"x 8'0"



FCM18101SL FCM81800SL 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")



FC16

6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 81800P **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FC668

2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 8'0"



FC46SL 81800PSL 16 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



81800SL 18101SL 12"x 6'8" \$\(\frac{1}{2}\)(7'0")
14"x 6'8" \$\(\frac{1}{2}\)(7'0")
12"x 8'0" --116 14"x 8'0"



S814 S916 **19** € 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S815 \$668 ■ **4 6** E 2'8"x 6'8" \$ (7'0") 2'8"x 8'0" 2'10"x 6'8" \$ (7'0") 2'10"x 8'0" 3'0"x 6'8" 1 (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S916SL S814SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6130SL

S84586SL 10"x 6'8" --116 12"x 8'0" 12"x 6'8" \$\(\delta\) (7'0") 14"x 8'0" 14"x 6'8" 1 (7'0")

Sedona ♦ ::



Mahogany FCM100 FCM872 2'8"x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0"

3'0"x 8'0"

3'0"x 6'8"



FCM241 FCM822 **■ 🔏** E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0"



Mahogany FCM872SL 12"x 8'0" 14"x 8'0"



FCM816SL FCM81968SL 10"x 6'8" 12"x 8'0' 12"x 6'8" (7'0") | 14"x 8'0' 14"x 6'8" (7'0")



Oak FC100 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81968P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC241 FC822 ■ 🖊 E 2'10"x 8'0" 3'0"x 6'8" \$ (7'0")



FC100SL 81968PSL 10" x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



FC816SL 81968SL 12"x 6'8" (7'0") 12"x 8'0' 14"x 6'8" (7'0") 14"x 8'0"



S139 ∡ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S241 ■ **I** E 2'6" x 6'8" **Å** 2'8"x 6'8" \$\(\bar{\Delta}\) (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL <u>ا ا</u> 12"x 6'8" 14"x 6'8"



S604SL 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")

Salinas_® x



FCM873

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0'

46

FCM113 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM817

1

FCM369 ■ **1** 9 E 2'6"x 8'0" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10" x 6'8" (7'0") | 2'10" x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0'



FCM814SL ■ ● → ¥ 6 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")

FCM81919SL

■ ● → ¼ 6

12"x 8'0"



FCM873SL **∡ 6** 12"x 8'0" 14"x 8'0"



FC113 81919P **1**6€ **4**6 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC369 FC817 ■**1**6E **4 9** 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'6" x 8'0" 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" \$ (7'0") 3'0"x 8'0"



FC113SL 81919PSL 16 **4 6** 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0' 14" x 6'8'




FC814SL 81919SL 12"x 6'8" \(\(\) (7'0") \) 12"x 8'0" \) 14"x 6'8" \(\) (7'0") \) 14"x 8'0"



S6008 S85893 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") **4**6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0"



S369 S817 **4 9** 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" \$ (7'0") 3'0"x 8'0' 3'6"x 6'8" 3'6"x 8'0"



Smooth S6008SL S85893SL **_ 4** 6 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6134SL S85931SL ■●⊿16 ■ ● → ¼ 6 12"x 8'0" 10"x 6'8" 14" x 8'0"

Key







X Wrought Iron (1W)











FCM900 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1006

■ **1**6 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM812SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC900

19E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC1006 ■ **1** 9 E 2'8" x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") \end{array} 3'0"x 6'8" \$ (7'0")



Oak

FC900SL 16 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC812SL 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Smooth

S6100 **1**9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth

S1006 ■ 16 E 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth S6100SL

_1 12"x 6'8" 14"x 6'8"



S6131SL 10"x 6'8' 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")





Mahogany FCM758

46 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1027 ■ **4** 6 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM807SL **--1**6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC758 **4**9 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1027 ■ 🛮 9 E

2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")



FC758SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC807SL

12"x 6'8" (7'0") 14"x 6'8" (7'0")



Smooth S962

16 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth

\$1027 ■ **4 9 E** 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"



Smooth

S962SL 12"x 6'8" 14" x 6'8"



Smooth

S6127SL ■ • **⊿** ¼ 6 10"x 6'8" 12"x 6'8" Å (7'0") 14"x 6'8" 🗘 (7'0")

Saratoga_™ ♦



Mahogany

FCM905 **1**6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6093 ■ **3 6 E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM81986SL

■ ● → ¥ 6

12"x 8'0"

FCM815SL ■ ● → ¥ 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 8'0"



FCM893SL 12"x 8'0" 14" x 8'0"



FC905

16 € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC6093

■ 16 E 3'0"x 6'8" \$ (7'0")



FC905SL 81986PSL 12" x 8'0" 16 10"x 6'8" 12"x 6'8" 14" x 8'0" 14"x 6'8"

Texas Star ♦ #



FC815SL

81986SL



2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6093 ■ 16 E 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S8602SL S154SL _ I **4 6** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0'



S602SL

S85932SL



FCM142 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1029

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM817SL

10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC142

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1029

2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC142SL

10"x 6'8" 12"x 6'8" 14"x 6'8"



FC817SL

12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



S6070

∡E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S1029 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$\(\begin{array}{cccc} \(\beta\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\)(7'0")

Texas Star Continues on next page.

Key



Black Nickel Caming (1D)



Flat Lite Frame



Vented Sidelite Options

WBDR Options



Elevated 10" Bottom **Rail Options**

★ 6'6" Height Available

Texas Star ◆ # Continued



S6070SL 12"x 6'8" 14"x 6'8'

S6135SL 10"x 6'8" 12"x 6'8" \$ (7'0") 14" x 6'8" \$\(\bar{\Delta}\) (7'0")

Wellesley_™ ♦ # ❖



FCM104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6094 FCM821 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM818SL FCM81921SL 10"x6'8" 12"x 8'0" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" \$ (7'0")



Mahogany FCM874SL **1 4 6** 12"x 8'0" 14"x 8'0"



81921P

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC104 **4 6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC6094 2'6"x 6'8" \(\(\) (7'0") \) 2'8"x 6'8" \(\) (7'0") 2'8"x 8'0" 2'10"x 6'8" \(\) (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 8'0"



FCM874 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC104SL 81921PSL 10"x6'8" 12" x 8'0" 12"x 6'8" | 14"x 8'0" 14" x 6'8"



FC818SL 81921SL 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0"



S85896 S155 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S6094 ■ **16** E 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"

S821

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

3'6"x 8'0"

2'10"x 8'0"



S85896SL S155SL 116 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S5870SL S85934SL 12"x 8'0" 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" Å (7'0")

Riserva_® x



FCM574 FCM8574 2'8"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM571 FCM8571 ■ 16E 2'6" x 6'8" (7'0") 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM8572SL

FCM572SL **- -1** 6

12"x 8'0" 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" (7'0")



FCM8573SL **1 6** 12"x 8'0"

14"x 8'0"



FC574 **6** E 2'6"x 6'8" FC8574 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



3'0"x 6'8" \$ (7'0") 3'0"x 8'0"



FC8573SL FC573SL 12"x 8'0" 16 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC572SL FC8572SL 12"x 6'8" ½ (7'0") 14"x 6'8" ½ (7'0") 14"x 8'0" ---



S574 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





\$571 ■ **4 9** E 3'0"x 6'8" 🛕 (7'0") 3'6" x 6'8"

S8571

3'0"x 8'0"

3'6"x 8'0"



S573SL S8573SL 4 **4** 6 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S572SL **- - 1 1 6** 10"x 6'8" 14"x 6'8" \$\(\frac{1}{4}\) (7'0")



FCM910 FCM890 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany FCM6095

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"

FCM820 2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0'



FCM809SL FCM81928SL **6 6** 10"x 6'8" 12"x 8'0" 12"x 6'8" \$ (7'0") 14"x 8'0"

14"x 6'8" \$ (7'0")



FCM890SL 16 12"x 8'0" 14"x 8'0"



FC910 **46** E 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



S8572SL

12"x 8'0"

14"x 8'0"

■ ● ⊿ ¼ 6

2'8"x 8'0" 2'10"x 8'0"



FC6095 FC820 ■ 16E

3'0"x 6'8" \$ (7'0") 3'0"x 8'0"

Concorde Continues on next page.

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)



Flat Lite Frame

NEW Scrolled & Flat Advanta Lite Frame



WBDR Options WBDR / HVHZ Options E Elevated 10" Bottom **Rail Options**

Å 6'6" Height Available

Concorde → : Continued



FC910SL 81928PSL 10"x 6'8" 12"x 6'8" 12"x 8'0" 14" x 8'0"

14" x 6'8'



FC809SL 12"x 8'0"



S6090 S85895 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6095 ■ 🛮 🍎 E S820 **1**46 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S416SL S85895SL **_** 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



- 4 6

10"x 6'8

S85930SL 12"x 8'0" 14" x 8'0"

Kensington_™ ♦ **::**



FCM148 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM626 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM813SL 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 🛕 (7'0")



FC148 **46** E 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC626 ■ 16E 2'8" x 6'8" 1 (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC148SL 16 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC813SL



S160 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S626 ■ 16 E 3'6"x 6'8"



S160SL _ 4 12"x 6'8" 14" x 6'8"



S6132SL 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")

Pembridge_™ ♦ **::** ❖



Mahogany FCM86550 5 2'8" x 8'0" FCM6550 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6500



FCM86500 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



Mahogany FCM86550SL **4 6** 12" x 8'0" 14"x 8'0"



FCM86500SL

FCM6500SL

- - 1 4 6 --4 10"x 6'8" 12" x 8'0"



FC6550

9 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 8'0"



FC86500

49

Oak

FC6500 ■**19**E 2'8" x 6'8" \$\(\) (7'0") 2'10" x 6'8" \$\(\) (7'0") 2'10" x 6'8" \$\(\) (7'0") 3'0" x 6'8" \$\(\) (7'0") 3'0" x 8'0" 2'10"x 8'0"



FC6550SL

FC86550SL **4**6 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC6500SL **- - 1 6**


FC86500SL

12"x 6'8" \$ (7'0") | 14"x 8'0"



S6550

S86550 **19** € **4**6 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6500 ■19E

2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S6550SL

S86500

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

3'6"x 8'0"

1

_1 🛮 12"x 6'8" 14"x 6'8"



S86550SL

1 6 12"x 8'0" 14"x 8'0"



S6500SL

S86500SL

12"x 8'0"

14"x 8'0"

44567899<l

■ ● ⊿ ¼ 6 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")





FCM1652 **16**

FCM81652 **16** 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM1651 ■ 16E

16 2'6"x 8'0" 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") | 2'10"x 8'0 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")

Mahogany

FCM81651



FCM1651SL 10"x6'8"

12"x 6'8" \$\((7'0") \) 14"x 8'0" 14"x 8'0"



Mahogany FCM81652SL **4**6

12"x 8'0"

14"x 8'0'

Oak FC1652

16€ 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC81652

46 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1651 ■ 🛮 🧐 E

2'4"x 6'8" \$ 2'6"x 6'8" \$ (7'0") 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")

FC81651 **1**9 2'6" x 8'0"

3'0"x 8'0"

2'8"x 8'0" 2'10"x 8'0"



FC1652SL

FC81652SL **4 6** 10 "x6'8 " **4**6 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"

Axis Continues on next page.

Key

No Stile Lines

 Black Nickel Caming (1D) Brushed Nickel Caming (1C)

Brass Caming (1A)

Flat Lite Frame

NEW Scrolled & Flat Advanta Lite Frame

Vented Sidelite Options

FCM81651SL

■ ● ⊿ ¼ 6


12"x 8'0"

WBDR Options WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Å 6'6" Height Available







16 € 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 2'10"x 8'0 3'0"x 6'8" (7'0") | 3'0"x 8'0"



■ **3 5 E** 2'4"x 6'8" Å **4**9 2'6"x 8'0" 2'6"x 6'8" \$ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6" x 6'8'



S1652SL S81652SL **4 4 9** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S1651SL

■ ● ⊿ ¼ 6

S81651SL -146 12"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites

2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"



FC1205 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC1207 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2010_ 2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"



2050 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



2050 SL 12"x 6'8" 14"x 6'8"



FC85700 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5710_ **2** 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8'



2'10"x 8'0'

3'0"x 8'0"



FC5720_ FC85720_ **2** 2'6"x 8'0" 2'6"x 6'8" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0'



FC8691_ **2** 2'6"x 8'0" 2'6"x 6'8" 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0'



FC685L_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC5700

2'6"x 6'8"

2'8" x 6'8"

3'0"x 6'8"

2

FC8685L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC685R_ FC8685R_ 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 3'0"x 6'8"

XN = Granite

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5700_SL 12"x 6'8" 14"x 6'8"



FC5710_SL 12"x 6'8" 14"x 6'8"



FC5720_SL 12"x 6'8" 14"x 6'8"



S1205_ 2'6" x 6'8" \$\frac{1}{2}\$" x 6'8" \$\frac{1}{2}\$"







Smooth

S2050_

► E

2'6"x 6'8" Å

2'8"x 6'8" Å

2'10"x 6'8" Å

3'0"x 6'8" Å



3'0"x 8'0"



S85715

2'6"x 8'0"

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

A RIE



\$5725_ ♠ ■ E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å 3'0" x 8'0"



Smooth

\$2010_\$L

10"x 6'8" \(\) 12"x 8'0" \(\) 12"x 8'0" \(\) 14"x 8'0" \(\) 14"x 8'0" \(\) 14"x 8'0" \(\) 14"x 6'8" \(\) (7'0")





3'0"x 6'8" 🕸

\$2000_\$L-4C* 10"x 6'8" \$ 12"x 6'8" \$ 14"x 6'8" \$









Smooth

S691

□ E

2'6" x 6'8" Å

2'8" x 6'8" Å

2'10" x 6'8" Å

3'0" x 6'8" Å

3'0" x 8'0"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continues on next page.


Key





Black Nickel Caming (1D)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- **■** Elevated 10" Bottom Rail Options



Å 6'6" Height Available

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites Continued



S685L_

▲ 2 E 2'6"x 6'8" \$ 2'8"x 6'8" \$ 2'10"x 6'8" \$ 3'0"x 6'8" A



S8685L_

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

▲ 🛛 E

S685R_ **△** 2 E

2'10"x 6'8" 🕸

3'0"x 6'8" 🕸





Smooth S5700_SL

S85700_SL **A 2 0 2** 12"x 8'0" 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 6'8"



S5710_SL **A** 2 (

S85710_SL **2** 10"x 6'8" 12"x 8'0' 12"x 6'8" 14"x 8'0" 14" x 6'8"



S5720_SL **A 2 0**

S85720_SL **2** 10"x 6'8" 12"x 8'0' 12"x 6'8" 14"x 8'0' 14"x 6'8'

Privacy & Textured Glass with Divided Lites



FCM138_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1285_ 🔳 📦 🛚 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S8685R_

2'6"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM18_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1284_ 🔳 📦 🛚 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM12102_SL



Mahogany

FCM6124_SL* 10"x 6'8" 12" x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Mahogany FCM6125_SL*

10"x 6'8" 14" x 6'8" Å (7'0")



Mahogany

FCM6126_SL* 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")



FC138_ 2'8" x 6'8" (7'0")

3'0"x 6'8" (7'0")



2'10" x 6'8" (7'0")



1285_ 🔳 阉 🖊 E 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" 1 (7'0")

3'0"x 6'8" \$ (7'0")



FC18_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1284_ ■ 📦 🛚 E 2'8"x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'10"x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}\) 3'0"x 6'8" \$ (7'0")



FC18_SL 12"x 6'8" 14" x 6'8"



12102_SL

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



Oak FC06188_SL* 10"x 6'8" 12" x 6'8"

14" x 6'8"



FC06184_SL*



Oak FC06189_SL* 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC06185_SL*



FC06190_SL* 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC06186_SL*



S128_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S141_ 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"



S108_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6063_ 🔳 📦 🖊 E 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S308_SL 12"x 6'8" 14" x 6'8"



S1170_SL 10"x 6'8"



Smooth S605_SL* 12"x 6'8" 14"x 6'8"

EnLiten™ Flush-Glazed Privacy & Textured Glass



S6124_SL* 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")



S606_SL* 12"x 6'8" 14"x 6'8"



S6125_SL* 10"x 6'8" 12"x 6'8" Å (7'0") 14"x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}

Smooth S6126 SL* 10"x 6'8"

12"x 6'8" \$ (7'0")

14"x 6'8" \$ (7'0")













S8000_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 6'8" Å 3'0"x 8'0"



S2000_SL S8000_SL 12"x 8'0" 14"x 8'0"





Smooth

S607_SL*

12"x 6'8"

14"x 6'8"



- Simulated Divided Lites (SDLF2) **NEW Scrolled**
- Advanta Lite Frame **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options Å** 6'6" Height Available

Privacy & Textured Glass



FCM10_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FCM81200_

2'6" x 8'0"


FCM1283_ **5 E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM870_SL **12**"x 8'0" 14"x 8'0"



FCM12101_SL --116





FC10_ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81200P_ 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



1283_ 81200 ■ **1**6E **4 6** 2'6"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 1 (7'0") 2'10"x 6'8" \(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\delta\) (7'0") 3'0"x 8'0"



FC47_SL | 81200P_SL 10"x 6'8" 16 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



12101_SL 81200_SL 12"x 6'8" ½ (7'0") 14"x 6'8" ½ (7'0") 14"x 8'0" • • J 4 6



S118_ S818_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S140 36140 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" 3'6"x 8'0"

S8140

Smooth S100_SL S8601_SL **4 6** 12"x 6'8" 12" x 8'0" 14" x 6'8" 14"x 8'0"



S601_SL S81086_SL **■ ■ ■ ■ 4 6 ■●**⊿**16**

EnLiten Flush-Glazed Internal Blinds



S2600 2'10"x 6'8" Å 3'0"x 6'8" Å

S82600 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

XN = Granite

Internal Blinds



FCM141

🛮 6 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8'

FCM8115 * **1 6** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FCM81225

■ *** 3 6** 2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM1286

■ * **4 5 E** 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM8115SL *** ■ 6** 12"x 8'0" 14"x 8'0'



FCM1286SL **■** * **● 1** 6 10"x 6'8"





FC141 *** 2 6 E** 2'6" x 6'8"

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

81225P * 16 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



1286 ■ * **1** 6 E 2'4"x 6'8" ₺

81225 *** 4 6** 2'6"x 8'0" 2'6"x 6'8" \$\(\Delta\) (7'0")
2'8"x 6'8" \$\(\Delta\) (7'0")
2'10"x 6'8" \$\(\Delta\) (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0' 3'0"x 6'8" \$ (7'0")



FC141SL 81225PSL * 🛮 6 *** 1** 6 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8'



1286SL 14"x 8'0"



S130 *** 1** 6 E 2'6"x 6'8"

*** 1** 6 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0'



S6061 ■ * **4 6** E 2'4"x 6'8" Å 2'6"x 6'8" Å 2'8"x 6'8" \$\(\frac{1}{4}\) (7'0") 2'10"x 6'8" \(\hat{\(\)} \) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 8'0" 3'6"x 6'8"

\$81225 * **4 6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"



S130SL S829SL *****4 6 *416 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6128SL S85928SL • * • J I 6 10"x 6'8" 12"x 6'8" \$\(\delta\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\delta\) (7'0") 14"x 8'0"









FCM1206SL A * • • • • 12"x 6'8" 12"x 6'8" 14"x 6'8" 14"x 6'8"



FCM2009SL *** * * * †** 12"x 6'8" 14" x 6'8"



FC1205 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.

Key

No Stile Lines



- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options**
- **WBDR Options** WBDR / HVHZ Options
- Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

Fiber-Classic, & Smooth-Star,

EnLiten Flush-Glazed Clear Glass with Divided Lites Continued



FC1206 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"




2010 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



FC1204 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



2050 ♦ № № ♦ ♦ ♦ 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



8000-12 **≜ * † † † 2**'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8000-18 **≜ * † † † 2**'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1205SL 12"x 6'8" 14"x 6'8"



FC1206SL **△ * † † †** 12"x 6'8" 14"x 6'8"



FC1204SL **△ ** ♦ ♦ ♦** 12"x 6'8" 14" x 6'8"



2050SL **♦ * ■** 12"x 6'8" 14" x 6'8"



8000-9

△ * ↑ ↑ ↑ 2'0"x 8'0"

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

2009 **≜ * † † †** 2'0"x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



2009SL **♦ * ↑ ↑ ↑** 12"x 6'8" 14"x 6'8"



FC85700 FC5700 2'6" x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'8" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC5710 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC85710 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5720 ▲ * 2 FC85720 2'6" x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC691 FC8691 ***** * 2 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC685L 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



FC8685L 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC685R FC8685R 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC5700SL ***** 2 12"x 6'8"

14"x 6'8"



FC5710SL **♦ ₩ 2** 12"x 6'8" 14"x 6'8'



FC5720SL

***** * 2

12"x 6'8" 14"x 6'8'

S1205 **▲***■■++++E 2'10"x 6'8" \$

3'0"x 6'8" \$



S1206 **▲** * † † † E 2'10"x 6'8" \$ 3'0"x 6'8" A



S1207 **▲***■++++E 2'10"x 6'8" \$ 3'0"x 6'8" \$



S2010 **△** * **■** † † † E 2'10"x 6'8" \$ 3'0"x 6'8" \$



S1204 **▲** * * * * • E 2'6"x 6'8" A 2'8"x 6'8" Å


2'10"x 6'8" 🗴

3'0"x 6'8" 🛕



S2050 2'6"x 6'8" A 2'8"x 6'8" 🛕 2'10"x 6'8" 🛕

3'0"x 6'8" 🛕



S8000-12 **▲*** ♦ • • • E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8000-18 **▲** * * * * • E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S5705 S85705 **♦ * N**E **▲ * N** E 2'6"x 6'8" A 2'6"x 8'0" 2'8"x 6'8" 🕸 2'8"x 8'0" 2'10"x 6'8" A 2'10"x 8'0" 3'0"x 6'8" 🕸 3'0"x 8'0"



Smooth S5715 S85715 **▲ * N** E **▲ * □ E** 2'6"x 6'8" Å 2'6"x 8'0" 2'8"x 6'8" 🗘 2'8"x 8'0" 2'10"x 6'8" Å 2'10"x 8'0" 3'0"x 6'8" 🕸 3'0"x 8'0"



S5725 S85725 **≜** * **©** E **▲ * 🛍 E** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" A 2'10"x 8'0"

3'0"x 8'0"



S1205SL ***** * • • • •



S1206SL **△** * † † † • 14"x 6'8" \$ (7'0")



S1204SL 14"x 6'8" 🛣 (7'0")



S2010SL **▲*≈□ □ †** † * * • 10"x 6'8" 🕸 12"x 6'8" \$\(\frac{1}{4}\) (7'0")
14"x 6'8" \$\(\frac{1}{4}\) (7'0")



S84886SL S2000SL-2C 10"x 6'8" Å 12"x 6'8" Å 14"x 6'8" Å



S2000SL-4C 10"x 6'8" Å 12"x 6'8" 🕸 14"x 6'8" Å

EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.

▲ * №

12"x 8'0"

14"x 8'0"

Key

3'0"x 6'8" A

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

EnLiten Flush-Glazed Clear Glass with Divided Lites Continued



Smooth

S2009 2'0"x 6'8" A 2'6"x 6'8" A 2'8"x 6'8" 🕸 2'10"x 6'8" 🕸

3'0"x 6'8" 🕸

S8000-9 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S2009SL

14" x 6'8" \$\(\hat{\chi}\) (7'0")



Smooth

S85700

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S5700 2'10"x 6'8" Å 3'0"x 6'8" 🕸



2'10"x 6'8" &

3'0"x 6'8" 🕸





Smooth

2'10"x 6'8" 🕸 3'0"x 6'8" 🕸

S85720 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S691 **♦** # 🛂 E 2'10" x 6'8" & 3'0"x 6'8" 🕸

S8691 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'10"x 6'8" A 3'0"x 6'8" 🕸



2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



2'10"x 6'8" \$ 3'0"x 6'8" 🕸

S685R



△ * □ E 2'6"x 8'0" 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S5700SL S85700SL **♦ * 2** • 10"x 6'8" 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



S5710SL | S85710SL **△** * 2 • **△** * 2

10"x 6'8" | 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



S5720SL | S85720SL

♦ * 2 • • * 2 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



Clear Glass with Divided Lites



Mahogany

FCM1209 *** • • •** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



Mahogany

FCM1201 ■ * † † *** | | | | |**

2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM1211

* ♦ ♦ ♦ ∡ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1202

■ * † † *** ≥** 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM1212

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1203

■ * † † **¾** E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM138 * N + + + 1 6

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285

■ * **≥** † † † **½** 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM1208

* + + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1200 ■ * † † ¥ 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



Mahogany FCM18 * ***** † † † 🛮 6

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM1284

■* N +++ 16E 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM828 * † † † **]** 6

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0'



FCM81828 ***** * † † **3** 6

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0'



FCM81208P * + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany FCM81829 ■ * † † † 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM1201SL 10"x 6'8" 12"x 6'8" \$ (7'0")

14" x 6'8" \$ (7'0")



FCM1202SL ■ * * * * • ■ 🗸 10"x 6'8"

12"x 6'8" \$ (7'0")

14" x 6'8" Å (7'0")





Mahogany FCM12102SL

■ * • • • • ■ 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Mahogany





FCM81208SL ■ * ♦ ♦ ♦ ● **4**6 12"x 8'0"

14"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

No Stile Lines



Simulated Divided Lites (SDL)

Low-E Glass (LE)

- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options** 6 **WBDR Options**
- 6 WBDR / HVHZ Options Elevated 10" Bottom

Rail Options

Å 6'6" Height Available

Clear Glass with Divided Lites Continued



FCM6124SL





Mahogany FCM6125SL 10"x 6'8" 12"x 6'8" \$ (7'0")

14"x 6'8" \$\(\frac{1}{4}\) (7'0")



Mahogany FCM6126SL 10"x 6'8" 12"x 6'8" \$ (7'0")

14"x 6'8" \$\(\frac{1}{2}\) (7'0")



Mahogany FCM198 * + + + 🛮 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM1289 ■ * † † ¥ 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM1289SL 10"x 6'8" 14"x 6'8" \$ (7'0")



FC1209 * 🕈 🕈 🗸 🖪 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1201 ■ * † † | E 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC1211 * ♦ ♦ ♦ 🛮 E 2'6"x 6'8' 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1202 ■ * † † † **Z** E 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC1212 * • • • Z E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1203 ■ * † † ↑ **≥** E 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC138 * **■** † † † **3** 6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'6" x 6'8" \$\(\Delta\) (7'0") 2'8" x 6'8" \$\(\Delta\) (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")

1285



2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1200 ■ * • • • • ✓ 6 E 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")




FC18 * ► 10 1 1 5 E 2'6" x 6'8" 2'9" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1284 ■ * N +++ 16E 2'6"x 6'8" Å (7'0") 2'8"x 6'8" Å (7'0") 2'10"x 6'8" Å (7'0") 3'0"x 6'8" \$ (7'0")




3'0"x 8'0"





81828 ■ * ↑ ↑ ↑ ∡ 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



3'0"x 8'0"







- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Advanta Lite Frame
- **Vented Sidelite Options 6** WBDR Options
- Elevated 10" Bottom **Rail Options**

Clear Glass with Divided Lites Continued



\$1202 ■ * • • • • ■ E

2'10" x 6'8" \$\(\bar{\Lambda}\)(7'0") 3'0" x 6'8" \$ (7'0") 3'6" x 6'8"



\$1212 ***** ♦ ♦ ♦ *** E**

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")




\$1203 ■ * • • • • ■ E 2'10"x 6'8" \$\(\bar{\Lambda}\)(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth



\$1208 *** ↑ ↑ ↑ 1 6** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth

\$1200 ■ * † † † ▼ 6 E 2'10"x 6'8" \$\(\hat{\chi}\)(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth

S108 *≈+++++ 16E


2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth


S6063 **46E**

3'6"x 6'8"



S828 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"


Smooth



Smooth

S81828 2'6" x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6" x 8'0"



Smooth

S808 * + + + + + 1 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

S81208 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

3'6"x 8'0"



Smooth

S1209SL **†** 🗾 12"x 6'8" 14" x 6'8"



S1201SL ■ * * * * * • ■ **3**

10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S1211SL ***** ♦ ♦ ♦ ↓ 12"x 6'8" 14"x 6'8"



S1202SL 10"x 6'8"

***** * * * * * • **3** 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S1208SL * † † † † | 6 12"x 6'8" 14"x 6'8"



S1200SL * * * * * * * •

10"x 6'8' 14"x 6'8" \$\(\bar{\Delta}\) (7'0")



S308SL 14"x 6'8"



S1170SL 10" x 6'8" 12"x 6'8" \$\(\frac{1}{4}\) (7'0")
14"x 6'8" \$\(\frac{1}{4}\) (7'0")



S808SI ***■**111 1+**■**6 12"x 8'0" 14"x 8'0"







J	, , , ,
S605SL	S8605SL
* 📦 🖊	* 📦 🖊
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Smooth

S6124SL ■ * ■ • /	S85924SL
10"x 6'8"	12"x 8'0"
12"x 6'8" \$\(\frac{1}{4}\) (7'0")	14"x 8'0"
14"x 6'8"	







Smooth

S85925SL

■ * N

12"x 8'0"

14" x 8'0"


S6125SL ■ * ■ • Z
10"x 6'8"
12"x 6'8" 1 (7'0")
14"x 6'8" 1 (7'0")



S607SL	S8607S
12"x 6'8"	12"x 8'(
14"x 6'8"	14"x 8'(



S6126SL ■ * • •





S198 2'6" x 6'8"





S6062 ■ * + + + + 1 6 E 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6"x 6'8"



S198SL ***** ♦ ♦ ♦ ↓ 12"x 6'8"

14"x 6'8"



S6062SL ■ * * * * * • ■

10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")

EnLiten™ Flush-Glazed Clear Glass



2000

2'0"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

8000 2'0"x 8'0" 2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0"x 8'0"



2000SL 12"x 6'8" 14"x 6'8"



S2000

2'0"x 6'8" \$ 2'6"x 6'8" 🕹 2'8" x 6'8" \$ 2'10"x 6'8" 🕸 3'0"x 6'8" 🛣



S8000 2'0"x 8'0"

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S2000SL

12"x 8'0" 14"x 8'0"

S8000SL

Key

No Stile Lines



- 🜟 Low-E Glass (LE) Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)

Vented Sidelite Options

- Fixed Grilles (FXG)
- WBDR Options
- WBDR / HVHZ Options
 - **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

Clear Glass




^{*}Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight. Note: See page 299 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 221.



Blackstone. • ::



FCM765 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM765SL

Mahogany

FCM882SL 9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC765 6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81952P **4 6** FC770 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline_™ ◆ **:**:



81952PSL FC765SL 9 12"x 6'8" **1 6** 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S975 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$894

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

S979

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S975SL **9** 12"x 6'8"

S894SL 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FCM38 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM38SL | FCM8105SL

9 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FC38 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC772 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81953P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline Continues on next page.

Key

No Stile Lines



Turtle Glass

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options**
- **WBDR Options**
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available PVC Doorlite Frame*

Crystalline ◆ :: Continued



FC38SL 81953PSL 12"x 8'0" 12"x 6'8"

14"x 6'8" | 14"x 8'0"



S977 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S981 S888 2'8"x 8'0" **5** 2'8"x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S758SL S888SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

Sedona ◆



FCM131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM131SL | FCM883SL 12"x 8'0" 14"x 8'0"

12"x 6'8" 14"x 6'8"



FC131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC773 81954P 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



81954PSL FC131SL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S91 S887 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



S91SL S887SL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"

Salinas_® x



FCM115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM115SL FCM884SL 12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"



FC115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC775 81955P **4**6 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



81955PSL FC115SL 9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6009 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

S6010 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

\$895 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6009SL 12"x 8'0" 12"x 6'8" 14"x 6'8"

14"x 8'0"

Maple Park_∞ ♦ ::



FCM902

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM902SL FCM887SL 12"x 8'0" 14"x 8'0" **9** 12"x 6'8" 14" x 6'8"



FC902 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81957P FC777 **4**6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC902SL 81957PSL 12"x 8'0" **9** 12"x 6'8" 14"x 6'8" | 14"x 8'0"



\$6102 **9** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$85898 2'8"x 8'0" \$6103 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S85898SL S6102SL 12"x 8'0" **5** 12"x 6'8" 14"x 6'8"

Avonlea.



FCM764 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM764SL | FCM8104SL 12"x 8'0" **9** 12"x 6'8" 14"x 8'0" 14" x 6'8"



FC764 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC769 81967P 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



81967PSL FC764SL 9 12"x 6'8" 12" x 8'0" 14" x 6'8" 14"x 8'0"



S976 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S980 S85900 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"



S976SL S85900SL 6 12"x 6'8" 6 12"x 6'8" 14"x 6'8" 14"x 8'0"

Key

Black Nickel Caming (1D)



X Wrought Iron (1W)

NEW Scrolled & Flat Advanta Lite Frame

WBDR Options



Fiber-Classic. & Smooth-Star.

Saratoga_™ ♦



FCM907 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



FCM889SL 4 6 12"x 8'0" FCM907SL **9** 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC907 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC776 81956P 2'8"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Texas Star ♦ #



81956PSL 4 6 12"x 8'0" FC907SL 12"x 6'8" 14"x 6'8" 14"x 8'0"



S6092 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S891 **▲** 6

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Smooth \$982 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6092SL S891SL 12"x 8'0" **9** 12"x 6'8" 14"x 6'8" 14"x 8'0"



FCM143 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM143SL FCM8103SL 12"x 8'0" 9 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC143 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC778 81958P 16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FC143SL **9** 12"x 6'8" 81958PSL 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6071 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6072 S85901 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



85901SL 4 6 12"x 8'0" S6071SL **9** 12"x 6'8" 14"x 6'8" 14"x 8'0"



FCM147 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM885SL FCM147SL 9 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



FC147 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC779 81959P 6 2'8"x 6'8" 2'10"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FC147SL 81959PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$6091 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$983 \$2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



\$6091\$L \$892\$L 6 12"x 6'8" 12"x 8'0" 14"x 8'0"

Riserva_® x



FCM543 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM545SL | FCM8545SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC543 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC529 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FC8529 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC545SL | FC8545SL | 4 9 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$543 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$529 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$545\$L \$8545\$L \$6 12"x 6'8" 14"x 6'8" 14"x 8'0"

Concorde_™ ◆ :: ❖



FCM912 5 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM912SL | FCM892SL

9
12"x 6'8" | 12"x 8'0" | 14"x 8'0"



Oak
FC912
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC780 81960P 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 8'0"

Concorde Continues on next page.

Key

Black Nickel Caming (1D)

\$8529 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

- Brushed Nickel Caming (1C)
- Brass Caming (1A)Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Concorde_™ ◆ **::** ❖ Continued



FC912SL 81960PSL 6 12"x 6'8" 12"x 8'0"

14"x 8'0"

14"x 6'8"



\$912 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$97 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$3'0" x 6'8" \$3'0" x 8'0" \$3'0" x 8'0"



\$757\$L \$85902\$L \$6 12"x 6'8" 12"x 8'0" 14"x 8'0"

Kensington_™ ♦ ::



FCM156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





FC156 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC20042 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



FC1442SL | 81961PSL | 6 | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 6'8" | 14"x 8'0"



\$20042 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$3'0" x 6'8" \$3'0" x 8'0" \$3'0" x 8'0"



\$156 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$1442SL | \$902SL | \$6 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FCM6582 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FC6582 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6580

2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"






\$6582 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6580

S86580 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6580SL 9 12"x 6'8" S86580SL 12"x 8'0" 14"x 8'0" 14"x 6'8"

Axis.



Mahogany

FCM1647 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM81646SL 4 9 12"x 8'0"

14"x 8'0"

FCM1646SL 12"x 6'8" 14"x 6'8"



FC1647 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1646 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FC81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC1646SL FC81646SL 9 12"x 8'0" 12"x 6'8" 12"x 8'0" 14"x 8'0"



Smooth

S1647 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S1646 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$81646 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



\$1646\$L 9 12" x 6'8" 14" x 6'8" \$81646\$L \$9 12" x 8'0" 14" x 8'0" \$1646SL



Key


- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- **WBDR Options**
- **WBDR / HVHZ Options**

Frosted Images.



EnLiten_™ **Flush-Glazed Privacy & Textured** Glass with Divided Lites





2'10"x 8'0"

3'0"x 8'0'

Privacy & Textured Glass Options

2'10"x 6'8"

3'0"x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin EtchXC = Chord

14"x 6'8'

XJ = Chinchilla XR = Rainglass

14"x 8'0'

 $\mathbf{XN} = \mathbf{Granite}$

2'10"x 6'8"

3'0"x 6'8'

2'10"x 8'0"

3'0"x 8'0"



S82_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S92_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

EnLiten_™ Flush-Glazed **Privacy & Textured Glass**



S881_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S822 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S82_SL 12"x 6'8" 14"x 6'8"

S881 SL 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass

S2200_*

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82200_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S2200 SL*

12"x 6'8" 14"x 6'8"



FCM32_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM32 SL | FCM881 SL

9 12"x 6'8" **1 9** 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC766_ 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81943P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC32_SL 12"x 6'8" 14"x 6'8"

81943P_SL 4 6 12"x 8'0" 14"x 8'0"



\$80_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S90_ 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S880_ 2'8"x 8'0" 2'10"x 8'0" Smooth

\$751_\$L 9 12"x 6'8" S880_SL 12"x 8'0" 14" x 8'0"

Internal Blinds



Internal Blinds Continues on next page.

Key

Flush-Glazed Glass with **Detailed Sticking (FG)**

* Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

NEW Scrolled & Flat Advanta Lite Frame

NEW Scrolled Advanta Lite Frame



14"x 6'8"

WBDR / HVHZ Options

Internal Blinds



FC5425 * **6**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1964P * **6**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC5425SL 81964PSL * **6** 12"x 6'8" * **4 6** 12"x 8'0" 14"x 6'8" 14"x 8'0"



S5425 * **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S682 S8682 * **6** 2'8"x 6'8" * **4 6** 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S5425SL S8682SL * **9**12"x 6'8" * **4 6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites

*** 4 6** 2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"



S2103 S82103 * * * * * * 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"







S82105 **♦** * **■** † * * * 2'6"x 6'8" 2'8" x 6'8" 2'6"x 8'0" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S2250 S82250 **▲** * • • • * * * 2'6"x 8'0" 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"











S2104SL **△*≈©**↑ 12"x 6'8" 14"x 6'8"



14"x 6'8"







S81401 **△** * • • • 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S1401SL **♦ * • • • •** 12"x 6'8" 14"x 6'8"



FCM2106 * • • 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM2107 * • • • 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM2108 *** • • •** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM82 *** ■ † † † §** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



* • • 12"x 6'8"

FCM1089SL | FCM8311SL ***** ♦ ♦ ♦ 🔏 12"x 8'0" 14"x 6'8" 14"x 8'0"



*** ↑ ↑ ↑ 5** 12"x 6'8" 14"x 6'8"

FCM2101SL FCM8313SL * • • • 🗾 12"x 8'0" 14"x 8'0'



FCM92SL

FCM8310SL **N** + + * + + + **1** 6 16 12"x 8'0" 12"x 6'8" 14"x 8'0"



FCM8101SL *** ■ † † † 1 1 6** 12"x 8'0"

14"x 8'0"

Mahogany



FCM81900SL *** ■** ✓ 12"x 8'0"

14"x 8'0"



Mahogany FCM81947SL * 📦 | 12"x 8'0"

14"x 8'0'



Mahogany FCM81949SL

14"x 8'0'



Mahogany FCM1402 ***** ♦ ♦ ♦ 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8'



* • • 12"x 6'8" 14"x 6'8"

FCM1400SL| FCM81944SL * • • • < 12"x 8'0" 14"x 8'0"





FC2107 * • • • • • 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"



FC2108 ***** • • • 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Oak



FC82 * **=** + + + 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1089 FC8311 ***** ♦ ♦ ♦ * • • • 🛮 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC2101 FC8313 * • • • I 6 * * * * 6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key



Low-E Glass (LE)

Oak

FC2106

***** • • •

2'8"x 6'8"

3'0"x 6'8"

2'10" x 6'8"

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled Advanta Lite Frame**



Clear Glass with Divided Lites Continued



FC2102 2'8"x 6'8" 2'10"x 8'0" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



2'8"x 8'0"



81945P *** ■ ↑ ↑ ↑ 2 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC92 * **>** +++6 2'8"x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



81946P * **■ ↑ ↑ ↑ 2 5**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0"



FC1089SL FC8311SL * • • • **/** * • • 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC2101SL | FC8313SL ***** ♦ ♦ ♦ ∡ 12"x 8'0" 14" x 6'8" | 14" x 8'0"



FC92SL FC8310SL * • † † † † † † † * † † † 2 6 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



12"x 8'0" 14"x 8'0"



81900PSL 12"x 8'0" 14"x 8'0"



81947PSL 12"x 8'0" 14"x 8'0"



81949PSL 12"x 8'0" 14"x 8'0"



FC1402 ***** ♦ ♦ ♦ 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1400 ***** ♦ ♦ ♦ 81944P *** ♦ ♦ ♦ ∡ 6** 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC1400SL | 81944PSL *** ♦ ♦ ♦ ⊿** 12"x 8'0" * • • • 12"x 6'8" 14" x 6'8" | 14" x 8'0"



S2106 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2107 * * * * * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2108 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* **=** ++++6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1089 * • • • • 🗾 * • • • • 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$2101 * † † † † 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





S2102 * • • • • 2'8"x 6'8"

S8316 *** • • • •** 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S881

2'10"x 8'0" 3'0"x 8'0"



S92 *** ≈ * * * * * 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10" x 8'0" 3'0"x 8'0"



S882 2'10"x 8'0" 3'0"x 8'0"



S1089SL | S8311SL



S2101SL S8313SL



S82SL S8310SL 12"x 6'8" 14"x 6'8"



S881SL **++ 4 6** 12"x 8'0" 14"x 8'0"



S8207SL 12"x 8'0" 14"x 8'0"



S8202SL 12"x 8'0" 14"x 8'0"



S8204SL 14"x 8'0"



Smooth

S1402 * • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$1400 * • • • • 2'8"x 6'8" 2'10"x 6'8"

S898 * + + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$1400\$L ***** ♦ ♦ ♦ S898SL * • • • • 🗾 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"

EnLiten™ Flush-Glazed Clear Glass



2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

12"x 6'8" 14" x 6'8"

Key

Flush-Glazed Glass with **Detailed Sticking (FG)**

- * Low-E Glass (LE) Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
 - **NEW Scrolled** Advanta Lite Frame WBDR Options
- **6** WBDR / HVHZ **Options**



Mahogany

FCM32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



14"x 6'8" | 14"x 8'0"



FC32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC766 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 81943P * **1 5** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



C32SL	81943PSL ₩ 🔏 🌀
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



\$80 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




\$90 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





\$751SL * 6
12"x 6'8"
14" x 6'8"


\$880\$L * **4 6** 12"x 8'0" 14"x 8'0"





Transoms

For transoms, see page 221.



Blackstone. • ::



Mahogany

FCM110 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC714 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




\$771 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6085 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea. •



Smooth

\$997 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM788 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC788 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC792 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S988 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea Continues on next page.

Key







- Brushed Nickel Caming (1C)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Avonlea • Continued



Smooth

S991 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S995 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Wellesley_™ ♦ **::** ❖

Mahogany

FCM106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

Concorde_™ ◆ # ❖

FCM163 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Oak

FC713 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC163 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC796 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S774 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6082 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S999 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Oak

FC797 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



Smooth

S773 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6084 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$1000 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM151 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Kensington_™ ♦ #

Mahogany

FCM789 2'8" x 6'8" 2'10"x 6'8"



Oak

FC709 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Oak

FC151 2'8"x 6'8" 2'10" x 6'8"



FC798

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Smooth

S709 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S163

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1001 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"





Mahogany

FCM6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC06575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6576 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6576 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Frosted Images.



FCM784 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC787 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC791 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$989 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$6081 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass



Mahogany

FCM80 ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM160

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC710 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC160

**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC789

**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S770

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6080

*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



\$992 *

**
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**



Transoms

For transoms, see page 221.



Blackstone. • ::



FCM109 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM863 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Mahogany FCM6032

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6052



Mahogany

9 12"x 6'8" 14"x 6'8"





FC109 **9 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 81933P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

81975P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC109SL 81933PSL **9** 12"x 6'8" **9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6000

9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81933P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S6032

9E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



3'0"x 8'0"



S6052

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S972

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





Crystalline_™ ♦



FCM898

2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"

FCM45 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6027 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6047 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM45SL FCM898SL 6 12"x 6'8" **9** 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC45

9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")





81977P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC43SL

81935PSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



S926

6 E2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0")



S81935P



S6027 **6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S86027

5 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6047 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S38 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S85907 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S930SL S85914SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Sedona ◆



Mahogany

FCM101 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM864 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6025 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6045 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM101SL 12"x 6'8" 14"x 6'8"

FCM864SL 12"x 8'0" 14"x 8'0"



FC101 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81936P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81978P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Sedona Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- WBDR Options
- WBDR / HVHZ Options

E Elevated 10" Bottom



FC101SL 81936PSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



S211 S81936P 2'8"x 8'0" 2'6"x 6'8" 2'10"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6025 S86025 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6045 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S35 S833 2'8"x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S294SL

12"x 6'8"

14"x 6'8"

S85915SL 12"x 8'0" 14"x 8'0"

Salinas_® x



FCM114

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM865 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6031 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6051

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM865SL FCM114SL 9 12"x 8'0" "~ 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC114 **9E** 2'6" x 6'8"

81937P 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



81980P 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Oak

81937PSL FC114SL **9** 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6006 **SE** 2'6"x 6'8" 6 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S6031 S86031 **6E** 2'8" x 6'8" (7'0") **6E** 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6051 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S973 S893 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S85916SL S6006SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

Maple Park₃ ♦



Mahogany

FCM901 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM886 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM6107 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM901SL | FCM886SL 5 12"x 8'0" 14"x 8'0" 9 12"x 6'8" 14"x 6'8"



Oak

FC901 9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

81982P



FC901SL | 81939PSL **9** 12"x 6'8" 9 12"x 8'0"

Smooth

S6101

2'8"x 8'0" 2'10"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0"x 8'0"

S81939P



S6107 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





Smooth

S6108 2'8'x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$85897 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6101SL

S85918SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Avonlea.

14"x 6'8" | 14"x 8'0"



Mahogany

FCM761 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM896 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM968

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM966 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM761SL FCM896SL 9 12"x 6'8" **9** 12"x 8'0" 14" x 8'0" 14"x 6'8"



Oak

FC761 **5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0"x 8'0"

81932P 2'8"x 8'0" 2'10"x 8'0"

Oak

81974P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Avonlea Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)



WBDR Options

6 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options



FC761SL 81932PSL 9 12"x 8'0" 12"x 6'8"

14"x 6'8"



\$81932P

2'10"x 8'0"

\$964 **9 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



\$968 **9 E** \$8968 **9 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S966 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$85906 S970 2'8" x 6'8" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'10"x 6'8" 3'0"x 6'8"



S964SL S85911SL 9 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

Saratoga_™ ♦

14"x 8'0"



FCM888

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

FCM906 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6029 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6049 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S6029

9 E



Mahogany FCM906SL FCM888SL **9** 12"x 8'0" **9** 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC906 81938P **9E** 2'6" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81981P 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81938PSL FC906SL 9 12"x 6'8" 6 12"x 6'8" 14"x 6'8" 14"x 8'0"



S213 S81938P **5E** 2'6" x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S86029 **9E**2'8" x 8'0"
2'10" x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



\$6049 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S41 S85908 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



5 12"x 6'8"

Texas Star ♦



FCM144 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

FCM899 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany FCM6074

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM899SL 9 12"x 8'0" 14" x 8'0"



FC144

9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0" 2'8"x 8'0" 2'10"x 8'0"





81983P

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Oak 81940PSL

12"x 8'0" 14"x 8'0"



Smooth


S6073 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81940P

2'10"x 8'0"



S6074 9Ε





Smooth

S6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6076 S81983 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



85919SL

5 12"x 8'0" 14"x 8'0"

Wellesley_™ ♦ **!!** ❖



FCM105

6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

FCM866 5 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FCM6030

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6050

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



Mahogany

FCM105SL FCM866SL 9 12"x 6'8" 6 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC105 **9E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81941P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81984P

5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Wellesley Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) WBDR Options
- - WBDR / HVHZ Options
 - E Elevated 10" Bottom Rail Options

Wellesley™ ◆ # ❖ Continued



FC105SL | 81941PSL | 6 | 5 | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



\$214 **6** E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

6 2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"



\$6030 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



\$6050 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$42 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$85909 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



\$292\$L \$85922\$L \$6 12"x 6'8" 12"x 8'0" 14"x 8'0"

Riserva_® x





FCM575 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM577 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM583SL | FCM8583SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 6'8" | 14"x 8'0"



FC581 **6** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8579 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"






\$581 **6** E 2'6"x 6'8" 2'8"x 6'8" 2'8"x 8'0" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 8'0"



\$8575 **6 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$577 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$579 \$2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0" 3'0"x 8'0"



Concorde_™ ◆ **::** ❖



Mahogany

FCM891

9 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM911 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6026 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6046 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM911SL | FCM891SL

9 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



FC911

9E 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 8'0 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



2'8"x 8'0" 2'10"x 8'0"



Oak

81985P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC911SL

81942PSL **9** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Smooth

S426 **9E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81942P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6026 **9**Е 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")



S86026

9Ε 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6046 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S37 S837 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S430SL S85920SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Kensington_™ ♦ ::



FCM149

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0"

3'0"x 8'0"



FCM6036

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany FCM6056

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

9 12"x 6'8" 14"x 6'8"



FCM149SL | FCM867SL 12"x 8'0" 14"x 8'0"



Oak

FC149 **5** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7¹0")

FC8149 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Oak

FC89701

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Kensington™ ◆ :: Continued



FC149SL 6 FC8867SL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$161 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



\$6036 **6** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 8'0"



\$6056 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





\$161SL | \$867SL | \$6 12"x 6'8" | 12"x 8'0" | 14"x 8'0" |

Pembridge_™ ♦ **::** ❖



3'0"x 8'0"

3'0"x 6'8"



FCM6565 9 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6568 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6565SL | FCM86560SL | 5 | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC6560 9 E 2'6" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC86536 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC6565SL | FC86560SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$6560 **5 E** 2'6" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



\$6565 **9 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



\$6568 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$6536

\$9
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



\$6565\$L \$86560\$L \$9
12" x 6'8" 12" x 8'0" 14" x 8'0"

Axis.



FCM1654

FCM81654 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany

FCM1656 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM1656SL | FCM81654SL

12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC1654

9Е 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC81653 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1656SL | FC81654SL

12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S1654

6E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81654

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1656

6E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81656

бE 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S1658



FC81654

2'8"x 8'0"

2'10" x 8'0"

S1653

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"

S81654SL S1656SL

12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Frosted Images.



Mahogany

FCM66 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM6023

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6043

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM66SL 12" x 6'8" 14" x 6'8"

Mahogany



Mahogany FCM13101SL

10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC66

6 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





FC44SL

12"x 6'8"

Oak FC11SL

16 10"x 6'8" 12"x 6'8" 14" x 6'8"

Frosted Images Continues on next page.

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)



Vented Sidelite Options

WBDR Options



E Elevated 10" Bottom Rail Options

Frosted Images. Continued



13101SL 12"x 6'8" \$\(\begin{array}{c} \) (7'0") 14"x 6'8" \$\(\begin{array}{c} \) (7'0")



\$206E **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$6023 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$6043 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$34 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$289ESL **9** 12"x 6'8" 14"x 6'8"



\$138\$L 12"x 6'8" 14"x 6'8"



\$2070\$L 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")

Privacy & Textured Glass with Divided Lites



FCM65_ 2'8"x 6'8"

2'10" x 6'8"

3'0"x 6'8"



FCM6022_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6042_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65_SL 12"x 6'8" 14"x 6'8"



FCM3487_SL 12"x 8'0" 14"x 8'0"



FC65_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832__ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC63_SL 12"x 6'8" 14"x 6'8"



FC3487_SL 12"x 8'0" 14"x 8'0"



\$262_ ► E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$6022_ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6042_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch
XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



S32_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8321_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S86022_ **■**E

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S832_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S263_SL

12"x 6'8" 14" x 6'8"



S3487_SL

12"x 8'0" 14"x 8'0"

Privacy & Textured Glass



FCM862_

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FCM62_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6021_

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6041_

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM104_

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany FCM62_SL

FCM862_SL 9 12"x 6'8" 9 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC62_

5E2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 8'0"
3'0" x 8'0"

81929P_



FC104_

E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81971P_

Oak

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC48_SL 81929P_SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S206_

6E2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81929P_

6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6021_

6E2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S86021_ **6E** 2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"

Smooth

S6041_ 2'8"x 6'8" 2'10"x 6'8"

Privacy & Textured Glass Continues on next page.

Key

No Stile Lines







9 WBDR Options



WBDR / HVHZ Options E Elevated 10" Bottom Rail Options



Privacy & Textured Glass Continued



S104_

E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$830_

6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S30_ 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S210_SL 9 12"x 6'8"



S85910_SL 9 12"x 8'0" 14"x 6'8" 14" x 8'0"

Internal Blinds



FCM8678

* **6**2'8"x 8'0"
2'10"x 8'0"

3'0"x 8'0"

FCM678 * **6** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM6035 * **6**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"



FCM6055 * **6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM116 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM678SL *** 6** 12"x 6'8" 14"x 6'8"



FCM8678SL *** 6** 12"x 8'0" 14"x 8'0"



FC678 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC116 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8971 * **6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC678SL FC8678SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S132 * **6** E 2'6"x 6'8"

* **6**2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



S6035

* **6 E**2'8" x 6'8" (7'0") * **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



FC8678

2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"

S6055 * **6**2'8" x 6'8"

2'10" x 6'8"

3'0"x 6'8"

Smooth

S131 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S971

* **6**2'8"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

S8971



S132SL S8132SL

12"x 6'8" | 12"x 8'0" | 14"x 8'0"

Privacy & Textured Glass Options

S8132

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = ReededXG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

S86035

Screen Vented Lites*



S243

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6034

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6054 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

O E

S137 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



FC1350

2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



Oak 2150

△ * № ↑ ↑ ↑ 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



FC1409 **** * * * ***

2'6"x 6'8" 2'8" x 6'8" 3'0"x 6'8"




S1350

△ * № № 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



S2150

△ * **≈** † † † † 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1409

***** * • • • • 2'6"x 6'8" 2'8" x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



FCM8322

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM8323

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM8324

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65 * **>** † † † 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6022

* N +++6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6042 *** ≥** † † † **6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM8321 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

No Stile Lines



* Low-E Glass (LE)



- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **WBDR Options**



Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites continued



Mahogany FCM8675SL * ♦ ♦ ♦ 12"x 8'0"

14"x 8'0"



FCM65SL FCM7125SL * • • • • 12"x 6'8" | 14"x 6'8"









FCM1406 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1405SL *** ♦ ♦ ♦** 12"x 6'8" 14"x 6'8" FCM8145SL *** ♦ ♦ ♦** 12"x 8'0" 14"x 8'0"



FC8322 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8323 * † † † 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8324

* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FC65

* • • • • • • • • • E

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





FC8318

* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"





FC8320 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





FC8675SL * • • • • 12"x 8'0" 14"x 8'0"



FC63SL * • • • • 6 9 12"x 6'8" 14"x 6'8" FC7125SL * • • • 6 12"x 8'0" 14"x 8'0"





FC1408

* • • • E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8145

***** • • •

2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"



FC8144

* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FC1408SL | FC8145SL ***** ♦ ♦ ♦ 12"x 8'0" *** • • •** 12"x 6'8" 14" x 6'8" | 14" x 8'0"



S8322 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8326 * * * * * E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8323 * * * * * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8327 * * * * * 6 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8324 ***** ♦ ♦ ♦ 2'8"x8'0" 2'10" x 8'0" 3'0"x 8'0"



S8328 * * * * * E 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"



S262 * • + + + + 6E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6022 * **■ *** * * * * 6 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6042 ***≥**++++**6** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S8321 * ■ † † † † 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8325 # N ++++6E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8318 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8319 ****6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8320 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



S32 S832 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S115 ■ * ◆ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8675SL * • • • • 12"x 8'0" 14"x 8'0"



S263SL S7125SL * • • • 1+6 12"x 6'8" 14"x 8'0" 14"x 6'8"



S3487SL * • 11 116 12"x 8'0" 14"x 8'0'

Clear Glass with Divided Lites Continues on next page.

Key



- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC) Fixed Grilles (FXG)





Clear Glass with Divided Lites continued



S1408 * * * * * E 2'6"x 6'8"

S8145 * • • • • 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



S81405

* ♦ ♦ ♦ **E**2'8"x 8'0"
2'10"x 8'0"

3'0"x 8'0"

S1405 * * * * * E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$1406 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1407 * • • • • ***** ♦ ♦ ♦ ♦ 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0" x 6'8"



S1405SL S8145SL ***** ♦ ♦ ♦ ♦ 12"x 8'0" * * * * * 12"x 6'8" 14"x 6'8" | 14"x 8'0"





2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

Clear Glass



Mahogany FCM62 * 6 2'8" x 6'8" FCM862 * 6 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6021 * 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6041 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM670 ■ * 9 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM62SL | FCM862SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" 14"x 8'0"



81929P FC62 * 6 E 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC670 ■ * 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81971P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC48SL 81929PSL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S81929P S206 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S86021

S6021

* **6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0") * **6 E**2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



\$6041 * 6

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$104 * **9** E 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S105 * E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") \$30 *** 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$830 *** 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"


S210SL

S85910SL * **6**12"x 6'8"
14"x 6'8"
14"x 8'0"



Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- * Low-E Glass (LE)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **6** WBDR Options



E Elevated 10" Bottom **Rail Options**







\$6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Crystalline_™ ◆ ::



\$930 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Sedona ♦ ::



Smooth S294 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas_® x



\$6014 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park₃ ♦ ::



S6104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea_s 🔶




\$985 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™ ♦ ::



S291 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™ ♦ **::** ❖



\$292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch
XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Riserva_® x



\$585 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ **::** ❖




\$430 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Kensington_™ ◆ ::



S162 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Pembridge_™ ♦ # ❖



\$6572 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Axis.



\$1661 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Frosted Images.



\$289E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & TexturedGlass with Divided Lites



\$807_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



\$289_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



\$807 * • • • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Clear Glass



Smootl \$289

**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key





Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



Transoms

For transoms, see page 221.



Blackstone. • ::



Mahogany FCM760 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6111 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Crystalline_™ ◆ ::



Mahogany FCM124 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Sedona ♦



FCM126 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S12 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Salinas_® x



Mahogany FCM118 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6012 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park₅ ♦ ::



Mahogany FCM904 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea.



FCM800 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6121 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Saratoga_™ ♦



FCM909 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S20 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™ ♦ **::** ❖



FCM125 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6117 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Riserva_® x



FCM506 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$506 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Concorde_™ ◆ # ❖



FCM914 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S17 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Kensington_™ ♦ ::



FCM150 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6119 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6532 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6532 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



Mahogany

FCM132

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S10

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Blackstone. • ::



FC80943

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86243

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9343

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83143

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

WBDR / HVHZ Options

Crystalline_™ ♦



FC80941 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86241 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9341 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83141 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Sedona ♦ ::



FC80952 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83152 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Salinas_® x



FC80953 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Oak



FC86253 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9353 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83153 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Maple Park₃ ◆ ::



FC80955 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86255 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Avonlea.



\$9355 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83155 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80956 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86256 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9356 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83156 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Saratoga_™ ♦



FC80954 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86254 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9354 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83154 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Wellesley_™ ♦ **::** ❖



FC80949 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC86249 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9349 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S83149 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Riserva_® x



FC507 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC549 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S507 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S549 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Concorde_™ ◆ :: ❖



FC80947 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86247 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington_™ ◆ ::



S9347 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83147 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80942 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86242 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9342 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83142 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Key



Brushed Nickel Caming (1C)







FC6534 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86533 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth \$6534 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$86533 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Axis.



FC1655 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC81649 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$1655 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Frosted Images



\$81649 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80945 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86245 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9345 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83145 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & TexturedGlass with Divided Lites



FC809203_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862203_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



S93203_

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth \$831203_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC80920_ 5 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC86220_ 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9320__ 6 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



\$83120__ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Internal Blinds



FC925 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8972 * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$925 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$8972 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass with Divided Lites



FC809203

* N 1 1 5 5

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"





3'0"x 8'0"





FC8141 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$1404 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Clear Glass



FC80920 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220 * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9320 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83120 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key





Brushed Nickel Caming (1C)
Brass Caming (1A)

- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)





Transoms

For transoms, see page 221.

Optional Dentil Shelves***

4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Sedona ♦ ::



S2650* 🚄 🛮 E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'

S82650* **_** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM604 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S604 S8604 2'8" x 6'8" 2'10" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Maple Park. • ::



2'8"x 6'8"

2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM609 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

EnLiten Flush-Glazed Saratoga ◆ ■



S609 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth S8609 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6240 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6201SL 12"x 6'8" 14"x 6'8"



S6240 S86240 2'8" x 6'8" (7'0") | 2'10" x 6'8" (7'0") | 2'10" x 8'0" | 2'10" x 8'0" | 3'0" x 8'8" (7'0") | 3'0" x 8'0" NEW

S6201SL S86201SL 10"x 6'8" 12"x 8'0" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 8'0"

Smooth S6240SL

S86240SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Available with flat lite frame or Advanta flat lite frame only.

^{**}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

^{***}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 299 for important product details that may help with your purchase decision.

Saratoga_™ ◆ ::



FCM602 **4**6

2'8"x 6'8"

2'10"x 6'8"

3'0" x 6'8"



2'8" x 6'8" 2'10"x 6'8' 3'0"x 6'8"



S82660** **-1 4 6** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S602 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8602 **4**6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Riserva_® x



FCM508 4 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S82670** 146 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S508 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8508 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Pembridge_™ ◆ **::** ❖



FCM6520 **1**6

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6520 S86520 16 16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Glass with Divided Lites





FCM1650 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2620** _146 E 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S82620** 116 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1650 **4**6 2'8"x 6'8" 2'10"x 6'8"

S81650 **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8' 3'0" x 8'0"



Mahogany

FCM4812_ A RUE 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4813

♦ Ejj E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4814 **å Rij E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continues on next page.

Key





- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDLF1)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame



6 **WBDR / HVHZ Options**

EnLiten

■ Flush-Glazed Privacy & Textured

Elevated 10" Bottom **Rail Options**

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continued

S84812_*

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM4816_* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM2050_SL 12"x 6'8" 14"x 6'8"



Smooth

S4812_* **♦ ©** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S4813_* **♦ ©** E



Privacy & Textured Glass with Divided Lites



Smooth

S4814_* **♦ Rij E**

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S84814_* 2'8"x 8'0"

Smooth S4816_*

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0 3'0"x 6'8" (7'0") 3'0"x 8'0"





S4812_SL* 12"x 6'8" 14"x 6'8"

S84812_SL* 12"x 8'0" 14"x 8'0"



Mahogany

FCM605_* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM606_* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM607_ *

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM608_ *

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S605_* 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S8605_* 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

S606_* 2'8" x 6'8" 2'10"x 6'8"

S8606_* 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0" x 6'8"



Smooth

S607_* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8607_* 2'8" x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

S608_* 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S8608_* 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

EnLiten Flush-Glazed Privacy & Textured Glass



Mahogany

FCM4810_* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM2000_SL 12"x 6'8" 14"x 6'8"



Smooth

S84810_*

2'10"x 8'0"

S4810_* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



S4810_SL* S84810_SL* 12"x 8'0" 12"x 6'8" 14" x 6'8" 14"x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites

Privacy & Textured Glass



Mahogany

FCM601_* 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S2610_* **⊿**49 **E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'

S82610_* **⊿**46 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S601_* **4**6

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8600_* 2'8"x 8'0" 2'10"x 8'0'

3'0"x 8'0"





Mahogany

FCM4812 **♦ * □ E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4813

♦ * N E 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8'



FCM4814

≜ * N E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



FCM4816 **♦ * N** E

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM2050SL

***** 12"x 6'8" 14" x 6'8'



Smooth

S4812 **♦ * N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84812 **≜ * □**2'8"x 8'0" 2'10"x 8'0"



S4813

♦ * N E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S4814 ♦ *** [E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth



Smooth

S4816 **♦ * N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'10"x 8'0"

3'0"x 8'0'

2'8" x 8'0"

Smooth

S4812SL | S84812SL

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

S84813

♦ * N

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

S84814

ا # ا

2'8" x 8'0"

3'0"x 8'0"

2'10" x 8'0"

- Flat Lite Frame**
- **NEW Scrolled & Flat** Advanta Lite Frame



NEW Flat Advanta Lite Frame*

- **NEW Scrolled** Advanta Lite Frame
- **Vented Sidelite Options**



- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Mahogany

FCM605 *** ■ /** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM606 *** ■ Z** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM607 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM608 *** ■ Z** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S605

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

EnLiten™ Flush-Glazed Clear Glass

S8605 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S606 * N Z 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8606 * **1**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0"



S607

S8607 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S608 2'8" x 6'8" 2'10"x 6'8"

2'8"x 8'0" 2'10"x 8'0"

S8608



FCM4810 **♦ * E** 2'8" x 6'8"

2'10"x 6'8" 3'0"x 6'8"



FCM2000SL 12"x 6'8"

14"x 6'8"



S4810

♦ * E 2'8" x 6'8" (7'0") **♦ *** 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0"x 8'0"

S84810



S4810SL 12"x 6'8"

S84810SL 14" x 6'8"

12"x 8'0" 14"x 8'0"

Clear Glass



Mahogany

FCM601 # 🛮 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2610* * ⊿ 🛭 6 E

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



*** 1**46 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



\$601 * **6** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S8601 3'0"x 8'0"

* **4 5** 2'8"x 8'0" 2'10"x 8'0"



Transoms

For transoms, see page 221.



Maple Park₈ ♦ ::



FCM736 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8736 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC736 FC8736 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



S736 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S8736 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Saratoga_™ ◆



FCM707 FCM8707 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC707 FC8707 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

Wellesley_™ ♦ **::** ❖



Smooth

S707 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM721 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC721 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





Smooth

S721 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8721 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)

FCM8721

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
 - **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- **Vented Sidelite Options 6** WBDR Options
- **WBDR / HVHZ Options** Elevated 10" Bottom Rail Options

Concorde_™ ♦ :: ❖



FCM735 FCM8735 2'8"x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC735 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S735

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Pembridge_™ ◆ **::** ❖



Mahogany

FCM745 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC745 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"

FC8745 2'8"x 8'0" 2'10"x 8'0"

Clear Glass with Divided Lites



S745

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8735

FCM752 *** • • • •** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8752 * * * * • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8735 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC752

* • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S752 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8752 * • • • 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC8708

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



Mahogany

FCM704 * • 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

FCM8704 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC704

2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S704

FC8704

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

*** ◆ E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth

S8704 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



Mahogany

FCM708 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



FC708

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S708

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

S8708

2'10"x 8'0"

Crystalline_™ ♦



FC21 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



S6123 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ :: ❖



FC917 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S454 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



FC23 *** • • • •** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S255 * • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



FC803

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Smooth

S256 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



S236

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8317 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S237 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Pembridge_™ ◆ **::** ❖



FCM6570 2'8"x 6'8'

FCM86570 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

FC6570

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Oak

FC86570 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6570

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 8'0 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

S86570 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0"

Axis.



FCM1645 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81645 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1645

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S1645

FC81645

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81645 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass



FCM61 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM861 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC861

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC61 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S296_ 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

\$896 2'6"x 8'0" 2'8"x 8'0" 3'0"x 8'0"

Clear Glass



FCM61

FCM861

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC61 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

FC861

2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S296 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0'



Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S141STC

■ * + E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6063STC 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric

S8140STC

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



Transoms

For transoms, see page 221.





FCM31 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM220 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Mahogany



FCM205 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Mahogany



FCM755 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM600 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM134 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM60 FCM860 2'8"x 6'8" 6 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FCM1000

FCM81000 ■ **5 E** 2'0"x 6'8" **6** 2'0"x 8'0" 2'4"x 6'8" 2'4"x 8'0" 2'6" x 6'8" (7'0") 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC31 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC809 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC755 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC60 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC860 **5** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



No Stile Lines



Flat White Grilles Between Glass Only (GBGFW)



WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options



81000

2'0"x 8'0"

2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

1000 **6 E** 2'0" x 6'8"

2'4"x 6'8" 🕸 2'6" x 6'8" \$\(\Delta\) (7'0")
2'8" x 6'8" \$\(\Delta\) (7'0")
2'10" x 6'8" \$\(\Delta\) (7'0") 3'0"x 6'8" \$ (7'0")



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$220 **5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



\$81100 \$1100 **9 E** 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$120 **9 E** \$8120 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S200 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S8201

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S205 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

\$755 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$831 2'8" x 8'0" 2'10" x 8'0" S31 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S960 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$4800 **6 E** S84800 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S600 S8600 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$11 **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S210 S810 6 2'6"x 8'0" **9Ε** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S100 ■ 9 E 2'0"x 6'8" \$\frac{1}{2}\$
2'0"x 6'8" \$\frac{1}{2}\$
2'4"x 6'8" \$\frac{1}{2}\$
2'6"x 6'8" \$\frac{1}{2}\$
2'8"x 6'8" \$\frac{1}{2}\$
(7'0")
2'10"x 6'8" \$\frac{1}{2}\$
(7'0")
3'0"x 6'8" \$\frac{1}{2}\$
(7'0")
3'6"x 6'8"

2'0"x 8'0" 2'4"x 8'0"

2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0" 3'6"x 8'0"

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone. • ::



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Crystalline_™ ◆



19080T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

Sedona ::



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas, x



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park • • **



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Avonlea.



AVRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ♦ **::** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva. X



RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ◆ # ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆ **::**



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ◆ **::** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

3'0" Door Only

19210T

12" & 14" Sidelite Only

Key





Brushed Nickel Caming (1C)



Wrought Iron (1W)

WBDR Options

WBDR / HVHZ Options

Å 6'6" Height Available

E Elevated 10" Bottom Rail Options



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors - S2600 Bottom: Smooth-Star, Clear Glass, Doors - S118

Door Selections







Fiber-Classic. Oak Collection™



Smooth-Star.



Profiles_™ & Traditions


(Wood-grained images shown in Driftwood stain.)

Glass Selections





Low-E / Clear



Divided Lites

see pages 140-141.

For details on divided lite options,





Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 42-43 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten_™ Flush-Glazed **Warranty Riders**

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

= Available	Fiber-Classic.	Smooth-Star ₀	Profiles _™	Traditions	
Door Selections					
Material	Fiberglass	Fiberglass	Steel	Steel	
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years	
Finish Options	Stain or Paint	Paint	Paint	Paint	
Flush-Glazed Glass Selections					
Internal Blinds ♦		•			
Low-E Glass with and without Divided Lites	•	•			
Clear Glass with and without Divided Lites	•	•			
Privacy & Textured Glass with and without Divided Lites	•	•			
Lip-Lite Glass Selections					
Internal Blinds				•	
Low-E Glass with and without Divided Lites	•	•	•	•	
Clear Glass with and without Divided Lites	•	•	•	•	
Privacy & Textured Glass with and without Divided Lites	•	•	•	•	
Available Sizes					
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"	
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	
Additional Options					
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths			
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	
Impact-Rated Options	•		•	•	
Tru-Defense Eligible					

EnLiten_™ Flush-Glazed Internal Blinds




Available Collections

• Smooth-Star.

Available Door Styles



Available Configurations



Internal Blinds




Available Collections

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles





EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites


Colonial Style




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles





EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Fiber-Classic, Oak
- Smooth-Star.

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles






Prairie Style




Available Collections

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions


Available Door Styles




Available Configurations











Low-E / Clear Glass



Available Collections


- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles














Profiles_™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Profiles ... & Traditions Steel

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles Mark & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for

this icon to find door styles that can	Door Widths		
be configured for WBDR or HVHZ.*	2'0"		
20-Minute Fire-rated options	2'4"		
available on 6'8" solid-panel doors.	2'6"		
See pages 254–259.	2'8"		
1.0	2'10"		
	3'0"		
	3'6"		•
	Door Heights		
	6'6"		
	6'8"		
	7'0"		•
	8'0"	•	
	Glass Options		
	Decorative	15	15
	Privacy & Textured	7	7
	Internal Blinds		
	Screen Vented Lites		
	Simulated Divided Lites		
	Grilles Between Glass		
	Fixed Grilles		
	Low-E		
	Clear		
	Additional Options		

■ = Available

• = Not Applicable P = Paint



Profiles, Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.





Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.







Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options on pages 222-227.

Traditions

Profiles.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors


^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

^{**}Decorative glass designs are shown in Profiles only.

^{***}Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Blackstone.



Crystalline

Glass Privacy Rating: 7

Brushed Nickel

Black Nickel

Glass Privacy Rating: 7

Brushed Nickel

Wrought Iron

Salinas. Glass Privacy Rating: 10



Brushed Nickel



Sedona



Maple Park Glass Privacy Rating: 6

Avonlea. Glass Privacy Rating: 4

Saratoga...

Glass Privacy Rating: 7

Texas Star

Black Nickel

Glass Privacy Rating: 5









Wellesley... Glass Privacy Rating: 6

Riserva. Glass Privacy Rating: 10

Concorde Glass Privacy Rating: 8

Kensington... Glass Privacy Rating: 8







Frosted Images. Glass Privacy Rating: 8

Also Available: **Internal Blinds Screen Vented**

Pembridge... Glass Privacy Rating: 7 Axis. Glass Privacy Rating: 7

Glass Privacy Rating Scale

3 4 5 6 7 8 9 10

Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: 7



Geometric (XG)Glass Privacy Rating: **7**



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites Clear Glass



Note: See page 299 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone.

+ :::





310SL 5 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Crystalline™

+ :::



916 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



916SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Sedona

+ ::





139SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Salinas_.

X





369SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Maple Park

+ :



1006 2'8"x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



1006SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Avonlea_®

•



1027 2'8"x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



1027SL 4 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Saratoga_™

+ ::



610
2'6"x 6'8" \$\frac{1}{2}\$ (7'0")
2'8"x 6'8" \$\frac{1}{2}\$ (7'0")
2'10"x 6'8" \$\frac{1}{2}\$ (7'0")
3'0"x 6'8" \$\frac{1}{2}\$ (7'0")
3'6"x 6'8" (7'0")



610SL 2 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Texas Star

+ ::



1029 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



1029SL 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Wellesley_™

♦ :: ♦



620
2'6"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6"x 6'8" (7'0")



620SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Key



Brushed Nickel Caming (1C)



NEW Scrolled & Flat Advanta Lite Frame



Å 6'6" Height Available

Riserva. X



571
2'6"x 6'8" \$\frac{1}{2}\$ (7'0")
2'8"x 6'8" \$\frac{1}{2}\$ (7'0")
2'8"x 6'8" \$\frac{1}{2}\$ (7'0")
3'0"x 6'8" \$\frac{1}{2}\$ (7'0")
3'6"x 6'8" (7'0")



TS572SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Concorde_™ ♦ # ❖



1028 2'6"x 6'8" \$\((7'0") \)
2'8"x 6'8" \$\((7'0") \)
2'10"x 6'8" \$\((7'0") \)
3'0"x 6'8" \$\((7'0") \)
3'6"x 6'8" (7'0")



416SL 5 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Kensington_™ ♦



2'8" x 6'8" (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



626SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Pembridge_™ ♦ # ❖



6500HD
2'8" x 6'8" \$\frac{1}{2}(7'0")
2'10" x 6'8" \$\frac{1}{2}(7'0")
3'0" x 6'8" \$\frac{1}{2}(7'0")
3'6" x 6'8" (7'0")



6500SL

6
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Axis.





1651SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Frosted Images.



138SL 5 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites





2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" \$\(\frac{1}{2}\) (7'0")



6184_SL*

10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6185_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6186_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass



118_____
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" (7'0")



100_SL 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not available with Reeded (XK) or Geometric (XG) glass.

Internal Blinds





130SL * 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass with Divided Lites











1200

* ↑ ↑ ↑ ↑ 6
2'6" x 6'8" Å (7'0")
2'8" x 6'8" Å (7'0")
2'10" x 6'8" Å (7'0")
3'0" x 6'8" Å (7'0")
3'6" x 6'8" (7'0")



108
*** 6'8" \$\frac{7'0"}{2'8" \times 6'8" \$\frac{7'0"}{3'0" \times 6'8" \$\frac{7'0"}{3'0" \times 6'8" \$\frac{7'0"}{3'6" \time



1201SL * † † † † 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



1202SL * • • • • • 1 10" x 6'8" 1" (7'0") 12" x 6'8" (7'0") 14" x 6'8" (7'0")







6184SL

* 10" x 6'8"

12" x 6'8" (7'0")

14" x 6'8" (7'0")



6185SL

| | | | | |
| 10"x 6'8"

12"x 6'8" (7'0")

14"x 6'8" (7'0")



6186SL

* • 2

10" x 6'8"

12" x 6'8" (7'0")

14" x 6'8" (7'0")

Ħ



1985L * • • • • • 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass





100SL * 2 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Key





- Black Nickel Caming (1D)
 Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)







Blackstone.

+ :::



1037HD 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1037SLHD 12"x 6'8" 14"x 6'8"

Crystalline_™

+ :::



1042HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



956SLHD 12"x 6'8" 14"x 6'8"

Sedona

+ :::



965HD 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

965SLHD 12"x 6'8' 14" x 6'8"

Salinas.



968HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



971SLHD 12"x 6'8" 14"x 6'8"

Maple Park

##



1009HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1009SLHD 12"x 6'8" 14"x 6'8"

Avonlea_®



1038HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1038SLHD 9 12"x 6'8" 14"x 6'8"

Saratoga_™



1039HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1039SLHD 12"x 6'8" 14"x 6'8"

Texas Star



1040HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1040SLHD 12"x 6'8" 14"x 6'8"

Wellesley_™

**



1041HD 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1041SLHD 12"x 6'8" 14"x 6'8"

Riserva.



544HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



546SLHD 12"x 6'8" 14"x 6'8"

Concorde_M

* ** **



967HD 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

967SLHD 12" x 6'8" 14"x 6'8"

Kensington_™

+ ::



03142HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8" 14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Pembridge_M





6582HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6580SLHD 12"x 6'8" 14"x 6'8"

Axis.





1644HD 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1644SLHD 12"x 6'8" 14" x 6'8"

Privacy & Textured Glass



2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8" 14"x 6'8"



12"x 6'8" 14"x 6'8"

Internal Blinds



5425 ***6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



5425SL 12"x 6'8" 14" x 6'8"

Clear Glass with Divided Lites



2109HD * ♦ ♦ ♦ ♦
2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2110HD



2111HD * • • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



961HD



12"x 6'8" 14"x 6'8"



4572SLHD * * * * * 6 12"x 6'8" 14"x 6'8"

Clear Glass



6720SLHD * N + + + 12"x 6'8" 14" x 6'8"



* • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1400SLHD ***** ♦ ♦ ♦ ♦ 12"x 6'8" 14"x 6'8"



959HD * **6**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



959SLHD * **6** 12"x 6'8" 14"x 6'8"

Key





- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- WBDR / HVHZ Options

Blackstone.

+ :::



1025HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea



1047HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley™

• :: •



1022HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™

* ** **



1024HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington_™

+ :::



630HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

$\pmb{\text{Pembridge}}_{^{\text{\tiny{M}}}}$

♦ ∷ ❖



6578HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Frosted Images.



1021HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



1020HD ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 Lites

Blackstone. • ::



309HD 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1117HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



311SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Crystalline_™ ♦



926HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



991HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1119HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



930SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Sedona ♦



211HD 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



996HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1114HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



294SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Salinas. X



374HD 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1002HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1115HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



371SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Maple Park₃ ♦



1007HD **6** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1011HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1116HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1007SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Avonlea.



1031HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1034HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1107HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1031SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Saratoga_™ ♦



613HD 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



988HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1112HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



615SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Texas Star ♦



1032HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1035HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1111HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Key





Brushed Nickel Caming (1C)



X Wrought Iron (1W)

Wellesley_™ ♦ **!!** ❖



623HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



989HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1120HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



625SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Riserva_® X



582HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



576HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



578HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



584SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Concorde_™ ♦ ## ❖



426HD 6 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



999HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1118HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



430SLHD 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Kensington_™ ♦



627HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



631HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1113HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



628SLHD 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Pembridge_™ ♦ **!!** ❖



6560HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6565HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6568HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6565SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Axis.



1660HD 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1659HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1657SLHD **6** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Frosted Images.



206EHD **6** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



985HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1110HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



289ESLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



262HD__ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



982HD__ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1123HD__ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

263SLHD__ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass





2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101_HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104__ **5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD__ 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Internal Blinds



132HD * 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



984HD * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1121HD * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* **6** E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



* **6**12"x 6'8" (7'0")
14"x 6'8" (7'0")

Screen Vented Lites*



243HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1004HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1102HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



137 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Key




Black Nickel Caming (1D)

Brushed Nickel Caming (1C)
Brass Caming (1A)



Simulated Divided Lites (SDL)

WBDR / HVHZ Options











115HD

* ◆ E

2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





1408HD

* • • • • •

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



1405HD * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1406HD * • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



1405SLHD * † † † † 12" x 6'8" (7'0") 14" x 6'8" (7'0")



206HD * 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



980HD * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101HD * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104

* 6 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



105 **E**2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



210SLHD * 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")



Blackstone.





311HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Crystalline_™





930HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Sedona






294HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Salinas_®

X



371HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Maple Park

+ :::



1008HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Avonlea_®





1044HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Saratoga_™

+ :::



615HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Wellesley_™





625HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Riserva.

X



588HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Concorde_m





430HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Kensington_™





628HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Pembridge_™





6572HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Axis_®





1662HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Frosted Images.



289EHD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Key






Brushed Nickel Caming (1C)

Brass Caming (1A)

- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- ▼ Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



Privacy & Textured Glass



263HD__ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")



289HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



263HD

* • • • • • •

2'6"x 6'8" (7'0")

2'8"x 6'8" (7'0")

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



1411HD * ↑ ↑ ↑ ↑ 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Clear Glass



289HD

**
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Craftsman Lites

Sedona





604HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park





609HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Saratoga_™





602HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva.





508HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge™





6520HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Axis.





1650HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



605HD__*

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



606HD__*

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD_*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



608HD_*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



601_HD* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = ChinchillaXR = Rainglass XN = Granite

Clear Glass with Divided Lites



605HD * ■ 1 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



606HD ***** ■ ✓ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





608HD

* • 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



601HD * 2 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Minimal Lites _

Maple Park.





736HD2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Saratoga™

+ ::



707HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Wellesley_™





721HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





735HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

$\textbf{Pembridge}_{^{\text{\tiny{M}}}}$





745HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



752HD

* ↑ ↑ ↑ ◆
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



* • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Clear Glass



708HD

*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Crystalline_™

+ ::



1055HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Concorde_M

♦ ∷ ❖



454HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Key





Brushed Nickel Caming (1C)

Brass Caming (1A)



WBDR / HVHZ Options
Simulated Divided Lites (SDL)

♦ Flat or Contour, White Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC) Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)



NEW Scrolled
Advanta Lite Frame

Clear Glass with Divided Lites



255HD

* • • • •

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

Clear Glass



2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



236HD

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



237HD

* •
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
(Scalloped Lite Frame)

Pembridge_M





6570HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



6570SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Axis.





1643HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1643SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass



296HD__ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD__ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass



296HD ** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD ** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Solid Panels



969HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1005HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



203HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 5 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



Full Lites

Privacy & Textured

Glass with Divided Lites



TS128_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS108_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6184_SL* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6185_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6186_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass



TS118_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

818 2'6"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Continue on next page.

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
- ♦ WBDR / HVHZ Options♣ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Clear Glass Privacy & Internal Blinds Textured Glass with Divided Lites 100_SL 818_SL TS130 130SL 829SL TS1201 TS1202 829 * **4 6** TS1203 * **4 6** 2'4"x 6'8" * • • • • 2'6"x 6'8" **4**6 **4**6 ***** 🛮 6 * • • • • 🗸 * • • • • 🗾 10"x 6'8" 12"x 8'0" 2'6"x 8'0" 10"x 6'8" 12"x 8'0" 2'6"x 6'8" 2'6"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 12"x 6'8" (7'0") 14" x 8'0" 2'6"x 6'8" 2'8"x 8'0" 14"x 8'0" 2'8"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 14"x 6'8" (7'0") 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" 2'10"x 6'8" 2'10"x 6'8" 2'10"x 6'8' 3'0"x 8'0" 3'0"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 1201SL 1202SL TS128 TS1200 TS108 828 808 * • • • • 4 4 5 2'6"x 6'8" * + + + + + **3** 6 * • • • **3** * • • • **/ 16 4**6 2'6"x 8'0" 10"x 6'8" 10"x 6'8" 12"x 6'8" (7'0") 12"x 6'8" (7'0") 12"x 6'8" (7'0") 2'6"x 6'8" 2'8"x 6'8" 2'6"x 6'8" 2'6"x 8'0" 2'8"x 8'0" 14"x 6'8" (7'0") 2'8"x 6'8" 2'10"x 6'8" 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 14" x 6'8" (7'0") 14" x 6'8" (7'0") 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8" 3'0"x 6'8" 3'0"x 8'0"

Privacy & Textured Glass Options

828SL

♦ 4 6

12"x 8'0"

14"x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

6184SL

10"x 6'8"

12"x 6'8" (7'0")

14"x 6'8" (7'0")

XK = Reeded XG = Geometric

86185SL

12"x 8'0"

14"x 8'0"

6186SL

10"x 6'8"

14"x 6'8" (7'0")

XE = Satin Etch
XC = Chord

12"x 6'8" (7'0") | 14"x 8'0"

86186SL

12"x 8'0"

XJ = Chinchilla XR = Rainglass XN = Granite

86184SL

12"x 8'0"

14"x 8'0"

6185SL

10"x 6'8"

12"x 6'8" (7'0") 14"x 6'8" (7'0")

632SL

12"x 6'8" (7'0")

14"x 6'8" (7'0")

10"x 6'8"

^{*}Features a gliding operation and sash locking system.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 299 for important product details that may help with your purchase decision.



TS198 * • • • • **2** 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

198SL * • • • • • 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass



TS118 * **1 5 6 6 6 8 7 6 8 7** 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

*** k ≥** 6 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

100SL * **6** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

* **6** 12"x 8'0" 14"x 8'0"

818SL

1/2 Lites

Privacy & Textured

Glass with Divided Lites



TS262_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



TS263_SL 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass



2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



TS104_ **6 E**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"



TS210_SL 6 12"x 6'8" 14"x 6'8"

Internal Blinds



TS132 * 6 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"





TS131 * **6** E 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* **6** 12"x 6'8" 14" x 6'8"

Screen Vented Lites*



TS243 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS137 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Key





- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- **NEW Scrolled & Flat Advanta Lite Frame**
- **NEW Scrolled** Advanta Lite Frame





PVC Doorlite Frame**



8322 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





8324 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







TS115 *** ◆ E**2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"







TS1405SL * ♦ ♦ ♦ ♦ 12" x 6'8" 14" x 6'8"





TS206 * 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







TS104 * **6** E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS105

* E

2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



TS210SL * 6 12"x 6'8" 14"x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Privacy & Textured

Glass with Divided Lites



TS263

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



TS263 2'6"x 6'8" 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



***** • • • • 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Minimal Lites _

Clear Glass with Divided Lites



TS752 ***** ♦ ♦ ♦ ◆ 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

8752 * • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



*****◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites



TS255 ***** ♦ ♦ ♦ ◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Key



- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



TS236 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

8317 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



TS237 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Privacy & Textured Glass



2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

TS296__ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS296_SL 12"x 6'8" 14"x 6'8"

Clear Glass



2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"

TS296 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8" 14"x 6'8"

Solid Panels



TS210 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



TS100 **9E** 2'0"x 6'8" 2'4"x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8"

3'0" x 6'8"

800 **9E** 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Transoms

Transoms can be painted to match a Profiles, or Traditions door system.

Blackstone. • ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Crystalline_™ ♦



19080T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

Sedona 🔷 👯



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park₃ ♦



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Avonlea.



AVRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ◆ **!!** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva. X



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ◆ **!!** ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆ **#**



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ◆ **::** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Grille Sticks Applied







12" & 14" Sidelite Only

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)



Fixed Grilles (FXG) WBDR / HVHZ Options Elevated 10" Bottom **Rail Options**

Fire Doors


Fiber-Classic, Smooth-Star & Steel



Therma-Tru_® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 258.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- √ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Left: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

Adjusta-Fit_® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factorycoated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru_® Adjusta-Fit_® 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-1/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from $4"-9-\frac{1}{2}"$ deep.

Additional Options

■ Therma-Tru_® composite door frame also 20-minute Fire-rated, starting on page 280.

20-Minute Fire-Rated Wood Edge - Fiberglass



FMF31

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FMF220

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FMF205

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF755 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF600 2'8"x 6'8" 2'10" x 6'8"

3'0" x 6'8"



Mahogany

FMF134 2'10"x 6'8" 3'0"x 6'8"



FMF60 2'8"x 6'8" 2'10"x 6'8" | 3'0"x 8'0" 3'0" x 6'8"

FMF860 2'8"x 8'0"



FMF100

FMF8100

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

■ 9 E

■ 9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCF31

2'8"x 6'8" 3'0"x 6'8"



FCF809 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Right Page, Right: Smooth-Star Door - SSF220







FCF755 2'10"x 6'8" 3'0"x 6'8"



FCF862 **9** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCF160 9 E 3'0"x 6'8" (7'0")



FCF8160 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0"



3'0"x 6'8" (7'0") 3'0"x 8'0"



SSF93 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF220 **9 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



SSF1100	
9 E 2'8"x 6'8"	
2'10"x 6'8"	
3'0"x 6'8"	

SSF81100 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



SSF120 **9 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" SSF8120 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



SSF200 SSF8200 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



SSF205 SSF8205 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth SSF755 2'10"x 6'8" 3'0"x 6'8"




SSF31 SSF831 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key



E Elevated 10" Bottom Rail Options



3'0"x 6'8"

20-Minute Fire-Rated Wood Edge - Steel

Profiles_™



3'0"x 6'8"

2'10"x 6'8"

3'0"x 6'8"

Traditions

2'10"x 6'8"

3'0"x 6'8'



TS210 9 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

TS100 9 E 2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



100

100 • 6 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")

3'6"x 6'8"








Modern design. Upbeat living.










Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.


It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Choose a MATERIAL.

Each style is available in any of these material choices.



Mahogany or Oak (Shown in Driftwood stain.)

Fiberglass

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.



Low-E Also Available.


Decorative Glass

Available for Línea.



Available for Ari.

Available for Echo. 8 19



- 1 Blackstone_®
- 2 Crystalline™
- 3 Sedona 4 Salinas.
- 5 Avonlea_®
- 6 Saratoga™ 7 Riserva_®
- 8 Pembridge™
- 9 Axis.

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame





Scrolled Profile Lite Frame


	Pulse _® Size Options									
	Wood-Graine	ed Fiberglass	Smooth F	iberglass	Ste	eel				
	6'8"	8'0"	6'8" 8'0"		6'8"	8'0"				
Doors	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 0 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 0 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"				
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	3'6" x 6'8" • 10" x 6'8" • 12" x 6'8" 14" x 6'8"	3'6" x 8'0" 12" x 8'0" 14" x 8'0"	3'6" x 6'8" • 10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"				

- Available in full-lite sidelites only. Available in Línea and Echo only.















16



Línea


Note: Product images show exterior side of door.











Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) Smooth Fiberglass Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


































Línea Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D) Brushed Nickel Caming (1C)
- Brass Caming (1A) X Wrought Iron (1W)
- **NEW Scrolled & Flat** Advanta Lite Frame






















Echo

Note: Product images show exterior side of door.











It's your decision, by design. Select a look for the door and sidelites. Choose a material.

Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



































Echo Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.


Brass Caming (1A)

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Key














































It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel



Echo Continues on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.	XK = Reeded XG = Geometric	XE = Satin Etch XC = Chord	XJ = Chinchilla XR = Rainglass	XN = Granite	
---	-------------------------------	-------------------------------	-----------------------------------	--------------	--


Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **■** Elevated 10" Bottom Rail Options






Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Sidelites Continue on next page.

Privacy & Textured Glass Options XK = Reeded XE = Satin Etch XJ = Chinchilla Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262. XN = Granite XG = Geometric XC = Chord XR = Rainglass Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- **Vented Sidelite Options NEW Scrolled & Flat** Advanta Lite Frame
- WBDR / HVHZ Options E Elevated 10" Bottom Rail Options





Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.





Finishing Options











Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard_® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru_® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft_® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.









Durable Topcoat

Professional Application



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.







PrismaGuard_® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru₀ fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru₀ door or composite door frame.
- **2** A base coat provides an even, consistent color across the surface.
- A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **6** A second application of the topcoat provides added durability and optimal sheen for a high-end look.




Shown on Classic Craft Fir Grain.



PrismaGuard_® Premium Paint

Add a pop of color to Therma-Tru₀ doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru_® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY. STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors and composite door frames.

Shown on Classic Craft_® Fir Grain.

















All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Watch easy-to-follow instructions at thermatru.com/samedaystain.





For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

Door System Components





Engineered to work together.

A Therma-Tru_° door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology




TRU © GUARD.

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard_™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a 3 composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

^{*}See your Therma-Tru seller for details on product availability.

^{**}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 - no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required. Or finish with stain or paint to complement the entry - no sanding or priming required.

The advantage is clear.

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish – No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓
Warranty	

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft _® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse Fiberglass Door + Components	LIFETIME WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



Mullions





Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim







Mull Casing







Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

more reliable and up to 50% stronger on average than standard wood door frames*


when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills





Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{*}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Hardwood Adjustable Sill




- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- · Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)



- · Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

Basic Fixed Sill (Economy)



Outswing Options

Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break



- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)



- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Sizes:

3/4"

Outswing Sill Extender



Inswing Sill Extenders



Public Access Sill

Public Access Sill with Thermal Break** (For ADA Applications) · All-aluminum construction.

- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key



*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors




Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available • = Not Applicable	Inswing Options	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Outswing Options	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes												
Mill												
Bronze										•		
Cap Colors												
Lightwood			•		•			•	•	•		•
Darkwood		Ī	•					•	•	•		•
Hardwood		•		•	•		•	•	•	•		•
Sill Configurations												
Single												
French				•								
Double Patio		Ī		•	•			•	•	•		•
Triple Patio				•	•			•	•	•		•
Lineal				•	•		•	•	•	•		•
Sidelite Configurations				,	,				,	,		
Boxed Sidelites			•	•	•		•	•	•	•		•
Single with Sidelites				•	•			•	•	•		•
French with Sidelites			•	•	•		•	•	•	•		•
Single Vented Sidelites			•	•	•		•	•	•	•		•
French Vented Sidelites			•	•	•		•	•	•	•		•
Depths												
4-9/16"			•									
5-3/4"									•	•		•
6-9/16"		•	•	•	•		•	•	•	•		
7-3/4"							•		•	•		•
Substrates												
Composite Extruded			•	•	•			•	•	•		•
Composite Injection Molded			•		•		•	•	•	•		•
Treated Pine		•		•			•					•
Other Options												
Integrated Thermal Break		т							•	•		
Screen Rail Available				•	•			•	•	•		•
Sill Extenders Available					•			•	•	•		•
Sill Covers Available								•	•	•		•
Tru-Defense Eligible***			•	•	•			•	•	•		•
With Anchor Holes		•	•	•	•		•			•		
Without Anchor Holes									•			•

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms _____

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Dual-Fin Bottom Sweep

Colors: Bronze White



Outswing Options









ADA / Replacement

drain moisture away.



Sill Protection



- · Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 285 for availability.



Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)



Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.





Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.





Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS 💠

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue Heights:

Heights: 6'8" 7'0" 8'0"

Configurations: Inswing Outswing

1 Self-lubricating locks.

2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.

Key







Lever-Style MPLS *

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Configurations:

Inswing

Outswing

Tongue Heights:

6'8" 7'0"

8'0"



Shootbolt

(For door systems with an astragal.) Heights: Configurations:

6'6" 6'8" 7'0" 8'0" Inswing Outswing



Vented Sidelite MPLS






Tongue (Included in vented sidelite units.) Heights: 6'6" 6'8" 8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.









Brushed Nickel

Black Nickel

Bronze



Nickel

(Recommended for standard lock and deadbolt handlesets only.)



Nickel

Adjustable Security Strike Plate

Latch & Deadbolt Strike Plate



Brushed Nickel Black Nickel Polished Chrome Oil Rubbed Bronze Stainless Steel Zinc Dichomate

Finish Options:

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

Chrome

Bronze

- Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate

Hinges

Adjustable Hinge 💠

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing – Staggered Hole Pattern *

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing •

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning *

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab 💠

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded *

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finsh Options



Brass





Brushed Nickel



Black Nickel



Polished Chrome



Oil-Rubbed **Bronze**



Stainless Steel



Zinc Dichromate

= Available= Not ApplicableHinge Finish Options	Adjustable	Classic Craft, Ball-Bearing	Classic Craft。 Ball-Bearing – Staggered Hole Pattern	Classic Craft。 Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball- Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass		•		•		•	•	•	•
Brushed Nickel		•		•					
Black Nickel		•		•		•		•	
Polished Chrome						•		•	
Oil-Rubbed Bronze								•	
Stainless Steel	•					•			
Zinc Dichromate	•			•					

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Astragal



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





Configurations: Inswing Outswing

Outswing Multi-Point Lock Double Bore Left-Handed Right-Handed

Finish Colors: Bronze

Weatherstrip: Bronze

Textures Available

Stainable (Shown in Rustic Clay stain.)



Oak Grain



Fir Grain









White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.


Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028

Right Page, Top: Classic Craft Walnut Grain Doors - CCW902R, CCW902L, Finish - Pinecone

Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Tru-Defense Eligible

Key





Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options


Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options


Classic Craft®




Key

- Classic Craft_® Artíssa Collection_™
- ◆ Classic Craft₀
 Founders Collection™
- ▲ Classic Craft。 Visionary Collection™
- * Smooth-Star.
- ▶ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star_®, Profiles_™, Traditions & Pulse_®



7'0" Height Door Style Options

Door Styles Glass Designs												
Blackstone	VA *)	A *)	*		•							
Crystalline _™	VA * D	A *D	*		•				•			
Sedona	VA * D	A *D	*		•							
Salinas _®	VA * D	A *D	*		•							
Maple Park	VA * D	A *D	*		Þ			A*				
Avonlea	VA * D	A *)	*		•							
Saratoga _™	VA * D	A *)	*		•		*	A*				
Texas Star	VA * D	A *)	*		•							
Wellesley™	VA * D	A *)	*		•			A *D				
Riserva.	VA * D	A *D	*		•							
Concorde™	VA * D	A *)	*		•			A *)	•			
Kensington™	VA * D	A *)	*		•							
Pembridge™	VA * D	A *)	*		•			•		A D		
Axis.	VA * D	A *)	*		•					A*		
Frosted Images		A *)	*		•							
Privacy & Textured Glass	VA * D	A *)	*	VA *)	•		*			A*		
Internal Blinds	VA *)	A *)	*	VA *)								
Screen Vented		*)	*	*)								
Divided Lites	VA *)	A *)	*		•	*)	*	A *D	•		•	
Clear	VA *)	A *)	*	VA *)	•	*)	*	A *D	•	A*		
Solid Panel												

6'6" Height Door Style Options

0				•	
Door Styles Glass Designs	5				
Blackstone	A *D			*	
Crystalline _™	* *			*	
Sedona	* *			*	
Salinas	A *D			*	
Maple Park	A *D			*	
Avonlea	A *D			*	
Saratoga _™	A *D			*	
Texas Star	A *D			*	
Wellesley™	A *D			*	
Riserva	A *D			*	
Concorde	A *D			*	
Kensington™	A *D			*	
Pembridge™	A *D			*	
Axis _®	A *D			*	
Frosted Images				*	
Privacy & Textured Glass	A *D	•		*	
Internal Blinds	A *D	•		*	
Screen Vented		•			
Divided Lites	A *D		•	*	
Clear	A *D	•	•	*	
Solid Panel					*)

Key

- ▲ Classic Craft_® Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions

	VA * D	•				
	VA * D	•				
	VA *)	•				
	VA * D	•				
	VA * D	•				
	VA * D	•				
	VA *)	•				
	VA * D	•				
	VA * D	•				
	VA * D	•				
	VA *)	•				
	VA *)	•				
	VA * D	•	•			
	VA * D	•	•			
	VA * D	•				
	VA *)	•	•			
	VA *)	•				
•	VA *)	•	_			
	VA * D	•	•			
				*	* *	▲▼▲ *▶





Top: Smooth-Star, Maple Park Glass, Door – S6107 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft₅	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles _™ & Pulse₅ Steel (6'8")	Traditions & Pulse _* Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel - Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	Standard Frame, Advanta Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	_	-
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct suplicit

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Door Systems; Steel – Pulse., Profiles.., and Traditions Door Systems
- Therma-Tru_a Tru-Defense_a Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft_a, Fiber-Classic_a, Smooth-Star_a and Pulse_a Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles... and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru_{*} Composite Door Frame featuring Tru-Guard_{**} Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic_{*}, Smooth-Star_{*} and Pulse_{*} Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft.

9020T	123	CC922	87	CCA2310XNSL	80	CCA240	111	CCA4910RXE	73	CCA8231	
9200T	123	CC96	88	CCA2310XR	79	CCA2400	80	CCA4910RXJ	73	CCA82310	
9210T		CC97	87	CCA2310XRSL	80	CCA2400SL	75	CCA4910RXN	73	CCA82310SL	
9220T		CC99		CCA2320		CCA2400SL		CCA4910RXR		CCA82310XC	
AB30T		CC9922		CCA2320SL		CCA2400XC		CCA4915L		CCA82310XCSL	
BRT		CC9925		CCA2320XC		CCA2400XCSL		CCA4915R		CCA82310XE	
C040T		CC9925SL		CCA2320XCSL		CCA2400XCSL		CCA4913N		CCA82310XESL	
C060T		CC9925SL		CCA2320XE		CCA2400XE		CCA4920LXC		CCA82310XG	
C090T		CC9926		CCA2320XESL		CCA2400XESL		CCA4920LXE		CCA82310XGSL	
C100		CCA1100		CCA2320XG		CCA2400XESL		CCA4920LXJ		CCA82310XJ	
C10022	78	CCA1125	114	CCA2320XGSL	80	CCA2400XG	79	CCA4920LXN	73	CCA82310XJSL	
C106	77	CCA1127	114	CCA2320XJ	79	CCA2400XGSL	73	CCA4920LXR	73	CCA82310XK	
C107	77	CCA1133	115	CCA2320XJSL	80	CCA2400XGSL	79	CCA4920R	74	CCA82310XKSL	
C109		CCA1145		CCA2320XK		CCA2400XJ		CCA4920RXC		CCA82310XN	
C1418		CCA1147		CCA2320XKSL		CCA2400XJSL		CCA4920RXE		CCA82310XNSL	
C1423		CCA1149		CCA2320XN		CCA2400XJSL		CCA4920RXJ		CCA82310XR	
C1423SL		CCA1150		CCA2320XNSL		CCA2400XK		CCA4920RXN		CCA82310XRSL	
C1423SL	83	CCA1158	115	CCA2320XR	79	CCA2400XKSL	73	CCA4920RXR	73	CCA82320	
C1424	104	CCA1166	115	CCA2320XRSL	80	CCA2400XKSL	79	CCA4925L	114	CCA82320SL	
C2020SL	78	CCA1423SL	109	CCA2330	80	CCA2400XN	79	CCA4925R	114	CCA82320XC	
C2020SL		CCA210		CCA2330SL		CCA2400XNSL		CCA4930		CCA82320XCSL	
C2020XCSL		CCA210SL		CCA2330XC		CCA2400XNSL		CCA4930XC		CCA82320XE	
C2020XESL		CCA210XC		CCA2330XCSL		CCA2400XR		CCA4930XE		CCA82320XESL	
C2020XGSL		CCA210XCSL		CCA2330XE		CCA2400XRSL		CCA4930XJ		CCA82320XG	
C2020XJSL	83	CCA210XJ		CCA2330XESL		CCA2400XRSL	79	CCA4930XN	73	CCA82320XGSL	
C2020XNSL	83	CCA210XJSL	110	CCA2330XG		CCA240XC	109	CCA4930XR	73	CCA82320XJ	
C2020XRSL	83	CCA210XN		CCA2330XGSL	80	CCA240XJ	109	CCA4935	115	CCA82320XJSL	
C2040SL		CCA210XNSL		CCA2330XJ		CCA240XN		CCA4940		CCA82320XK	
02040SL		CCA210XR		CCA2330XJSL		CCA240XR		CCA4940XC		CCA82320XKSL	
C2044SL		CCA210XRSL		CCA2330XK		CCA2410SL		CCA4940XE		CCA82320XN	
C2044SL		CCA211	108	CCA2330XKSL	80	CCA2420SL	115	CCA4940XJ	73	CCA82320XNSL	
22060SL	76	CCA211SL	108	CCA2330XN	79	CCA260	111	CCA4940XN	73	CCA82320XR	
C2060SL	85	CCA220	111	CCA2330XNSL	80	CCA260XC	110	CCA4940XR	73	CCA82320XRSL	
C2120SL		CCA220SL		CCA2330XR		CCA260XJ		CCA4945		CCA82330	
2122SL		CCA220XC		CCA2330XRSL		CCA260XN		CCA81100		CCA82330SL	
2140SL		CCA220XCSL		CCA2340		CCA260XR		CCA81125		CCA82330XC	
C2144SL		CCA220XJ		CCA2340SL		CCA3400SL		CCA81127		CCA82330XCSL	
C2160SL	105	CCA220XJSL	110	CCA2340XC	79	CCA3400XCSL	110	CCA81133	115	CCA82330XE	
C3412SL	78	CCA220XN	109	CCA2340XCSL	80	CCA3400XGSL	110	CCA81145	115	CCA82330XESL	
C3412SL	87	CCA220XNSL	110	CCA2340XE	79	CCA3400XJSL	110	CCA81147	115	CCA82330XG	
C40		CCA220XR		CCA2340XESL		CCA3400XNSL		CCA81149		CCA82330XGSL	
C400T		CCA220XRSL		CCA2340XG		CCA3400XRSL		CCA81150		CCA82330XJ	
		CCA230									
C420T				CCA2340XGSL		CCA3401SL		CCA81158		CCA82330XJSL	
C44		CCA2300		CCA2340XJ		CCA3450SL		CCA81166		CCA82330XK	
C45		CCA2300SL		CCA2340XJSL		CCA3450XCSL		CCA81423SL	109	CCA82330XKSL	
347	105	CCA2300XC	79	CCA2340XK	79	CCA3450XGSL	110	CCA8210	112	CCA82330XN	
348	106	CCA2300XCSL	79	CCA2340XKSL	80	CCA3450XJSL	110	CCA8210XC	109	CCA82330XNSL	
C48XE	106	CCA2300XE	79	CCA2340XN		CCA3450XNSL	110	CCA8210XJ	109	CCA82330XR	
260		CCA2300XESL		CCA2340XNSL		CCA3450XRSL		CCA8210XN		CCA82330XRSL	
600T		CCA2300XG		CCA2340XR		CCA3500SL		CCA8210XR		CCA82340	
612		CCA2300XGSL		CCA2340XRSL		CCA3500XCSL		CCA8211		CCA82340SL	
620T		CCA2300XJ		CCA2350		CCA3500XGSL		CCA8220		CCA82340XC	
8000SL	84	CCA2300XJSL	79	CCA2350XC	73	CCA3500XJSL	110	CCA8220XC	109	CCA82340XCSL	
8000XCSL	83	CCA2300XK	79	CCA2350XE	73	CCA3500XNSL		CCA8220XJ	109	CCA82340XE	
8000XGSL		CCA2300XKSL		CCA2350XJ		CCA3500XRSL		CCA8220XN		CCA82340XESL	
8000XJSL		CCA2300XN		CCA2350XN		CCA3501SL		CCA8220XR		CCA82340XG	
8000XJSL											
		CCA2300XNSL		CCA2350XR		CCA3560SL		CCA8230		CCA82340XGSL	
8000XRSL		CCA2300XR		CCA2360		CCA3560XCSL		CCA82300		CCA82340XJ	
8006SL		CCA2300XRSL		CCA2360XC		CCA3560XGSL		CCA82300SL		CCA82340XJSL	
8007SL	87	CCA230XC	109	CCA2360XE	73	CCA3560XJSL	110	CCA82300XC	79	CCA82340XK	
8009SL	85	CCA230XJ	109	CCA2360XJ	73	CCA3560XNSL	110	CCA82300XCSL	79	CCA82340XKSL	
8102SL		CCA230XN		CCA2360XN		CCA3560XRSL		CCA82300XE		CCA82340XN	
31418		CCA230XR		CCA2360XR		CCA4900		CCA82300XESL		CCA82340XNSL	
1423SL		CCA231		CCA2370		CCA4900XC		CCA82300XG		CCA82340XR	
331		CCA2310		CCA2370XC		CCA4900XE		CCA82300XGSL		CCA82340XRSL	
360	119	CCA2310SL	81	CCA2370XE	73	CCA4900XJ	73	CCA82300XJ	79	CCA82350	
390	84	CCA2310XC	79	CCA2370XJ	73	CCA4900XN	73	CCA82300XJSL	79	CCA82350XC	
396	88	CCA2310XCSL		CCA2370XN		CCA4900XR		CCA82300XK		CCA82350XE	
397		CCA2310XE		CCA2370XR		CCA4905		CCA82300XKSL		CCA82350XJ	
398		CCA2310XESL		CCA2380		CCA4910L		CCA82300XN		CCA82350XN	
899		CCA2310XG		CCA2380XC		CCA4910LXC		CCA82300XNSL		CCA82350XR	
39922	82	CCA2310XGSL	80	CCA2380XE	79	CCA4910LXE	73	CCA82300XR	79	CCA82360	
89925SL	82	CCA2310XJ	79	CCA2380XG	79	CCA4910LXJ	73	CCA82300XRSL	79	CCA82360XC	
90		CCA2310XJSL		CCA2380XJ		CCA4910LXN		CCA8230XC		CCA82360XE	
		CCA2310XK		CCA2380XK		CCA4910LXR		CCA8230XJ		CCA82360XJ	
	144	OOUTED LOVI/	13			UV701 £4400				JUNU2JUUNJ	
900T 91	440	CCA2310XKSL	00	CCA2380XN	70	CCA4910R		CCA8230XN	400	CCA82360XN	

Obsertation 73 Obsertation 73 Obsertation 73 Obsertation 74 Obsertation 74 Obsertation 75 Obsertation	CCA8237074	CCA84920R		CCM2806XN		CCM3309SL	85	CCM8303LXR	98	CCR20020XN	
DAMPSTON 7		CCA84920RXC7									
DAMASTONIAL 73 CAM-SECONIAL 74 CAM-SECONIA											
CAMESTORIN											
CAMESSIBLE 19											
CAMESSARION											
COMESSIONE 79											
COMESSESSING											
COMESSABOUM											
CAMPSTROWN											
COMESSIONID 79											
CAMESSION 79											
COMMINISTRATION COMMINISTR				CCM301CALXE	99	CCM702	107				
CAMPAPURIS 75	CCA8240 111			CCM301CALXN	99			CCM8304RXN	98	CCR2025XKSL	83
CAMPAPHUNIS 61 CAMPAPHUNIE 73 CAMPAPHUNIE 74 CAMPAPHUNIE 75 CAMPAPHUNIE	CCA82400 80	CCA84940 7	75	CCM301CALXR	99	CCM709	107	CCM8304RXR	98	CCR2025XNSL	83
CAMES-MONTES 79 CAMES-MONTES 73 CAMES CAMES 99 CAMES CAM	CCA82400SL 75	CCA84940XC7	73	CCM301CAR	. 101	CCM800	113	CCM8305CAL	101	CCR2025XRSL	83
COMPSTANCINGS											
COMPSPEIDURS 79 CCARS-PMONR 73 COMSISTANT 99 COMMISSION 91 CORRESPOUN 91 CCARS-PMONR 95 CCARS-PMONR 96 CCARS-PMONR 97 CCARS-PMONR 109 CCARS-PMONR 98 CCARS-PMONR 99 CCARS-PMONR											
CAMPAGNORE 79											
CARASPORDES 79 CCARPTION 112 COMBOZIAL 09 COMBOZIAN 99 CO											
CARRAPORDES 79 CCARPTONOM											
CARRAPHONICS 79 CCAR7111 108 CCMS02DUE 98 CCMS0200C 83 CCMS03DCARNI 99 CCR0260T 93 CCAR2400XCS 79 CCAR21712 108 CCMS02DUE 98 CCMS02DUE 83 CCMS03DCARNI 99 CCR0260A 118 CCCCAR2400XCS 79 CCAR27132 108 CCMS02DUE 98 CCMS02DUE 83 CCMS03DCAL 101 CCR0260A 118 CCCCAR2400XCS 79 CCAR2700XCM 109 CCMS02DUE 98 CCMS02DUE 83 CCMS03DCAL 101 CCR0260A 118 CCCCAR2400XCS 70 CCAR2700XCM 109 CCMS02DUE 98 CCMS02DUE 83 CCMS03DCAL 99 CCR0200XC 77 CCAR2400XCS 79 CCAR2700XCM 109 CCMS02DUR 98 CCMS02DUE 83 CCMS03DCAL 99 CCR0200XC 77 CCAR2400XCS 79 CCAR2700XCM 109 CCMS02DUR 98 CCMS02DUR 83 CCMS03DCAL 99 CCR0200XC 77 CCAR2400XCS 79 CCAR2400XCS 70 CCAR240XCS 70 CCAR240XC											
CARSAPONICISS 73											
CARSA-QROVICS 79											
CARSAPONUS, 79 CASP132 198 CMS0GPR, 100 CMS2000U, 83 CCM8306CALXC 99 CCR00023, 77 CARSAPONUS, 79 CCASP2000 111 CCM80GPRVE, 98 CM82000U, 83 CCM8306CALXC 99 CCR00026, 77 CASPAPONUS, 79 CCASP2000 111 CCM80GPRVE, 98 CM82000U, 83 CCM8306CALXC 99 CCR00026, 77 CASPAPONUS, 79 CCASP2000 110 CCM80GPRVE, 98 CM82000U, 83 CCM8306CALXC 99 CCR00026, 77 CASPAPONUS, 79 CCASPAPONUS, 100 CM80GPRVE, 98 CM82000U, 83 CCM8306CALXC 99 CCR00026, 77 CCASPAPONUS, 79 CCASPAPONUS, 100 CM80GPRVE, 98 CM82000U, 83 CCM8306CALXC 99 CCR00026, 77 CCASPAPONUS, 79 CCASPAPONUS, 110 CCM8031 101 CCM8031 101 CCM82000U, 87 CCASPAPONUS, 79 CCASPAPONUS, 110 CCM8031 101 CCM8031 1											
CAMBAGONUSIS											
CARSAPONUS 79 CASTROOM 109 CCMSTRIKE 98 COMBREDONX 33 CCMSSGCAL 99 CCRSQCE 77											
CARBAPONNIS 73 CARSTROMN 109 CCM0302KR 98 CAM030000R 33 CCM0306CAR 101 CCR0028 77 CCR0424000N 79 CCARSTROMN 110 CCM0303 101 CCM028012 87 CCM0306CARD 99 CCR0400SL 78 CCR0400NR 79 CCARSTROMN 110 CCM0303 101 CCM028012 87 CCM0306CARD 99 CCR0400SL 78 CCR0400NR 79 CCARSTROMN 110 CCM0303 98 CCM02800CARD 99 CCR0400SL 78 CCR0400NR 79 CCARSTROMN 110 CCM0303 89 CCM02800CARD 99 CCR0400SL 78 CCR0400NR 79 CCARSTROMN 110 CCM0303 89 CCM02800CARD 99 CCR0400NR 99 C											
CCAB2400XS 79	CCA82400XK79	CCA87300 11	11	CCM302RXN	98	CCM82800XN	83	CCM8306CALXR	99	CCR30027	76
CARAS-QUONN	CCA82400XKSL 73	CCA87300XR10	09	CCM302RXR	98	CCM82800XR	83	CCM8306CAR	101	CCR30028	77
CAMARDONNSL 73											
CCAB2400NISL 79											
CCAR2400KR											
CAGA2400XRSL											
CAGA2400XFSL 79											
CCAB240XC											
CAGA240X 109											
CCAB240XN 109 CCM1419 22 CM0303RXM 98 CCM82806KC 84 CDR040 119 CCR3400XNSL .76 CCAB2410XR 109 CCM1424 104 CM0303RXR 98 CCM82806KC 83 CCR04020XC .99 CCR3400XNSL .83 CCAB2410XL 115 CCM1475 86 CCM304LXC .99 CCM82806KX 83 CCR04020XXC .97 CCR3400XNSL .83 CCAB260XL 110 CCM1495 85 CCM304LXL .99 CCM82806KX 83 CCR04020XM .97 CCR3400XNSL .83 CCAB260XL 110 CCM1495 85 CCM304LXL .99 CCM82806KX 83 CCR04023 .95 CCR340GSL .88 CCAB260XL 110 CCM1842 89 CCM304LXL .98 CCM8280GX .83 CCR04027 .93 CCR340FSL .77 CCAB260XL 110 CCM1842 89 CCM304KXL .98 CCM82815X .83 CC											
CCA8240VR											
CCAB240ISL 115 CCM1465 .86 CCM304L .100 CCM8280FKE .83 CCR04020XN .97 CCR3400XNSL .83 CCA8260 111 CCM1475 .86 CCM304LXC .98 CCM82806XN .83 CCR04022XN .97 CCR3400XNSL .85 CCA8260XC .110 CCM1495 .85 CCM304LXN .98 CCM8280KR .83 CCR04022 .95 CCR3406SL .77 CCA8260XL .110 CCM1842 .89 CCM304LXN .98 CCM8290KR .83 CCR04027 .92 CCR3406SL .77 CCA8260XL .110 CCM1844 .89 CCM304R .00 CCM82815XC .83 CCR04037 .93 CCR3407SL .77 CCA8490XC .73 CCM200X .88 CCM304RXC .98 CCM82815XC .83 CCR04037 .93 CCR3407SL .77 CCA8490XC .73 CCM200X .88 CCM304RXC .83 CCR04037 .93 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
CCA82420SL 115 CCM1475 86 CCM304LXC 98 CCM8260KX 83 CCR0402DXN 97 CCR3400XRSL 85 CCA8260C 110 CCM1485 85 CCM304LXC 98 CCM8260KN 83 CCR04022 96 CCR3400XRSL 83 CCA8260XL 110 CCM1484S 89 CCM304LXR 98 CCM8261XR 33 CCR04027 92 CCR3406SL 77 CCA8260XR 110 CCM1844SL 89 CCM304R 100 CCM8261XC 32 CCP04037 93 CCR3406SL 87 CCA8490XL 74 CCM200 88 CCM304RXC 98 CCM8261XK 83 CCR1002 118 CCR3407SL 86 CCA8490XL 73 CCM200 88 CCM304RXR 98 CCM8281XK 83 CCR10002 118 CCR3407SL 86 CCA8490XL 73 CCM200X 88 CCM304RX 98 CCM8281XK 83 CCR10002 83											
CCAB26DXC											
CCA8260XJ 110 CCM1842 89 CCM304LXR 98 CCM82615 84 CCR04007 92 CCR3406SL 88 CCA8260XN 110 CCM1843SL 89 CCM304RX 98 CCM8261XSE 83 CCR04007 93 CCR3407SL 77 CCA8260XN 110 CCM1844 89 CCM304RXC 98 CCM8261XSE 83 CCR0400 118 CCR3409SL 77 CCA84900XC 73 CCM200X 88 CCM304RXR 98 CCM82815XR 83 CCR11002 78 CCR3408SL 77 CCA84900XE 73 CCM203 86 CCM305CAL 101 CCM82815XR 83 CCR11002 78 CCR3409SL 78 CCA8490XN 73 CCM203 86 CCM305CAL 99 CCM8301CAL 01 CCR1415 90 CCR3419SL 85 CCA8490XN 73 CCM204 87 CCM305CALX 99 CCM8301CALX 99 CCR1417 90	CCA8260 111	CCM1485	85	CCM304LXE	98	CCM82806XN	83	CCR04022	96	CCR3400XRSL	83
CCA8260XN 110 CCM1844SL 89 CCM304R 100 CCM82815XC 83 CCR04037 93 CCR3407SL 77 CCA8260XR 110 CCM1844 89 CCM304RXC 98 CCM82815XE 83 CCR040R 118 CCR3407SL 76 CCA84900XC 73 CCM200XC 88 CCM304RXN 98 CCM82815XK 83 CCR100 118 CCR3408SL 77 CCA84900XL 73 CCM200XN 88 CCM304RXN 98 CCM82815XR 83 CCR100R 118 CCR3409SL 87 CCA84900XL 73 CCM200X 86 CCM305CALXC 99 CCM8215XR 83 CCR100R 118 CCR3409SL 85 CCA8490XN 73 CCM204 87 CCM305CALXC 99 CCM8301CALXC 99 CCR1415 90 CCR3412SL 78 CCA8490XR 73 CCM209 83 CCM305CALXC 99 CCM8301CALX 99 CCR1417 90 <td>CCA8260XC110</td> <td>CCM1495</td> <td>85</td> <td>CCM304LXN</td> <td> 98</td> <td>CCM82806XR</td> <td> 83</td> <td>CCR04023</td> <td> 95</td> <td>CCR3406SL</td> <td> 77</td>	CCA8260XC110	CCM1495	85	CCM304LXN	98	CCM82806XR	83	CCR04023	95	CCR3406SL	77
CCA8260XR 110 CCM1844 89 CCM304RXC 98 CCM82815XE 83 CCR040R 118 CCR3407SL 86 CCA84900X 73 CCM200X 88 CCM304RXE 98 CCM82815XN 83 CCR100 118 CCR3408SL 77 CCA84900X 73 CCM20XN 88 CCM304RXR 98 CCM82815XR 83 CCR100R 118 CCR3409SL 77 CCA84900XJ 73 CCM20XN 88 CCM305CAL 101 CCM8301CAL 99 CCM301CAL 99 CCM1414 90 CCR3409SL 76 CCA84900XN 73 CCM209 85 CCM305CALX 99 CCM301CALX 99 CCR1417 90 CCR3412SL 78 CCA8490DX 73 CCM209 85 CCM305CALX 99 CCM301CALX 99 CCR1417 90 CCR3412SL 87 CCA84910LX 73 CCM2800X 83 CCM305CALX 99 CCM301CALX 99											
CCA84900. .74 CCM200. .88 CCM304RXE .98 CCM82815XK .83 CCR100. .18 CCR3408SL .77 CCA84900XC .73 CCM200XN .88 CCM304RXN .98 CCM82815XR .83 CCR1002 .78 CCR3409SL .76 CCA84900X .73 CCM203 .86 CCM305CAL .101 CCM8301CAL .101 CCR1414 .90 CCR3409SL .85 CCA84900XN .73 CCM204 .87 CCM305CALK .99 CCM8301CALX .99 CCR1415 .90 CCR3412SL .78 CCA8490XN .73 CCM2800 .83 CCM305CALX .99 CCM8301CALX .99 CCR1417 .90 CCR3412SL .78 CCA84910L .74 CCM2800XC .83 CCM305CALX .99 CCM8301CALX .99 CCR1423SL .72 CCR8000XSL .83 CCA84910LX .73 CCM2800XS .83 CCM305CARX .99 CCM301CALX .99											
CCA84900XC .73 CCM200XC .88 CCM304RXN .98 CCM82815XN .83 CCR10022 .78 CCR340SSL .87 CCA84900XE .73 CCM200XN .88 CCM304RXR .98 CCM82815XR .83 CCR100R .18 CCR3409SL .76 CCA8490XN .73 CCM204 .87 CCM305CALX .99 CCM8301CALX .99 CCR1415 .90 CCR3412SL .78 CCA8490XN .73 CCM209 .85 CCM305CALX .99 CCM8301CALX .99 CCR1417 .90 CCR3412SL .78 CCA84905 .114 CCM2800 .83 CCM305CALX .99 CCM8301CALX .99 CCR1423 .72 CCR8000SL .87 CCA84910LX .73 CCM2800XE .83 CCM305CALX .99 CCM8301CAR .101 CCR1423SL .82 CCR8000XESL .83 CCA84910LX .73 CCM2800XE .83 CCM305CALX .99 CCM8301CAR .90 <td></td>											
CCA84900XE 73 CCM200XN 88 CCM304RXR 98 CCM82815XR 83 CCR100R 118 CCR3409SL 76 CCA84900XJ 73 CCM203 86 CCM305CAL 101 CCM8301CAL 101 CCR14114 90 CCR3409SL 85 CCA8490XR 73 CCM209 85 CCM305CALXE 99 CCM8301CALXE 99 CCR1417 90 CCR3412SL 87 CCA8490S 114 CCM200 83 CCM305CALXN 99 CCM8301CALXN 99 CCR1417 90 CCR3412SL 87 CCA84910LXC 73 CCM2800XC 83 CCM305CALX 99 CCM8301CALX 99 CCR142SL 72 CCR8000XESL 83 CCA84910LXC 73 CCM2800XG 83 CCM305CARX 99 CCM8301CARX 99 CCR1511 94 CCR8000XSSL 83 CCA84910LX 73 CCM2800XL 83 CCM305CARX 99 CCM8301CARX 99 CCR1511											
CCA84900XJ 73 CCM203 86 CCM305CAL 101 CCM8301CAL 101 CCR1414 90 CCR3409SL 85 CCA84900XR 73 CCM204 87 CCM305CALXC 99 CCM8301CALXC 99 CCR1417 90 CCR3412SL 78 CCA84900S 114 CCM2800 83 CCM305CALXN 99 CCM8301CALX 99 CCR1417 90 CCR3412SL 87 CCA84910LX 74 CCM2800XC 83 CCM305CALXN 99 CCM8301CALXR 99 CCR1423SL 72 CCR8000XCSL 83 CCA84910LXC 73 CCM2800XE 83 CCM305CAR 101 CCM3301CALXR 99 CCR1423SL 82 CCR8000XCSL 83 CCA84910LXC 73 CCM2800XL 83 CCM305CARXR 99 CCM8301CARX 99 CCR1511 94 CCR8000XHSL 83 CCA84910LXI 73 CCM2800XK 83 CCM305CARXR 99 CCM8301CARX 99											
CCA84900XN 73 CCM204 87 CCM305CALXC .99 CCM8301CALXC .99 CCR1415 .90 CCR3412SL .78 CCA8490S .73 CCM209 .85 CCM305CALXE .99 CCM8301CALXE .99 CCR1417 .90 CCR3412SL .87 CCA84910L .74 CCM2800XC .83 CCM305CALXR .99 CCM301CALXR .99 CCR1423SL .72 CCR8000XCSL .83 CCA84910LXC .73 CCM2800XE .83 CCM305CARX .99 CCM301CARX .99 CCR1423SL .22 CCR8000XCSL .83 CCA84910LXC .73 CCM2800XG .83 CCM305CARX .99 CCM301CARX .99 CCR1511 .94 CCR8000XGSL .83 CCA84910LXD .73 CCM2800XX .83 CCM305CARX .99 CCM301CARX .99 CCR1511 .94 CCR8000XNSL .83 CCA84910LXD .73 CCM2800XX .83 CCM305CARX .99 CCM301CARX											
CCA84900XR 73 CCM209 85 CCM305CALXE .99 CCM8301CALXE .99 CCR1417 .90 CCR3412SL .87 CCA84905 .114 CCM2800 .83 CCM305CALXN .99 CCM8301CALXN .99 CCR1423 .72 CCR8000XCSL .84 CCA84910LX .73 CCM2800XE .83 CCM305CARX .99 CCM8301CARX .99 CCR1423SL .72 CCR8000XCSL .83 CCA84910LX .73 CCM2800XG .83 CCM305CARX .99 CCM8301CARX .99 CCR1511 .94 CCR8000XGSL .83 CCA84910LX .73 CCM2800XI .83 CCM305CARX .99 CCM8301CARX .99 CCR1511 .94 CCR8000XHSL .83 CCA84910LX .73 CCM2800XK .83 CCM305CARX .99 CCM8301CARX .99 CCR1512 .94 CCR8000XHSL .83 CCA84910RX .73 CCM2800XR .83 CCM305CARX .99 CCM8301CARX <td></td>											
CCA84905 114 CCM2800 83 CCM305CALXN .99 CCM8301CALXN .99 CCR1423 .72 CCR8000XC .83 CCA84910LXC .73 CCM2800XC .83 CCM305CALXR .99 CCM8301CALXR .99 CCR1423SL .72 CCR8000XCSL .83 CCA84910LXC .73 CCM2800XG .83 CCM305CARXC .99 CCM8301CARXC .99 CCR1511 .94 CCR8000XSSL .83 CCA84910LXL .73 CCM2800XJ .83 CCM305CARXE .99 CCM8301CARXC .99 CCR1511 .94 CCR8000XHSL .83 CCA84910LXL .73 CCM2800XK .83 CCM305CARXE .99 CCM8301CARXE .99 CCR1511 .94 CCR8000XHSL .83 CCA84910LXR .73 CCM2800XK .83 CCM305CARXE .99 CCM8301CARXE .99 CCR1512 .94 CCR8000XKSL .83 CCA84910RXC .73 CCM2800XR .83 CCM306CALX .99 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
CCA84910L 74 CCM2800XC 83 CCM305CALXR 99 CCM8301CALXR 99 CCR1423SL 72 CCR8000XCSL 83 CCA84910LXC 73 CCM2800XG 83 CCM305CARXC 99 CCM8301CARXC 99 CCR1511 94 CCR8000XGSL 83 CCA84910LXJ 73 CCM2800XJ 83 CCM305CARXC 99 CCM8301CARXC 99 CCR1511 94 CCR8000XGSL 83 CCA84910LXJ 73 CCM2800XJ 83 CCM305CARXC 99 CCM8301CARXC 99 CCR1511 94 CCR8000XHSL 86 CCA84910LXR 73 CCM2800XK 83 CCM305CARXN 99 CCM8301CARX 99 CCR1512 94 CCR8000XHSL 83 CCA84910LXR 73 CCM2800XR 83 CCM306CAL 101 CCM8301CARX 99 CCR1512 94 CCR8000XNSL 83 CCA84910RX 73 CCM2800XR 83 CCM306CALXC 99 CCM8302LXC 98 <td></td>											
CCA84910LXC 73 CCM2800XE 83 CCM305CAR 101 CCM8301CAR 101 CCR1423SL 82 CCR8000XESL 83 CCA84910LXE 73 CCM2800XG 83 CCM305CARXC 99 CCM8301CARXC 99 CCR1511 94 CCR8000XGSL 83 CCA84910LXN 73 CCM2800XJ 83 CCM305CARXE 99 CCM8301CARXE 99 CCR1511A 94 CCR8000XHSL 86 CCA84910LXN 73 CCM2800XK 83 CCM305CARXN 99 CCM8301CARXN 99 CCR1512 94 CCR8000XHSL 83 CCA84910LXR 73 CCM2800XN 83 CCM306CALX 99 CCM8301CARXR 99 CCR1512A 94 CCR8000XNSL 83 CCA84910RX 74 CCM2800XR 83 CCM306CALXC 99 CCM8302LXC 98 CCR1515 93 CCR8000XNSL 83 CCA84910RXC 73 CCM2802 87 CCM306CALXC 99 CCM8302LXC 98 <td></td>											
CCA84910LXE 73 CCM2800XG 83 CCM305CARXC 99 CCM8301CARXC 99 CCR1511 94 CCR8000XGSL 83 CCA84910LXJ 73 CCM2800XJ 83 CCM305CARXE 99 CCM8301CARXE 99 CCR1511A 94 CCR8000XHSL 86 CCA84910LXN 73 CCM2800XN 83 CCM305CARXN 99 CCM8301CARXN 99 CCR1512 94 CCR8000XISL 83 CCA84910LXR 73 CCM2800XN 83 CCM306CALX 101 CCM8301CARXN 99 CCR1512A 94 CCR8000XISL 83 CCA84910RXC 73 CCM2800XN 83 CCM306CALXC 99 CCM8302LXC 99 CCR1515 93 CCR8000XNSL 83 CCA84910RXC 73 CCM2801 82 CCM306CALXC 99 CCM8302LXC 98 CCR1516 93 CCR8000XNSL 85 CCA84910RXD 73 CCM2803 89 CCM306CALXC 99 CCM8302LXC 98											
CCA84910LXJ 73 CCM2800XJ 83 CCM305CARXE 99 CCM8301CARXE 99 CCR1511A 94 CCR8000XHSL 86 CCA84910LXN 73 CCM2800XK 83 CCM305CARXN 99 CCM8301CARXN 99 CCR1512 94 CCR8000XLSL 83 CCA84910LXR 73 CCM2800XN 83 CCM306CAL 101 CCM8301CARXR 99 CCR1512A 94 CCR8000XKSL 83 CCA84910RXC 73 CCM2800XR 83 CCM306CAL 101 CCM8302LXC 98 CCR1515 93 CCR8000XNSL 83 CCA84910RXC 73 CCM2802 87 CCM306CALXC 99 CCM302LXE 98 CCR1516 93 CCR8000XNSL 83 CCA84910RXL 73 CCM2802 87 CCM306CALXL 99 CCM8302LXR 98 CCR1518 93 CCR8000XNSL 83 CCA84910RXL 73 CCM2804 84 CCM306CALXR 99 CCM8302LXR 98											
CCA84910LXR 73 CCM2800XN 83 CCM305CARXR 99 CCM8301CARXR 99 CCR1512A 94 CCR8000XKSL 83 CCA84910R 74 CCM2800XR 83 CCM306CAL 101 CCM8302L 100 CCR1514 94 CCR8000XNSL 83 CCA84910RXC 73 CCM2801 82 CCM306CALXC 99 CCM8302LXC 98 CCR1515 93 CCR8000XNSL 85 CCA84910RXE 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1516 93 CCR8000XNSL 85 CCA84910RXJ 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1518 93 CCR8005 119 CCA84910RXD 73 CCM2804 84 CCM306CALXE 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXD 73 CCM2804XC 83 CCM306CARX 99 CCM8302RX 98 CCR1838 <td></td>											
CCA84910LXR 73 CCM2800XN 83 CCM305CARXR 99 CCM8301CARXR 99 CCR1512A 94 CCR8000XKSL 83 CCA84910R 74 CCM2800XR 83 CCM306CAL 101 CCM8302L 100 CCR1514 94 CCR8000XNSL 83 CCA84910RXC 73 CCM2801 82 CCM306CALXC 99 CCM8302LXC 98 CCR1515 93 CCR8000XNSL 85 CCA84910RXE 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1516 93 CCR8000XNSL 85 CCA84910RXJ 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1518 93 CCR8005 119 CCA84910RXD 73 CCM2804 84 CCM306CALXE 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXD 73 CCM2804XC 83 CCM306CARX 99 CCM8302RX 98 CCR1838 <td>CCA84910LXN73</td> <td>CCM2800XK</td> <td>83</td> <td>CCM305CARXN</td> <td> 99</td> <td>CCM8301CARXN</td> <td> 99</td> <td>CCR1512</td> <td> 94</td> <td>CCR8000XJSL</td> <td> 83</td>	CCA84910LXN73	CCM2800XK	83	CCM305CARXN	99	CCM8301CARXN	99	CCR1512	94	CCR8000XJSL	83
CCA84910RXC 73 CCM2801 82 CCM306CALXC 99 CCM8302LXC 98 CCR1515 93 CCR8000XNSL 85 CCA84910RXE 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1516 93 CCR8000XRSL 83 CCA84910RXI 73 CCM2803 89 CCM306CALXR 99 CCM8302LXN 98 CCR1518 93 CCR8005 119 CCA84910RXN 73 CCM2804 84 CCM306CALXR 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXN 73 CCM2804XC 83 CCM306CARX 99 CCM8302R 100 CCR1838 102 CCR8006SL 88 CCA84915L 114 CCM2804XE 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84915R 114 CCM2804XK 83 CCM306CARXE 99 CCM3002RXC 98 CCR1841	CCA84910LXR73	CCM2800XN	83	CCM305CARXR	99			CCR1512A	94	CCR8000XKSL	83
CCA84910RXE 73 CCM2802 87 CCM306CALXE 99 CCM8302LXE 98 CCR1516 93 CCR8000XRSL 83 CCA84910RXJ 73 CCM2803 89 CCM306CALXN 99 CCM8302LXN 98 CCR1518 93 CCR8005 119 CCA84910RXN 73 CCM2804 84 CCM306CALXR 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXR 73 CCM2804XC 83 CCM306CAR 101 CCM8302R 100 CCR1838 102 CCR8006SL 88 CCA84915L 114 CCM2804XE 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84920LX 75 CCM2804XK 83 CCM306CARXE 99 CCM8302RXN 98 CCR1841 102 CCR8008SL 87 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM3002RXN 98 CCR1851	CCA84910R74	CCM2800XR	83	CCM306CAL	. 101	CCM8302L	100	CCR1514	94	CCR8000XNSL	83
CCA84910RXJ 73 CCM2803 89 CCM306CALXN 99 CCM8302LXN 98 CCR1518 93 CCR8005 119 CCA84910RXN 73 CCM2804 84 CCM306CALXR 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXR 73 CCM2804XC 83 CCM306CARXC 99 CCM8302RXC 98 CCR1838 102 CCR8005SL 88 CCA84915L 114 CCM2804XK 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84915R 114 CCM2804XK 83 CCM306CARXC 99 CCM8302RXE 98 CCR1841 102 CCR8008SL 87 CCA84920LX 75 CCM2804XK 83 CCM306CARX 99 CCM8302RXN 98 CCR1851 79 CCR8009SL 87 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXN 98 CCR1851SL <td></td>											
CCA84910RXN 73 CCM2804 84 CCM306CALXR 99 CCM8302LXR 98 CCR1528 76 CCR8005A 118 CCA84910RXR 73 CCM2804XC 83 CCM306CAR 101 CCM8302R 100 CCR1838 102 CCR8006SL 88 CCA84915L 114 CCM2804XE 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84915R 114 CCM2804XK 83 CCM306CARXE 99 CCM8302RXE 98 CCR1841 102 CCR8008SL 87 CCA84920LX 75 CCM2804XK 83 CCM306CARXN 99 CCM8302RXN 98 CCR1851 79 CCR8009SL 87 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXN 98 CCR1851SL 79 CCR8009SL 85 CCA84920LXE 73 CCM2806XE 84 CCM309 85 CCM30303L 101 CCR1851SL <td></td>											
CCA84910RXR 73 CCM2804XC 83 CCM306CAR 101 CCM8302R 100 CCR1838 102 CCR8006SL 88 CCA84915L 114 CCM2804XE 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84915R 114 CCM2804XK 83 CCM306CARXE 99 CCM8302RXE 98 CCR1841 102 CCR8008SL 87 CCA84920L 75 CCM2804XN 83 CCM306CARXN 99 CCM8302RXR 98 CCR1851 79 CCR8009SL 85 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXR 98 CCR1851SL 79 CCR8009SL 85 CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM3300SL 88 CCM8303LXC 98 CCR200											
CCA84915L 114 CCM2804XE 83 CCM306CARXC 99 CCM8302RXC 98 CCR1839 102 CCR8007SL 86 CCA84915R 114 CCM2804XK 83 CCM306CARXE 99 CCM8302RXE 98 CCR1841 102 CCR8008SL 87 CCA84920L 75 CCM2804XN 83 CCM306CARXN 99 CCM8302RXN 98 CCR1851 79 CCR8009SL 85 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXR 98 CCR1851SL 79 CCR80490 119 CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM3300SL 88 CCM8303LXC 98 CCR200 119 CCR804020XN 97 CCA84920LXN 73 CCM2806XE 83 CCM3302SL 87 CCM8303LXE 98 CCR2002											
CCA84915R 114 CCM2804XK 83 CCM306CARXE 99 CCM8302RXE 98 CCR1841 102 CCR8008SL 87 CCA84920L 75 CCM2804XN 83 CCM306CARXN 99 CCM8302RXN 98 CCR1851 79 CCR8009SL 85 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXR 98 CCR1851SL 79 CCR8040 119 CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM300SL 88 CCM8303LXC 98 CCR200 119 CCR804020XC 97 CCA84920LXN 73 CCM2806XE 83 CCM3030SL 87 CCM8303LXE 98 CCR2002 99 CCR804020XN 97											
CCA84920L 75 CCM2804XN 83 CCM306CARXN 99 CCM8302RXN 98 CCR1851 79 CCR8009SL 85 CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXR 98 CCR1851SL 79 CCR8040 119 CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM300SL 88 CCM8303LXC 98 CCR200 119 CCR804020XC 97 CCA84920LXN 73 CCM2806XE 83 CCM3030SL 87 CCM8303LXE 98 CCR20020 99 CCR804020XN 97											
CCA84920LXC 73 CCM2804XR 83 CCM306CARXR 99 CCM8302RXR 98 CCR1851SL 79 CCR8040 119 CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM3300SL 88 CCM8303LXC 98 CCR200 119 CCR804020XC 97 CCA84920LXN 73 CCM2806XE 83 CCM3302SL 87 CCM8303LXE 98 CCR20020 99 CCR804020XN 97											
CCA84920LXE 73 CCM2806 84 CCM309 85 CCM8303L 101 CCR1851SL 89 CCR804020 99 CCA84920LXJ 73 CCM2806XC 83 CCM3300SL 88 CCM8303LXC 98 CCR200 119 CCR804020XC 97 CCA84920LXN 73 CCM2806XE 83 CCM3302SL 87 CCM8303LXE 98 CCR2002 99 CCR804020XN 97											
CCA84920LXJ73 CCM2806XC83 CCM3300SL88 CCM8303LXC98 CCR200119 CCR804020XC97 CCA84920LXN73 CCM206XE83 CCM3302SL87 CCM8303LXE98 CCR200299 CCR804020XN97											
CCA84920LXN											

CCR80402395	CCR820530XN97	CCV106SL		CCV81515		CCV930XN	
CCR804026 95	CCR820532 96	CCV106SL		CCV81516		CCV930XR	
CCR804027 92	CCR820532A97	CCV108SL	77	CCV81519	86	CCV931	108
CCR804028 94	CCR820537 93	CCV108SL	87	CCV81838	103	CCV940	112
CCR80402992	CCR820537A93	CCV109SL	76	CCV81839	103	CCV940XC	110
CCR804030 99	CCR8205A118	CCV109SL	85	CCV81843		CCV940XJ	110
CCR804030XC97	CCR8222118	CCV1414		CCV81846		CCV940XN	
CCR804030XN97	CCR82221491	CCV1415		CCV81851SL		CCV940XR	
CCR804032 96	CCR822215 93	CCV1418		CCV8205		CCV950SL	
CCR804037 93	CCR822218 90	CCV1423		CCV820520		CCV950SL	
CCR8040R118	CCR822220 99	CCV1423SL	72	CCV820520XC	91	CCV950SL	113
CCR8100 118	CCR822220XC91	CCV1423SL	83	CCV820520XN	91	CCV950XCSL	83
CCR8100R118	CCR822220XN91	CCV1423SL	109	CCV820522		CCV950XCSL	111
CCR8102SL 87	CCR822222 96	CCV1424		CCV820523		CCV950XESL	
CCR8141490	CCR82222395	CCV1512		CCV820526		CCV950XESL	
CCR8141590	CCR822226 96	CCV1515		CCV820527		CCV950XGSL	
CCR81417 90	CCR822227 92	CCV1516	94	CCV820528	95	CCV950XGSL	
CCR81423SL 82	CCR822228 95	CCV1519	86	CCV820529	92	CCV950XHSL	120
CCR81511 94	CCR82222992	CCV1528	77	CCV820530	100	CCV950XJSL	83
CCR81511A94	CCR822238 102	CCV1838	103	CCV820530XC		CCV950XJSL	111
CCR8151294	CCR8225 119	CCV1839		CCV820530XN		CCV950XNSL	
CCR81512A94	CCR8225R118	CCV1843				CCV950XNSL	
				CCV820532			
CCR8151494	CCR89918 90	CCV1851		CCV820537		CCV950XRSL	
CCR8151593	CCR89919 90	CCV1851SL	79	CCV8220	120	CCV950XRSL	111
CCR81516 93	CCR89921 90	CCV1851SL	89	CCV822020	100	CCV960	112
CCR8151893	CCR89925SL 82	CCV200	120	CCV822020XC	97	CCV960XC	111
CCR81838102	CCR991890	CCV205	120	CCV822020XN		CCV960XJ	111
CCR81839102	CCR991990	CCV20520		CCV822020AN		CCV960XN	
CCR81841 102	CCR9921 90	CCV20520XC		CCV822023		CCV960XR	
CCR81845 102	CCR9925 72	CCV20520XN	91	CCV822026	96	CCV9918	90
CCR81845A102	CCR9925SL 72	CCV20522	97	CCV822027	93	CCV9919	90
CCR81846 102	CCR9925SL 82	CCV20523	95	CCV822028	95	CCV9922	82
CCR81846A102	CCV050 120	CCV20527	93	CCV822029		CCV9925	72
CCR81847 102	CCV05020 84	CCV20537		CCV831		CCV9926	
CCR81851SL 89	CCV05020XC 83	CCV220		CCV8950SL		CCW1000	
CCR8200 119	CCV05020XN83	CCV22020		CCV8950SL	113	CCW81000	
CCR820020 99	CCV05022 87	CCV22020XC	97	CCV8950XCSL	83	CCW8900L	116
CCR820020XC97	CCV05023 86	CCV22020XN	97	CCV8950XCSL	111	CCW8900R	116
CCR820020XN97	CCV05026 88	CCV22022	97	CCV8950XGSL	83	CCW8901L	116
CCR82002296	CCV05027 85	CCV22023		CCV8950XGSL		CCW8901R	
CCR82002395	CCV05028 87	CCV22027				CCW8902L	
				CCV8950XHSL			
CCR820026 96	CCV05029 85	CCV3412SL		CCV8950XJSL		CCW8902R	
CCR820027 92	CCV060 120	CCV3412SL	87	CCV8950XJSL	111	CCW8903	117
CCR820028 95	CCV06020 106	CCV4100	109	CCV8950XNSL	83	CCW8904L	117
CCR820029 92	CCV06020XE 106	CCV4100SL	109	CCV8950XNSL	111	CCW8904R	117
CCR820030 100	CCV06022 106	CCV4300		CCV8950XRSL		CCW8905	
CCR820030A100	CCV06023 105	CCV805020		CCV8950XRSL		CCW8906L	
CCR820030XC97	CCV06026 105	CCV805022		CCV89918		CCW8906R	
CCR820030XN97	CCV06028 105	CCV805023	86	CCV89919	90	CCW8907L	
CCR820032 96	CCV06029 105	CCV805026	88	CCV89922	82	CCW8907R	117
CCR820032A97	CCV10020 78	CCV805027	85	CCV9010SL	113	CCW900L	116
CCR820037 93	CCV1002278	CCV805028		CCV9011SL		CCW900R	116
CCR820037A93	CCV10023 77	CCV805029		CCV9020SL		CCW901L	
CCR8200A118	CCV10026 77	CCV8100SL		CCV910		CCW901R	
CCR82035SL 84	CCV10027 76	CCV8100SL		CCV910XC		CCW902L	
CCR82035XCSL83	CCV1002877	CCV8100XCSL	83	CCV910XCSL	111	CCW902R	
CCR82035XESL 83	CCV10029 76	CCV8100XCSL	111	CCV910XJ	110	CCW903	117
CCR82035XGSL83	CCV100SL 78	CCV8100XGSL	83	CCV910XJSL	111	CCW904L	117
CCR82035XHSL119	CCV100SL 84	CCV8100XGSL		CCV910XN		CCW904R	117
CCR82035XJSL83	CCV100SL 113	CCV8100XHSL		CCV910XNSL		CCW905	
CCR82035XKSL83	CCV100XCSL 83	CCV8100XJSL		CCV910XR		CCW906L	
CCR82035XNSL 83	CCV100XCSL 111	CCV8100XJSL		CCV910XRSL	111	CCW906R	
CCR82035XRSL83	CCV100XESL 83	CCV8100XNSL	83	CCV911	108	CCW907L	117
CCR8205 119	CCV100XESL 111	CCV8100XNSL	85	CCV911SL	72	CCW907R	117
CCR820520 91	CCV100XGSL 83	CCV8100XNSL		CCV911SL		DRS2131SL	117
CCR820520XC91	CCV100XGSL 111	CCV8100XRSL		CCV911SL		DRS82131SL	
CCR820520XN91	CCV100XHSL77	CCV8100XRSL		CCV9113L		HW30T	
CCR820522 96	CCV100XHSL 86	CCV8102SL		CCV920XC		HWRT	
CCR820523 95	CCV100XJSL 83	CCV8103SL		CCV920XCSL		LC30T	
CCR820526 95	CCV100XJSL111	CCV8106SL	88	CCV920XJ	110	LCET	
CCR820527 92	CCV100XNSL 76	CCV8108SL	87	CCV920XJSL	111	LCRT	122
CCR820528 95	CCV100XNSL83	CCV8109SL		CCV920XN		LF30T	
CCR82052992	CCV100XNSL 85	CCV8111SL		CCV920XNSL		LFET	
CCR820530 100	CCV100XNSL 111	CCV81414		CCV920XR		LFRT	
CCR820530A100	CCV100XRSL 83	CCV81415		CCV920XRSL		ZHRT	122
CCR820530AXC97	CCV100XRSL 111	CCV81418		CCV930			
CCR820530AXN97	CCV103SL 77	CCV81423SL	83	CCV930XC	110		
0.000.000.000.00	00140001	00/104 E40	0.4	0.01/0.001/ /	440		

CCV8151294

CCV930XJ.....110

Fiber-Classic_® & Smooth-Star_®

1000		2000XESL		81208PSL		81945PXE		CNRT		FC1212	162
1283		2000XG		81208SL		81945PXG		DRS2131SL		FC1289SL	
1284		2000XGSL		81225P		81945PXJ		DRS82131SL		FC131	
1285		2000XJ		81225PSL		81945PXK		FC10		FC131SL	
1286 1289		2000XJSL 2000XK		81225SL 81800P		81945PXN 81945PXR		FC100 FC1006		FC1350	
2000		2000XK		81800PSL		81946P		FC1008L		FC138 FC138XC	
2009		2000XN3L		81800SL		81946PSL		FC101		FC138XE	
2010		2000XNSL		81900PSL		81946PXC		FC101SL		FC138XG	
2050		2000XR		81918P		81946PXCSL		FC1027		FC138XJ	
2100	200	2000XRSL		81918PSL	143	81946PXE		FC1029	147	FC138XK	
2150	197	2009SL	158	81918SL	143	81946PXESL	174	FC104	148	FC138XN	154
8000		2010XC		81919P		81946PXG		FC104SL		FC138XR	154
81000		2010XE		81919PSL		81946PXGSL		FC104XC		FC1400	
81200		2010XG		81919SL		81946PXJ		FC104XE		FC1400SL	
81208		2010XJ		81921P		81946PXJSL		FC104XG		FC1402	
81225 81828		2010XK 2010XN		81921PSL 81921SL		81946PXK 81946PXKSL		FC104XJ FC104XK		FC1404 FC1408	
12101SL		2010XNSL		81928P		81946PXN		FC104XN		FC1408SL	
12101XCSL		2010XR		81928PSL		81946PXNSL		FC104XR		FC1409	
12101XESL		2050SL		81928SL		81946PXR		FC105		FC141	
12101XGSL		2050XC		81929P		81946PXRSL		FC105SL		FC141SL	
12101XJSL	156	2050XCSL	152	81929PSL	200	81947PSL	178	FC108	143	FC142	147
12101XKSL	156	2050XE		81929PXC	195	81949PSL	178	FC1089	177	FC142SL	147
12101XNSL		2050XESL		81929PXCSL		81952P		FC1089SL		FC143	
12101XRSL		2050XG		81929PXE		81952PSL		FC108SL		FC143SL	
12102SL		2050XGSL		81929PXESL		81953P		FC109		FC144	
12102XCSL		2050XJ		81929PXG		81953PSL		FC109SL		FC1442SL	
12102XESL		2050XJSL		81929PXGSL 81929PXJ		81954P 81954PSL		FC10XC FC10XE		FC147 FC147SL	
12102XGSL 12102XJSL		2050XK 2050XKSL		81929PXJSL		81955P		FC10XG		FC1475L	
12102XSL		2050XN		81929PXK		81955PSL		FC10XJ		FC148SL	
12102XNSL		2050XNSL		81929PXKSL		81956P		FC10XK		FC149	
12102XRSL		2050XR		81929PXN		81956PSL		FC10XN		FC149SL	
1283XC		2050XRSL		81929PXNSL		81957P		FC10XR		FC151	
1283XE	156	8000-12	158	81929PXR	195	81957PSL	169	FC113	145	FC156	172
1283XG	156	8000-18	158	81929PXRSL	195	81958P	170	FC113SL	145	FC16	144
1283XJ		8000-9		81932P		81958PSL		FC114		FC160	
1283XK		8000XC		81932PSL		81959P		FC114SL		FC163	
1283XN		8000XE		81933P		81959PSL		FC115		FC164	
1283XR 1284XC		8000XG 8000XJ		81933PSL 81935P		81960P 81960PSL		FC115SL FC116		FC1645 FC1646	
1284XE		8000XJ		81935PSL		81961P		FC11SL		FC1646SL	
1284XG		8000XN		81936P		81961PSL		FC1200		FC1647	
1284XJ		8000XR	155	81936PSL		81963PSL		FC1200SL		FC1651	
1284XK	154	81200P		81937P		81964P		FC1201		FC1651SL	
1284XN	154	81200PSL		81937PSL		81964PSL	176	FC1201SL	163	FC1652	151
1284XR		81200PXC	156	81938P		81967P	169	FC1202	162	FC1652SL	
1285XC	154	81200PXCSL	156	81938PSL		81967PSL	169	FC1202SL	163	FC1654	
1285XE		81200PXE		81939P		81968P		FC1203		FC1655	
1285XG		81200PXESL		81939PSL		81968PSL		FC1204		FC1656SL	
1285XJ 1285XK		81200PXG		81940P 81940PSL		81968SL		FC1204SL FC1205		FC18 FC18SL	
1285XN		81200PXGSL 81200PXJ		81941P		81971P 81971PXC		FC1205SL		FC18XC	
1285XR		81200PXJSL		81941PSL		81971PXE		FC1205XC		FC18XCSL	
1286SL		81200PXK		81942P		81971PXG		FC1205XE		FC18XE	
13101SL		81200PXKSL		81942PSL		81971PXJ		FC1205XG		FC18XESL	
18101SL	144	81200PXN	156	81943P	180	81971PXK	195	FC1205XJ	152	FC18XG	154
19020T	221	81200PXNSL	156	81943PSL	180	81971PXN	195	FC1205XK	152	FC18XGSL	154
19055T		81200PXR		81943PXC		81971PXR		FC1205XN		FC18XJ	
19080T		81200PXRSL		81943PXCSL		81974P		FC1205XR		FC18XJSL	
19200T		81200SL		81943PXE		81975P		FC1206		FC18XK	
19210T		81200XC		81943PXESL		81977P		FC1206SL		FC18XKSL FC18XN	
19220T 19520T		81200XCSL 81200XE		81943PXG 81943PXGSL		81978P 81980P		FC1207 FC1207XC		FC18XNSL	
1964P		81200XESL		81943PXJ		81981P		FC1207XE		FC18XR	
19720T		81200XG		81943PXJSL		81982P		FC1207XG		FC18XRSL	
19730T		81200XGSL		81943PXK		81983P		FC1207XJ		FC198	
19740T		81200XJ		81943PXKSL		81984P		FC1207XK		FC198SL	
19750T		81200XJSL		81943PXN		81985P		FC1207XN		FC20042	
19800T		81200XK		81943PXNSL		81986PSL		FC1207XR		FC21	
19810T		81200XKSL		81943PXR		81986SL		FC1208		FC2101	
19820T		81200XN		81943PXRSL		85901SL		FC1208SL		FC2101SL	
2000SL		81200XNSL		81944P		85919SL		FC1209		FC2102	
2000XC 2000XCSL		81200XR 81200XRSL		81944PSL 81945P		AVRT AXRT		FC1209SL FC1211		FC2106 FC2107	
2000XESL		81208P		81945PXC		BSRT		FC1211SL		FC2107 FC2108	
_000/L	100	012001	102	0 10 101 AU	177	DOI:::	441	1012110L	100	1 02 100	111

131	FC23	217	FC5710XCSL	153	FC65XE	194	FC788	181	FC8310	178	FC862203XK	208
Trigon	FC241	144	FC5710XE	152	FC65XG	194	FC789	183	FC8310SL	178	FC862203XN	208
Table			FC5710XFSI	153								
1925												
CESS_ 100 FOFTPOLS 132 FORSE 141 FORSE 142 FORSE 173 FORSE 176 FORSE 175												
CHAPTER												
CENNIS 175					FC65XR	194						
CEDYARD	-C32XC	175	FC5710XJSL	153	FC66	193	FC797	182	FC8316	178	FC86220XJ	208
CEDYARD	C32XCSL	175	FC5710XK	152	FC668	144	FC798	182	FC8318	198	FC86220XK	208
CEXAMS												
CENTAINS												
CEZEMB. 175												
CIZZUAL 175 FORZYONER 158 FORSILVE 152 FORSIZOR 298 FORSIZOR 194 FORSIZOR 205 CRIZON 175 FORZYONE 159 FORSIZOR 150 FORSIZOR												
CEMAN, 175 FORZYALL 158 FORSEAUX 152 FORSEAUX 209 FORSEAUX 154 FORSEAUX 156 FORSEAUX 157 FORSEAUX 157 FORSEAUX 157 FORSEAUX 158 FORSEAUX 157 FORSEAUX 158 FORSEAUX 157 FORSEAUX 157 FORSEAUX 157 FORSEAUX 157 FORSEAUX 158 FORSEAUX 159 FORSEAUX 150 FORSEAUX	-C32XGSL	175	FC5710XR	152	FC685L	158	FC809	219	FC8321	198	FC86242	207
CEDYMS	C32XJ	175	FC5710XRSL	153	FC685LXC	152	FC80920	209	FC8321XC	194	FC86243	205
CEDYMS	C32XJSL	175	FC5720	158	FC685LXE	152	FC809203	209	FC8321XE	194	FC86245	208
CEZDMS												
CSZUMEL 175												
CSZMRS												
CSZPRIC 779												
CEMPSIL 175 FCST20MG 152 FCRESS 158 FCRES												
CRASPYSL 198 FCS720XGSL 153 FCRESPACE 152 FCR0002XGR 208 FCR322 198 FCRESPSC 208 CRASPACS 194 FCS720XG 152 FCR0005XG 208 FCR322 198 FCRESPSC 208 CRASPACS 194 FCS720XG 152 FCR0005XG 208 FCR320XC 208 FCR320XC 194 FCR005XG 208 CRASPACS 194 FCS720XG 152 FCR0005XG 208 FCR320XC 298 FCR320XC 194 FCR005XG 208 CRASPACS 194 FCS720XG 152 FCR0005XG 208 FCR320XC 194 FCS720XG 152 CRASPACS 194 FCS720XG 152 FCR0005XG 153 FCR0005XG 153 FCR0005XG 153 FCR0005XG 154 FCR0005XG 153 FCR0005XG 154 FCR0005XG 154 FCR0005XG 154 FCR0005XG 155 FCR0005XG 154	C32XR	175	FC5720XESL	153	FC685LXR	152	FC809203XK	208	FC8321XR	194	FC86254	207
CHAPTSL. 198 FOXTOWGSL. 153 FORSISTIC. 152 FORSISTIC. 208 FORSIZA 198 FORSIZA CHAPTSL. 2024 FORSISTIC. 152 FORSISTIC. 208 FORSIZA 198 FORSIZA CHAPTSL. 2024 FORSISTIC. 208 FORSIZA 198 FORSISTIC. 208 FORSIZA 198 FORSISTIC. 208 FORSIZA 198 FORSISTIC. 208 FORSIZA 198 FORSISTIC. 208 FORSIZA 209 FORSIZA 200 F	C32XRSL	175	FC5720XG	152	FC685R	158	FC809203XN	208	FC8322	198	FC86255	206
CARRYESS 194 FCS720XI. 152 FORSENW. 152 FORSENW. 208 FCR324X. 198 FCR850DI. 15 CARRYESS 194 FCS720XIS. 152 FORSENW. 152 FORSENW. 208 FCR322X. 194 FCR850SS 208 FCR322X. 194 FCR850SI. 194 FCR850SI. 152 FCR850SW. 208 FCR322X. 194 FCR850SI. 153 FCR850SW. 152 FCR850SW. 208 FCR322X. 194 FCR850SI. 153 FCR850SW. 152 FCR850SW. 208 FCR322X. 194 FCR850SI. 153 FCR850SW. 153 FCR850SW. 154 FCR850SW. 155	C3487SI	198							FC8323	198	FC86256	206
CARRYING. 194 FCST20U.S. 153 FCRESTON. 512 FG00920K: 208 FCR322K. 194 FCRESTON. 512 FC00920K: 208 FCR322K. 194 FCRESTON. 513 FC00910K: 512 FC00920K: 208 FCR322K. 194 FC00920K: 208 FC00920K: 20												
CS487/MSL 194 FEST/200K 152 FOBSPRIK 152 FOBSPRIK 152 FOBSPRIK 152 FOBSPRIK 152 FOBSPRIK 154 FOSS/200K 154 FOSS/200K 155 FOBSPRIK 155 FOBSPRIK 154 FOSS/200K 194 FOBSS/200K 156 FOSS/200K 194 FOBS/200K 194 FOBS/200K 156 FOSS/200K 194 FOBS/200K 194 FOBS												
C3487/MSL 194 FC57200MSL 153 FC885RW 152 FC805200M 208 FC823Z/M 194 FC966606 19 19 19 19 19 19 19 1												
CSASTANUS. 194												
CSABFONSL 194	C3487XJSL	194	FC5720XKSL	153	FC685RXK	152	FC80920XJ	208	FC832XG	194	FC86536	192
C3487/KSL 194	C3487XKSL	194							FC832XJ	194	FC86550	15°
C3487/RSL 194 FC5720/RS 152 FC981 158 FC906941 208 FC8320/K 194 FC96860/L 19 C38 145 FC5720/RSL 149 FC9081/K 152 FC80941 208 FC8320/K 149 FC987/K 21 C38 167 FC572/SL 149 FC9081/K 152 FC80943 207 FC8629 171 FC9687/L 21 C45SL 158 FC574 149 FC987/L 152 FC80943 205 FC85454 171 FC9687/L 21 C45SL 158 FC574 149 FC987/L 152 FC80945 208 FC8570/L 152 FC9687/L 171 FC9688/L 171 FC9687/L 171 FC9688/L 171 FC96												
C398												
C38.												
C3SSL 168 PG57SL 149 FC981X0 152 FC90943 205 FC884SL 171 FC968680 177 C44SL 185 FG574 149 FC981X1 152 FC90945 206 FC8870X0 152 FC8680SL 177 C44SL 193 FC861 190 FC981XN 152 FC80947 207 FC8870X0 152 FC8678 199 C46SL 185 FC68SSL 190 FC981XN 152 FC80947 207 FC8870X0 152 FC8678 199 C46SL 144 FC80 219 FC981XR 152 FC80947 207 FC8870X0 152 FC8678 199 C46SL 144 FC80 129 FC981XR 152 FC80952 206 FC8870XK 152 FC8678 199 C46SL 166 FC8090 147 FC7V4 216 FC80953 206 FC8870XK 152 FC8678 199 C47XSL 156 FC8090 147 FC7V4 215 FC80953 206 FC8870XK 152 FC868SL 159 C47XSL 156 FC8090 149 FC708 216 FC80953 206 FC8870XK 152 FC868SL 159 C47XSL 156 FC8090 149 FC708 182 FC80955 206 FC8870XK 152 FC868SL 155 C47XSL 156 FC61X 218 FC70 182 FC80956 206 FC8870XK 152 FC868SLX 155 C47XSL 156 FC61X 218 FC710 183 FC8095 206 FC8870XK 152 FC868SLX 155 C47XSL 156 FC61X 218 FC710 183 FC8095 206 FC8870XK 152 FC868SLX 155 C47XSL 156 FC61X 218 FC710 183 FC818SL 146 FC88710 158 FC88SLX 155 C47XSL 156 FC61X 218 FC713 182 FC713 182 FC713 182 FC808SL 146 FC88SLX 155 C47XSL 156 FC61X 218 FC713 182 FC713 182 FC818SL 156 FC88710 158 FC88SLX 155 C47XSL 156 FC61X 218 FC713 218 FC714 181 FC914 144 FC88710XE 152 FC88SLX 155 C47XSL 157 FC61X 218 FC713 216 FC818SL 159 FC88710X 152 FC88SLX 155 C47XSL 158 FC61X 218 FC713 215 FC8141 209 FC88710XL 152 FC88SLX 155 C47XSL 158 FC61X 218 FC713 215 FC8141 209 FC88710XL 152 FC88SLX 155 C47XSL 158 FC61X 218 FC715 215 FC8141 209 FC88710XL 152 FC88SLX 155 C47XSL 158 FC61XL 218 FC715 215 FC8141 209 FC88710XL 152 FC88SSLX 155 C47XSL 158 FC61XL 218 FC715 216 FC8144 198 FC88710XL 152 FC88SSLX 155 C47XSL 158 FC61XL 218 FC775 216 FC8144 198 FC88710XL 152 FC88SSLX 155 C47XSL 158 FC61XL 218 FC775 216 FC8144 198 FC88710XL 152 FC88SSLX 155 C47XSL 158 FC61XL 218 FC775 216 FC8144 198 FC88710XL 152 FC88SSNX 155 C47XSL 158 FC61XL 218 FC775 216 FC8144 198 FC88710XL 152 FC88SSNX 155 C47XSL 158 FC61XL 218 FC775 216 FC8144 198 FC88710XL 152 FC88SSNX 155 C47XSL 158 FC61XL 218 FC775 216 FC8145 219 FC88710XL 152 FC88SSNX 155 C47XSL 158 FC61XL 218 FC775												
CASSL 185 FG74 149 FG691XL 152 FG6945 208 FG65700. 158 FG6650SL 17 CASSL 193 FG681 190 FG691XL 152 FG6947 207 FG55700C 152 FG667SL 19 CASS 185 FG683SL 190 FG691XL 152 FG6944 207 FG55700C 152 FG667SL 19 CASS 185 FG683SL 190 FG691XL 152 FG6944 207 FG55700C 152 FG667SL 19 FG685XL 186 FG693 144 FG60 219 FG691XL 152 FG6964 206 FG55700C 152 FG667SL 19 FG67SL 186 FG6963 147 FG704 216 FG6965 206 FG55700C 152 FG667SL 19 CAYXSL 156 FG6964 148 FG707 215 FG69654 207 FG55700C 152 FG668SL 15 CAYXSL 156 FG6964 148 FG707 215 FG69654 207 FG55700C 152 FG686SL 15 CAYXSL 156 FG696 148 FG707 215 FG69655 206 FG55700C 152 FG686SL 15 CAYXSL 156 FG696 149 FG708 216 FG90655 206 FG55700C 152 FG686SL 15 CAYXSL 156 FG69 C68 FG67 20 FG67	C38	167	FC572SL	149	FC691XE	152	FC80942	207	FC8529	171	FC86570	217
CHASL 193 FCS81 190 FCS81W 152 FC30947 207 FC85700XC 152 FC8678 19 CAS 185 FCS83SL 190 FCS91W 152 FC30949 207 FC85700XC 152 FC8678 19 CAS 144 FCS0 219 FCS91W 152 FC30949 207 FC85700XC 152 FC8678 19 CAS 166 FCS003 147 FC704 216 FC80985 206 FC85700XL 152 FC8678 15 CATXCSL 156 FCS093 147 FC704 216 FC80985 206 FC85700XL 152 FC8685 15 CATXCSL 156 FC8094 148 FC707 215 FC80985 206 FC85700XL 152 FC8686LXC 15 CATXCSL 156 FC8094 149 FC708 216 FC80985 206 FC85700XN 152 FC8686LXC 15 CATXCSL 156 FC61X 218 FC708 216 FC80995 206 FC85700XN 152 FC8686LXC 15 CATXCSL 156 FC61X 218 FC712 183 FC80985 150 FC85710 149 FC8686LXC 15 CATXCSL 156 FC61X 218 FC712 183 FC80985 150 FC85710 149 FC8686LXC 15 CATXCSL 156 FC61X 218 FC712 183 FC80985 150 FC85710 149 FC8686LXC 15 CATXCSL 156 FC61X 218 FC712 182 FC813SL 150 FC85710 158 FC8686LX 15 CATXCSL 156 FC61X 218 FC712 215 FC814 120 FC85710 152 FC8686LX 15 CATXCSL 156 FC61X 218 FC712 215 FC814 209 FC85710XC 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC712 215 FC814 209 FC85710XC 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC735 216 FC814 198 FC85710X 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC736 216 FC8144 198 FC85710X 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC735 216 FC8145 198 FC85710X 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC735 216 FC8145 198 FC85710X 152 FC8686LX 15 CARCSL 195 FC61XM 218 FC735 216 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC755 216 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC755 216 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC755 146 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC755 146 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC755 146 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC758 146 FC8145 199 FC85710X 152 FC8686LX 15 CARCSL 195 FC62X 195 FC758 146 FC8145 199 FC85720X 152 FC8686LX 15 CARCSL 197 FC86X 197 FC768 198 FC766X 197 FC8145 199 FC85720X 152 FC8686LX 15 CARCSL 197 FC86X 197 FC768 198 FC766X 197 FC8165 199 FC85720X 152 FC8686LX 15 CARCSL 197 FC86X 197 FC768 198 FC766X 197 FC8686 198 FC868	C38SL	168	FC573SL	149	FC691XG	152	FC80943	205	FC8545SL	171	FC86580	172
CHASL 193 FCS81 190 FCS91W 152 FC80947 207 FC8570WC 152 FC8678R 19 CAGS 185 FCS8SS 190 FCS91W 152 FC80949 207 FC8570WG 152 FC8678 19 CAGS 144 FCS0 219 FCS91W 152 FC80982 206 FC8570WG 152 FC8678 19 CASS 166 FCS093 147 FC704 216 FC80982 206 FC8570WG 152 FC8678 15 CAYXSS 156 FC8094 148 FC707 215 FC80985 206 FC8570WG 152 FC8685W 15 CAYXSS 156 FC8094 149 FC708 215 FC80985 206 FC8570WM 152 FC8686W 15 CAYXSS 156 FC8094 149 FC708 215 FC80985 206 FC8570WM 152 FC8686W 15 CAYXSS 156 FC609 149 FC708 216 FC80985 206 FC8570WM 152 FC8686W 15 CAYXSS 156 FC61W 218 FC709 182 FC80985 206 FC8570WM 152 FC8686W 15 CAYXSS 156 FC61W 218 FC712S 198 FC812S 150 FC8571 149 FC8680W 15 CAYXSS 156 FC61W 218 FC712S 198 FC812S 150 FC8571 149 FC8680W 15 CAYXSS 156 FC61W 218 FC712S 198 FC812S 150 FC85710W 152 FC8680W 15 CAYXSS 156 FC61W 218 FC712 215 FC8141 209 FC85710W 152 FC8680W 15 CAYXSS 156 FC61W 218 FC712 215 FC8141 209 FC85710W 152 FC8680W 15 CAXSS 199 FC61W 218 FC721 215 FC8141 209 FC85710W 152 FC8686W 15 CARSS 195 FC61W 218 FC738 216 FC738 198 FC85710W 152 FC8686W 15 CAWSS 195 FC61W 218 FC738 216 FC8149 199 FC85710W 152 FC8686W 15 CAWSS 195 FC62W 195 FC75S 216 FC8149 199 FC85710W 152 FC8686W 15 CAWSS 195 FC62W 195 FC75S 216 FC8149 199 FC85710W 152 FC8686W 15 CAWSS 195 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 195 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 195 FC75S 146 FC814 147 FC85720W 152 FC8686W 15 CAWSS 196 FC62W 197 FC76W 197 FC814 149 FC8670W 152 FC8686W 15 CAWSS 196 FC66W 197 FC76W 197 FC814 149 FC8670W 152 FC8686W 15 CAWSS 196 FC66W 197 FC76W 1	C43SI	185	FC574	149	FC691X.I	152	FC80945	208	FC85700	158	FC86580SI	175
CASS. 186 FCS8SSL 190 FCS9NN 152 FC30049 207 FCS5700XE 152 FCS678NL 190 FCSS 144 FCS0 219 FCS9NN 152 FCS0852 206 FCS5700XI 152 FCS678NL 190 FCX7XSL 166 FCS093 147 FC70A 216 FCS0953 206 FCS5700XI 152 FCS68SL 15 FCX7XSL 156 FCS093 148 FC707 215 FCS0854 207 FCS5700XI 152 FCS68SL 15 FCX7XSL 156 FCS095 149 FC708 216 FCS0955 206 FCS5700XI 152 FCS68SLX 15 FCX7XSL 156 FCS095 149 FC709 182 FCS0955 206 FCS5700XI 152 FCS68SLX 15 FCX7XSL 156 FCS09 149 FC709 182 FCS0955 206 FCS5700XI 152 FCS68SLX 15 FCX7XSL 156 FCS1X 218 FC710 183 FCS0951 150 FCS571 149 FCS68SLX 15 FCX7XSL 156 FCS1X 218 FC713 182 FCS0951 150 FCS5710 158 FCS68SLX 15 FCX7XSL 156 FCS1X 218 FC713 182 FCS13SL 156 FCS170 158 FCS8SLX 15 FCX7XSL 156 FCS1X 218 FC713 182 FCS13SL 156 FCS170 152 FCS8SLX 15 FCX7XSL 156 FCS1X 218 FC713 182 FCS13SL 156 FCS170 152 FCS8SLX 15 FCX7XSL 156 FCS1X 218 FC713 181 FCS14 144 FCS5710 152 FCS8SLX 15 FCXXXSL 156 FCS1X 218 FC713 181 FCS14 144 FCS5710 152 FCS8SLX 15 FCXXXSL 195 FCS1X 218 FC725 216 FCS144 198 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS1X 218 FC735 216 FCS144 198 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCXXXSL 195 FCS2 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS2 195 FCS2 200 FCX74 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS50 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS8SSX 15 FCS50 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS50 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS8SSX 15 FCS50 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS6SSX 15 FCS50 195 FC755 216 FCS145 199 FCS5710 152 FCS8SSX 15 FCS6SSX 15 FCC56SX 15 FCC6SSX 15 FCC6SSX 15 FCC6SSX												
CARSI. 144 FC60. 219 FC6891XR 152 FC68962. 206 FC6870XXX 152 FC6876XL 194 FC77XL 216 FC68093. 147 FC774. 216 FC68095. 206 FC6870XXX 152 FC68685LX 15 FC67XXSL 156 FC6005. 148 FC707. 215 FC68095. 206 FC6870XXX 152 FC68685LX 15 FC67XXSL 156 FC6005. 149 FC708. 216 FC80956. 206 FC6870XXX 152 FC68681XK 15 FC67XXSL 156 FC67XXSL 218 FC709. 182 FC68096. 206 FC6870XXX 152 FC68681XK 15 FC67XXSL 156 FC67XXSL 218 FC710. 183 FC68095. 150 FC68770. 158 FC68861XX 15 FC67XXSL 156 FC67XX 218 FC713. 182 FC8965L 150 FC68770. 158 FC68681XX 15 FC67XXSL 156 FC67XX 218 FC713. 182 FC87XSSL 150 FC68770. 152 FC68681XX 15 FC67XXSL 156 FC67XX 218 FC714. 181 FC874 209 FC68770X 152 FC68681XX 15 FC67XXSL 156 FC67XX 218 FC714. 181 FC874 209 FC68770X 152 FC68681XX 15 FC68XSL 200 FC67XX 218 FC721. 215 FC6144. 209 FC68770XX 152 FC68681X 15 FC68XSL 195 FC67XX 218 FC736. 215 FC6145. 198 FC68770XX 152 FC68687X 15 FC68XSL 195 FC67XX 218 FC736. 215 FC6145. 198 FC68770XX 152 FC68687X 15 FC68XSL 195 FC68XSL												
CATSL 166 FOGO03.												
CHYNESI. 156 FC6094. 148 FC707. 215 FC80954. 207 FC85700Xh. 152 FC8688LXC. 15 FC47XSSI. 156 FC6095. 149 FC708. 216 FC80955. 206 FC85700Xh. 152 FC868SLXC. 15 FC47XSSI. 156 FC611. 218 FC709. 182 FC80856. 206 FC85700Xh. 152 FC868SLXG. 15 C47XSSI. 156 FC61XC. 218 FC710. 183 FC809SSI. 150 FC85710. 158 FC868SLXG. 15 FC87XSII. 156 FC61XC. 218 FC713. 182 FC89SSII. 150 FC85710. 158 FC868SLXG. 15 FC47XSII. 156 FC61XC. 218 FC713. 182 FC813SI. 150 FC85710. 158 FC868SLXG. 15 FC47XSII. 156 FC61XG. 218 FC713. 182 FC813SI. 150 FC85710. 152 FC868SLXG. 15 FC47XSII. 156 FC61XG. 218 FC713. 182 FC813SI. 150 FC85710. 152 FC868SLXG. 15 FC47XSII. 156 FC61XG. 218 FC713. 182 FC813SI. 150 FC85710XC. 152 FC868SLXG. 15 FC47XSII. 156 FC61XII. 218 FC714. 181 FC814. 144 FC86710XC. 152 FC868SLXG. 15 FC88SSLXG. 15 FC84SSI. 200 FC61XIX. 218 FC721. 215 FC8141. 209 FC85710XG. 152 FC868SRX. 15 FC84SSI. 195 FC81XII. 218 FC736. 216 FC8144. 188 FC86710XI. 152 FC868SRX. 15 FC84SSI. 195 FC81XII. 218 FC736. 215 FC8145. 188 FC85710XI. 152 FC868SRXG. 15 FC84SSI. 195 FC822. 200 FC745. 216 FC814SSI. 195 FC825. 150 FC825. 216 FC814SSI. 195 FC825. 150 FC825. 216 FC814SSI. 195 FC825. 150 FC825. 216 FC814SSI. 195 FC825. 216 FC814SSI. 195 FC825. 216 FC84SSI. 195 FC825. 216 FC814SSI. 195 FC825. 216 FC825. 216 FC814SSI. 195 FC825. 216 FC8			FC60	219							FC8678SL	196
CATYSESL 156 FC6095 149 FC708 216 FC80955 206 FC85700XN 152 FC8685LXE 15 CATYAGSL 156 FC61 218 FC709 182 FC809556 206 FC85700XR 152 FC8685LXG 15 CATYAUSL 156 FC81XC 218 FC710. 183 FC809SL 150 FC8571 149 FC8685LXJ 15 CATYAUSL 156 FC81XC 218 FC712SL 198 FC809556 206 FC85710X 158 FC8685LXJ 15 CATYAUSL 156 FC81XC 218 FC712SL 198 FC813SL 150 FC85710X 152 FC8685LXJ 15 CATYAUSL 156 FC61XG 218 FC713. 182 FC813SL 150 FC85710X 152 FC8685LXJ 15 CATYAUSL 156 FC61XL 218 FC714 181 FC814 144 FC85710XC 152 FC8685LXJ 15 CATYAUSL 156 FC61XL 218 FC712 215 FC814L 209 FC61XL 152 FC8685LXJ 15 CATYAUSL 156 FC61XL 218 FC712 215 FC814L 209 FC61XL 152 FC8685LXJ 15 CAUSL 195 FC61XL 218 FC725 216 FC814L 198 FC85710XL 152 FC8685LXJ 15 CAUSL 195 FC61XL 218 FC735 216 FC814L 198 FC85710XL 152 FC8685LXJ 15 CAUSL 195 FC61XL 218 FC735 216 FC814SL 199 FC85710XL 152 FC8685RXC 15 CAUSL 195 FC62 200 FC745 216 FC814SSL 199 FC85710XL 152 FC8685RXC 15 CAUSL 195 FC62 200 FC745 216 FC814SSL 199 FC85710XL 152 FC8685RXC 15 CAUSL 195 FC62 200 FC745 216 FC814SSL 199 FC85710XL 152 FC8685RXC 15 CAUSL 195 FC62 200 FC752 216 FC814SSL 199 FC85710XL 152 FC8685RXC 15 CAUSL 195 FC62 200 FC752 216 FC814SSL 149 FC85710XL 152 FC8685RXL 15 CAUSL 195 FC62 200 FC752 216 FC814SSL 145 FC86570XL 152 FC8685RXL 15 CAUSL 195 FC62 200 FC752 216 FC814SSL 145 FC86570XL 152 FC8685RXL 15 CAUSL 195 FC758 146 FC814SSL 145 FC86570XL 152 FC8685RXL 15 FC64XSL 195 FC62XL 195 FC758 146 FC814SL 145 FC86720XL 152 FC8685RXL 15 FC6685RXL 15 FC667 200 FC752 216 FC814SSL 145 FC86720XL 152 FC8685RXL 15 FC667 200 FC752 216 FC814SSL 145 FC86720XL 152 FC8685RXL 15 FC667 200 FC752 216 FC814SSL 145 FC86720XL 152 FC8685RXL 15 FC768 1187 FC761SL 188 FC8164SL 177 FC85720XL 152 FC8685RXL 15 FC768 1187 FC761SL 188 FC8164SL 177 FC85720XL 152 FC8685RXL 15 FC768 1187 FC765XL 176 FC8165SL 177 FC85720XL 152 FC8685RXL 15 FC765XL 176 FC816XL 177 FC86720XL 152 FC8685RXL 15 FC766XL 175 FC766XL 175 FC8165SL 151 FC86720XL 152 FC8685RXL 151 FC766XL 175 FC8165XL 174 FC86720XL 29 FC8720XL 15 FC766XL 175 FC816XL 174 FC86	C47SL	166	FC6093	147	FC704	216	FC80953	206	FC85700XJ	152	FC8685L	158
CATYLESL 156	C47XCSL	156	FC6094	148	FC707	215	FC80954	207	FC85700XK	152	FC8685LXC	152
CHYMISS	C47XESI	156			FC708	216			FC85700XN	152	FC8685I XF	153
CATYLISL 1.56												
CATYMINS												
C47MSIL 1.56												
CATMENS	C47XKSL	156	FC61XE	218	FC7125SL	198	FC812SL	146	FC85710	158	FC8685LXK	152
CABRISL 200	C47XNSL	156	FC61XG	218	FC713	182	FC813SL	150	FC85710XC	152	FC8685LXN	152
CABRISL 200	C47XRSL	156	FC61XJ	218	FC714	181	FC814	144	FC85710XE	152	FC8685LXR	152
CABANCSL 195					FC721	215	FC8141	209				
CABKESL 195												
CABKAGSL 195												
C48KXSL												
C48KKSL					FC745	216	FC8145SL	199	FC85710XN	152	FC8685RXG	152
C48XNSL	C48XJSL	195	FC626	150	FC752	216	FC8149	191	FC85710XR	152	FC8685RXJ	152
C48XNSL	C48XKSL	195	FC62XC	195	FC755	219	FC814SL	145	FC85720	158	FC8685RXK	152
C48XRSL 195												
FCSOT CSOT FC62XJ 195												
CGS29												
C5425												
FC62425SL 176	C529	171	FC62XK	195	FC761SL	188	FC81646	173	FC85720XJ	152	FC8691XC	152
FC62425SL 176	C5425	176	FC62XN	195	FC764	169	FC81646SL	173	FC85720XK	152	FC8691XE	152
FC653												
FC6545SL												
FC6700												
CC5700XC												
FC6700XC	C5700	158	FC63XGSL	194	FC766XC	175	FC81652SL	151	FC8574	149	FC8691XR	15
FC6700XC	C5700SL	159					FC81653	193	FC8579	190	FC8704	216
FC5700XCSL 153 FC63XNSL 194 FC766XJ 175 FC81654SL 193 FC8583SL 190 FC8708. 21												
C5700XE												
C5700XESL 153 FC65. 198 FC766XN 175 FC817. 145 FC861 218 FC8735. 21 C5700XG 152 FC6500 151 FC766XR 175 FC817SL 147 FC861XC 218 FC8736. 21 C5700XGSL 153 FC6500SL 151 FC769 169 FC818SL 148 FC861XE 218 FC8745. 21 C5700XJL 152 FC6534 208 FC770 167 FC82 177 FC861XG 218 FC8752 21 C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC8867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 FC5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 FC5700XN 152 FC656SSL 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 FC5700XNSL 153 FC6570 192 FC776 170 FC828 162 FC861XR 218 FC8972 20 FC5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 FC8700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 FC5700XRSL 153 FC6570 183 FC779 171 FC82XG 174 FC862203XC 209 FC901SL 18 FC5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XG 208 FC902SL 16 FC5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC65710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC65710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC65710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC65710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC65710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC6710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC6710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16 FC6710SL 16 FC6710SL 16 FC6710SL 16 FC6710SL 16 FC6710SL												
C5700XG 152 FC6500 151 FC766XR 175 FC817SL 147 FC861XC 218 FC8736 21 C5700XGSL 153 FC6500SL 151 FC769 169 FC818SL 148 FC861XE 218 FC8745 21 C5700XJ 152 FC6534 208 FC770 167 FC82 177 FC861XG 218 FC8752 21 C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC8867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 C5700XNSL 153 FC656SL 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 C5700XNSL 153 FC6570 217 FC777 169 FC828C <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
C5700XGSL 153 FC6500SL 151 FC769 169 FC818SL 148 FC861XE 218 FC8745 21 C5700XJ 152 FC6534 208 FC770 167 FC82 177 FC861XG 218 FC8752 21 C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC8867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XK 218 FC8971 19 C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8971 19 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900SL 14 C5700XRSL 153 FC6576 183 FC778 170 FC82XE 17	C5700XESL	153	FC65	198	FC766XN	175	FC817	145	FC861	218	FC8735	21
C5700XGSL 153 FC6500SL 151 FC769 169 FC818SL 148 FC861XE 218 FC8745 21 C5700XJ 152 FC6534 208 FC770 167 FC82 177 FC861XG 218 FC8752 21 C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC8867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XK 218 FC8971 19 C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8971 19 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900SL 14 C5700XRSL 153 FC6576 183 FC778 170 FC82XE 17	C5700XG	152	FC6500	151	FC766XR	175	FC817SL	147	FC861XC	218	FC8736	21
C5700XJ 152 FC6534 208 FC770 167 FC82 177 FC861XG 218 FC8752 21 C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC8867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XK 218 FC8971 19 C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8971 19 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XNSL 153 FC6576 183 FC778 170 FC82XC 174 FC86220 209 FC900SL 14												
C5700XJSL 153 FC6550 151 FC772 167 FC820 149 FC861XJ 218 FC867SL 19 C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XK 218 FC89701 19 C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8971 20 C5700XNSL 153 FC6570 217 FC777 169 FC828 162 FC861XR 218 FC8972 20 C5700XNSL 153 FC6576 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XRSL 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XG 174 FC862203C 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XC 208 FC902SL 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16												
C5700XK 152 FC6550SL 151 FC773 168 FC821 148 FC861XK 218 FC89701 19 C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 C5700XNS 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8972 20 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XRSL 152 FC6576 183 FC778 170 FC82XE 174 FC862 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XE 174 FC862203 209 FC901SL 18 C571 149 FC6580 172 FC780 171 FC82XL 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 </td <td></td>												
C5700XKSL 153 FC6560 192 FC775 168 FC822 144 FC861XN 218 FC8971 19 C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8972 20 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XG 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174												
C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8972 20 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XG 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16	C5700XK	152			FC773	168			FC861XK	218	FC89701	19
C5700XN 152 FC6565SL 192 FC776 170 FC828 162 FC861XR 218 FC8972 20 C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XG 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16	C5700XKSL	153	FC6560	192	FC775	168	FC822	144	FC861XN	218	FC8971	19
C5700XNSL 153 FC6570 217 FC777 169 FC82XC 174 FC862 219 FC900 14 C5700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XE 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16												
C5700XR 152 FC6576 183 FC778 170 FC82XE 174 FC86220 209 FC900SL 14 C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XE 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16												
C5700XRSL 153 FC6577 183 FC779 171 FC82XG 174 FC862203 209 FC901 18 C571 149 FC6580 172 FC780 171 FC82XJ 174 FC862203XC 208 FC901SL 18 C5710 158 FC6580SL 172 FC784 183 FC82XK 174 FC862203XE 208 FC902 16 C5710SL 159 FC6582 172 FC785 181 FC82XN 174 FC862203XG 208 FC902SL 16												
C571												
C571	C5700XRSL	153	FC6577	183	FC779	171	FC82XG	174	FC862203	209	FC901	187
C5710												
C5710SL159 FC6582												
C5710XC		159	rubb82	1/2	ru/ ช5	181	FU8∠XN	1/4	ruoo2203XG	208	FU9025L	169
			FOOFICE		E0767		FOOCYD	a	FOOCOCCC		F000=	

FC905SL	147	FCM1206SL	157	FCM147SL	170	FCM369	145	FCM6030	189	FCM6126XCSL	154
FC906	188	FCM1208	161	FCM148	150	FCM38	167	FCM6031	186	FCM6126XESL	154
FC906SL		FCM1209		FCM149		FCM38SL	167	FCM6032	184	FCM6126XJSL	
FC907	170	FCM12101SL		FCM149SL		FCM45		FCM6035		FCM6126XNSL	154
FC907SL		FCM12101XCSL		FCM150		FCM45SL		FCM6036		FCM6126XRSL	
FC910		FCM12101XESL		FCM151		FCM4810		FCM604		FCM61XC	
FC910SL		FCM12101XGSL		FCM156		FCM4810XC		FCM6041		FCM61XE	
FC911		FCM12101XJSL		FCM16		FCM4810XE		FCM6041XC		FCM61XG	
FC911SL		FCM12101XKSL		FCM160		FCM4810XJ		FCM6041XE		FCM61XJ	
FC912		FCM12101XNSL		FCM163		FCM4810XN		FCM6041XG		FCM61XK	
FC912SL		FCM12101XRSL		FCM164		FCM4810XR		FCM6041XJ		FCM61XN	
FC915 FC916		FCM12102SL FCM12102XCSL		FCM1645 FCM1646SL		FCM4812 FCM4812XC		FCM6041XK FCM6041XN		FCM61XR FCM62	
FC917		FCM12102XESL		FCM1647		FCM4812XE		FCM6041XR		FCM6201SL	
FC917		FCM12102XGSL		FCM1650		FCM4812XJ		FCM6042		FCM6240	
FC925		FCM12102XJSL		FCM1651		FCM4812XN		FCM6042XC		FCM626	
FC92SL		FCM12102XKSL		FCM1651SL		FCM4812XR		FCM6042XE		FCM62SL	
FC92XC		FCM12102XNSL		FCM1652		FCM4813		FCM6042XG		FCM62XC	
FC92XCSL		FCM12102XRSL		FCM1654		FCM4813XC		FCM6042XJ		FCM62XCSL	
FC92XE		FCM1211		FCM1656		FCM4813XE		FCM6042XK		FCM62XE	
FC92XESL		FCM1212		FCM1656SL		FCM4813XJ		FCM6042XN		FCM62XESL	
FC92XG	174	FCM124	204	FCM1658		FCM4813XN		FCM6042XR	194	FCM62XG	195
FC92XGSL	174	FCM125	205	FCM18	161	FCM4813XR	211	FCM6043	193	FCM62XGSL	195
FC92XJ	174	FCM126	204	FCM18101SL	144	FCM4814	213	FCM6045	185	FCM62XJ	195
FC92XJSL	174	FCM1283	166	FCM18XC	154	FCM4814XC		FCM6046	191	FCM62XJSL	195
FC92XK	174	FCM1283XC		FCM18XE	154	FCM4814XE		FCM6047	185	FCM62XK	
FC92XKSL		FCM1283XE		FCM18XG		FCM4814XJ		FCM6049		FCM62XKSL	
FC92XN	174	FCM1283XG	156	FCM18XJ		FCM4814XN		FCM605	214	FCM62XN	
FC92XNSL		FCM1283XJ		FCM18XK		FCM4814XR		FCM6050		FCM62XNSL	
FC92XR		FCM1283XK		FCM18XN		FCM4816		FCM6051		FCM62XR	
FC92XRSL		FCM1283XN		FCM18XR		FCM4816XC		FCM6052		FCM62XRSL	
FCM10		FCM1283XR		FCM198		FCM4816XE		FCM6055		FCM65	
FCM100		FCM1284		FCM2000SL		FCM4816XJ		FCM6056		FCM6500	
FCM1000		FCM1284XC		FCM2000XCSL		FCM4816XN		FCM605XC		FCM6500SL	
FCM1006		FCM1284XE		FCM2000XESL		FCM4816XR		FCM605XE		FCM6520	
FCM101		FCM1284XG		FCM2000XJSL		FCM506		FCM605XJ		FCM6532	
FCM101SL		FCM1284XJ		FCM2000XNSL		FCM508		FCM605XN		FCM6550	
FCM1027 FCM1029		FCM1284XK FCM1284XN		FCM2000XRSL FCM2009SL		FCM5425 FCM5425SL		FCM605XR FCM606		FCM6565	
FCM104		FCM1284XR		FCM205		FCM543		FCM606XC		FCM6565SL	
FCM104XC		FCM1285		FCM2050SL		FCM545SL		FCM606XE		FCM6568	
FCM104XE		FCM1285XC		FCM2050XCSL		FCM571		FCM606XJ		FCM6570	
FCM104XG		FCM1285XE		FCM2050XESL		FCM572SL		FCM606XN		FCM6575	
FCM104XJ		FCM1285XG		FCM2050XJSL		FCM574		FCM606XR		FCM6577	
FCM104XK		FCM1285XJ		FCM2050XNSL		FCM575		FCM607		FCM6580SL	
FCM104XN		FCM1285XK		FCM2050XRSL		FCM577		FCM6074		FCM6582	
FCM104XR		FCM1285XN		FCM2101SL		FCM581		FCM6075		FCM65SL	
FCM105		FCM1285XR		FCM2106	177	FCM583SL	190	FCM607XC	212	FCM65XC	194
FCM105SL	189	FCM1286		FCM2107	177	FCM60	219	FCM607XE	212	FCM65XCSL	194
FCM106	182	FCM1286SL	157	FCM2108	177	FCM600	219	FCM607XJ	212	FCM65XE	194
FCM108	143	FCM1289	162	FCM220	219	FCM601	214	FCM607XN	212	FCM65XESL	194
FCM1089SL	177	FCM1289SL	162	FCM241	144	FCM601XC	213	FCM607XR	212	FCM65XG	194
FCM109	184	FCM131	168	FCM31	219	FCM601XE	213	FCM608	214	FCM65XGSL	194
FCM109SL	184	FCM13101SL	193	FCM310	143	FCM601XJ	213	FCM608XC	212	FCM65XJ	194
FCM10XC	156	FCM131SL	168	FCM32		FCM601XN		FCM608XE	212	FCM65XJSL	194
FCM10XE		FCM132		FCM32SL		FCM601XR		FCM608XJ		FCM65XK	
FCM10XG		FCM134		FCM32XC		FCM602		FCM608XN		FCM65XKSL	
FCM10XJ		FCM138		FCM32XCSL		FCM6021		FCM608XR		FCM65XN	
FCM10XK		FCM138XC		FCM32XE		FCM6021XC		FCM609		FCM65XNSL	
FCM10XN		FCM138XE		FCM32XESL		FCM6021XE		FCM6093		FCM65XR	
FCM110		FCM138XG		FCM32XG		FCM6021XG		FCM6094		FCM65XRSL	
FCM110		FCM138XJ		FCM32XGSL		FCM6021XJ		FCM6095		FCM66	
FCM113 FCM114		FCM138XK		FCM32XJ		FCM6021XK		FCM61		FCM668 FCM66SL	
FCM114SL		FCM138XN		FCM32XJSL		FCM6021XN FCM6021XR		FCM6107 FCM6108		FCM670	
FCM115		FCM138XR FCM1400SL		FCM32XKFCM32XKSL		FCM6022		FCM6124SL		FCM678	
FCM115SL		FCM14003L		FCM32XN		FCM6022XC		FCM6124XCSL		FCM678SL	
FCM116		FCM1405		FCM32XNSL		FCM6022XE		FCM6124XESL		FCM704	
FCM118		FCM1405SL		FCM32XR		FCM6022XG		FCM6124XJSL		FCM707	
FCM1200		FCM1406		FCM32XRSL		FCM6022XJ		FCM6124XNSL		FCM708	
FCM1200SL		FCM1408		FCM3487SL		FCM6022XK		FCM6124XRSL		FCM7125SL	
FCM1201		FCM141		FCM3487XCSL		FCM6022XN		FCM6125SL		FCM721	
FCM1201SL		FCM142		FCM3487XESL		FCM6022XR		FCM6125XCSL		FCM735	
FCM1202		FCM143		FCM3487XGSL		FCM6023		FCM6125XESL		FCM736	
FCM1202SL		FCM143SL		FCM3487XJSL		FCM6025		FCM6125XJSL		FCM745	
FCM1203		FCM144		FCM3487XKSL		FCM6026		FCM6125XNSL		FCM752	
FCM1204SL	157	FCM1442SL	1/2	FCM3487XNSL	194	FCM6027	185	FCM6125XRSL	154	FCM755	219

ECM760	204	ECM01020	161	ECM86550	150	ECMOOS	160	S100XKSL	156	S1211SL	16/
FCM760 FCM761		FCM81828 FCM81829		FCM86550SL		FCM902 FCM902SL		\$100XNSL		\$12115L	
FCM761SL		FCM818SL		FCM86560		FCM904		\$100XRSL		S128	
FCM764		FCM81900SL		FCM86560SL		FCM905		S1027		S128XC	
FCM764SL		FCM81918SL		FCM86570		FCM906		S1029		S128XE	
FCM765		FCM81919SL		FCM86580SL		FCM906SL		S104		S128XG	
FCM765SL	. 167	FCM81921SL	148	FCM865SL	186	FCM907		S104XC	196	S128XJ	
FCM784	. 183	FCM81928SL	149	FCM866	189	FCM907SL	170	S104XE	196	S128XK	155
FCM785	. 181	FCM81944SL	177	FCM866SL	189	FCM909	205	S104XG	196	S128XN	155
FCM787	. 183	FCM81947SL	177	FCM8675SL	198	FCM910	149	S104XJ	196	S128XR	155
FCM788	. 181	FCM81949SL	177	FCM8678	196	FCM911	191	S104XK	196	S130	157
FCM789	. 182	FCM81968SL		FCM8678SL		FCM911SL		S104XN		S130SL	
FCM80		FCM81986SL		FCM867SL		FCM912		S104XR		S131	
FCM800		FCM82		FCM870		FCM912SL		S105		S132	
FCM807SL		FCM820		FCM8704		FCM914		S108		S132SL	
				FCM8707							
FCM808SL		FCM821				FCM915		\$1089		S1350	
FCM809SL		FCM822		FCM8708		FCM916		S1089SL		S137	
FCM81000		FCM828		FCM870SL		FCM92SL		S108XC		S138SL	
FCM8101SL		FCM82XC		FCM870XC		FCM92XCSL		S108XE		S139	
FCM8101XCSL	. 174	FCM82XE		FCM870XCSL	156	FCM92XESL		S108XG	155	S139SL	
FCM8101XESL	. 174	FCM82XG	174	FCM870XE	156	FCM92XGSL	174	S108XJ	155	S140	166
FCM8101XGSL	. 174	FCM82XJ	174	FCM870XESL	156	FCM92XJSL	174	S108XK	155	S1400	179
FCM8101XJSL	. 174	FCM82XK	174	FCM870XG	156	FCM92XKSL	174	S108XN	155	S1400SL	179
FCM8101XKSL	. 174	FCM82XN	174	FCM870XGSL	156	FCM92XNSL	174	S108XR	155	S1401	176
FCM8101XNSL		FCM82XR	174	FCM870XJ		FCM92XRSL		S11	220	S1401SL	176
FCM8101XRSL		FCM8310SL		FCM870XJSL		FCM966		S1100		S1402	
FCM8103SL		FCM8311SL		FCM870XK		FCM968		S115		S1404	
FCM8104SL		FCM8313SL		FCM870XKSL		FC06184SL		S1170SL		S1405	
FCM8104SL		FCM8321		FCM870XNSL		FC06184XCSL		S1170XCSL		\$1405 \$1405SL	
FCM8107SL		FCM8321XC		FCM870XNSL		FC06184XESL		S1170XESL		S1406	
FCM8109SL		FCM8321XE		FCM870XR		FC06184XJSL		S1170XGSL		S1407	
FCM8110SL		FCM8321XG		FCM870XRSL		FC06184XNSL		S1170XJSL		S1408	
FCM8114		FCM8321XJ		FCM871	143	FC06184XRSL	155	S1170XKSL	155	S1409	
FCM8114SL	. 144	FCM8321XK	194	FCM871SL	143	FC06185SL	163	S1170XNSL	155	S140STC	218
FCM8115	. 157	FCM8321XN	194	FCM872	144	FC06185XCSL	155	S1170XRSL	155	S140XC	156
FCM8115SL	. 157	FCM8321XR	194	FCM8721	215	FC06185XESL	155	S118	166	S140XE	156
FCM81200	. 166	FCM8322	197	FCM872SL	144	FC06185XJSL	155	S118XC	156	S140XG	156
FCM81200SL	. 166	FCM8323	197	FCM873	145	FC06185XNSL	155	S118XE	156	S140XJ	156
FCM81200XC		FCM8324		FCM8735		FC06185XRSL		S118XG		S140XK	
FCM81200XCSL		FCM8545SL		FCM8736		FC06186SL		S118XJ		S140XN	
· COMPLET CHILD A COLUMN							10.5				
FCM81200XE	. 156	FCM8571	148	FCM873SL	145	FC06186XCSL	155	S118XK	156	S140XR	156
FCM81200XEFCM81200XESL	. 156 . 156	FCM8571FCM8572SL	148 149	FCM873SL FCM874	145 148	FC06186XCSL FC06186XESL	155 155	S118XK S118XN	156 156	S140XR S141	156 164
FCM81200XEFCM81200XESLFCM81200XG	. 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL	148 149 149	FCM873SL FCM874 FCM8745	145 148 216	FC06186XCSL FC06186XESL FC06186XJSL	155 155 155	S118XK S118XN S118XR	156 156 156	S140XR S141 S1411	156 164 203
FCM81200XEFCM81200XESLFCM81200XGFCM81200XGSL	. 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574	148 149 149 148	FCM873SLFCM874FCM8745FCM874SL	145 148 216 148	FC06186XCSL FC06186XESL FC06186XJSL FC06186XNSL	155 155 155 155	S118XK S118XN S118XR S12	156 156 156 204	\$140XR \$141 \$1411 \$141STC	156 164 203 218
FCM81200XEFCM81200XESLFCM81200XGFCM81200XGSLFCM81200XJ	. 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581	148 149 149 148	FCM874SLFCM8745FCM874SLFCM874SLFCM8752	145 216 148 216	FC06186XESL FC06186XESL FC06186XJSL FC06186XNSL FC06186XRSL	155 155 155 155	S118XK	156 156 156 204	S140XR S141 S1411 S141STC S141XC	156 164 203 218 155
FCM81200XEFCM81200XESLFCM81200XGFCM81200XGSLFCM81200XJFCM81200XJSLFCM81200XJSL	. 156 . 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL	148 149 149 148 190	FCM873SLFCM874SFCM874SLFCM874SLFCM8752FCM881SL	145 216 148 216 180	FC06186XCSL FC06186XESL FC06186XJSL FC06186XNSL FC06186XRSL FC06188SL	155 155 155 155 155	\$118XK \$118XN \$118XR \$12 \$120	156 156 156 204 220	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE	156 203 218 155
FCM81200XEFCM81200XESLFCM81200XGFCM81200XGSLFCM81200XJFCM81200XJSLFCM81200XK	. 156 . 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860	148 149 149 148 190 190 219	FCM873SLFCM874FCM8745FCM874SLFCM8752FCM881SLFCM881XCSL	145 216 148 216 180 175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06188XL FC06188XCSL	155 155 155 155 155 163	\$118XK	156 156 204 220 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL	148 149 149 148 190 190 219	FCM873SLFCM874FCM8745FCM874SLFCM8752FCM881SLFCM881XCSLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESL	145 148 216 148 180 175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06188XE FC06188XCSL FC06188XESL	155 155 155 155 163 155	\$118XK \$118XN \$118XR \$12 \$120	156 156 204 220 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG	
FCM81200XEFCM81200XESLFCM81200XGFCM81200XGSLFCM81200XJFCM81200XJSLFCM81200XK	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860	148 149 149 148 190 190 219 218	FCM873SLFCM874FCM8745FCM874SLFCM8752FCM881SLFCM881XCSL	145 148 216 148 180 175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06188XL FC06188XCSL	155 155 155 155 163 155	\$118XK	156 156 204 220 164 164 163	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156	FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861	148 149 149 148 190 190 219 218	FCM873SLFCM874FCM8745FCM874SLFCM8752FCM881SLFCM881XCSLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESLFCM881XESL	145 148 216 148 216 180 175 175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06188XE FC06188XCSL FC06188XESL	155 155 155 155 163 155 155	\$118XK	156 156 204 220 164 163 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156	FCM8571	148 149 149 148 190 190 219 218 218	FCM873SL	145 148 216 148 216 180 175 175 175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06186XRSL FC06188SL FC06188XCSL FC06188XESL FC06188XJSL	155 155 155 155 163 155 155 155	\$118XK	156 156 204 204 220 164 163 164 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG \$141XJ \$141XJ	
FCM81200XE	. 156 . 156	FCM8571	148 149 149 148 190 190 219 218 218 218	FCM873SL	145 148 216 148 216 180 175 175 175 175	FC06186XCSL FC06186XJSL FC06186XNSL FC06188XRSL FC06188XCSL FC06188XCSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL	155 155 155 155 163 155 155 155 155	\$118XK	156 156 204 204 220 164 163 164 164 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG \$141XJ \$141XJ \$141XN \$141XN	
FCM81200XE	. 156 . 156	FCM8571	148149149190190190219218218218218	FCM873SL	145148216180175175175175175	FC06186XCSL FC06186XJSL FC06186XNSL FC06186XNSL FC06188XSL FC06188XCSL FC06188XSL FC06188XSL FC06188XSL FC06188XNSL FC06188XNSL FC06188XRSL	155 155 155 155 163 155 155 155 155 155	\$118XK	156 156 156 204 220 164 163 164 164 164 164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG \$141XJ \$141XJ \$141XN \$141XN \$141XR \$141XR	
FCM81200XE	. 156 . 156	FCM8571	148149149190190219218218218218218218	FCM873SL	145 148 216 148 216 175 175 175 175 175 175 175 175	FC06186XCSL FC06186XJSL FC06186XNSL FC06186XNSL FC06188XSL FC06188XCSL FC06188XSL FC06188XSL FC06188XNSL FC06188XNSL FC06188XNSL FC06188XRSL FC06189XCSL	155 155 155 155 163 155 155 155 155 155 155 155 155 155 155	\$118XK	156156156204220164163164164164164164	\$140XR \$141 \$1411 \$141STC \$141XC \$141XE \$141XG \$141XJ \$141XJ \$141XN \$141XN \$141XR \$142SL \$1544	
FCM81200XE	. 156 . 156	FCM8571	148149149148190190219218218218218218218	FCM873SL	145148216148216180175175175175175175175	FC06186XCSL FC06186XJSL FC06186XNSL FC06188XRSL FC06188XCSL FC06188XCSL FC06188XSSL FC06188XSSL FC06188XSSL FC06188XRSL FC06188XRSL FC06189XSL FC06189XCSL FC06189XCSL		\$118XK	156156156204220164164164164164164164164164159	\$140XR \$141 \$1411 \$141STC \$141XC \$141XC \$141XG \$141XJ \$141XJ \$141XN \$141XN \$141XR \$142SL \$154SL	
FCM81200XE	. 156 . 156	FCM8571	148149149148190190219218218218218218218218218	FCM873SL	145148216148216180175175175175175175175175175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XRSL FC06188SL FC06188XL FC06188XJSL FC06188XJSL FC06188XJSL FC06188XSSL FC06188XSSL FC06189XSL FC06189XSSL FC06189XSSL FC06189XSSL FC06189XSSL FC06189XSSL		\$118XK	156156156204220164164164164164164164164159159	\$140XR\$1411\$1411TC\$141XC\$141XE\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR	
FCM81200XE	. 156 . 161 . 161 . 161	FCM8571	148149149148190190218218218218218218218218218218218218	FCM873SL	145148216148216175175175175175175175175175175175175175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06186XNSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06188XNSL FC06189XSL		\$118XK		\$140XR\$1411\$1411TC\$141XC\$141XE\$141XG\$141XK\$141XK\$141XK\$141XK\$141XR\$141XR\$141XR\$1544SL\$155\$155SL\$155SL	
FCM81200XE	. 156 . 161 . 161 . 161 . 161	FCM8571	148149149148190219218218218218218218218218218218218218218218218218218218	FCM873SL	145148216148216175175175175175175175175175175175175175175	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06186XNSL FC06188SL FC06188XCSL FC06188XSL FC06188XSL FC06188XSL FC06189XSL		\$118XK		\$140XR\$1411\$1411\$141XC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XR\$141XR\$15154\$1558L\$155SL\$1566	
FCM81200XE	. 156 . 157 . 157 . 161 . 161	FCM8571	148149149149190190219218218218218218218218218218218218218219219219	FCM873SL	145148216148216175175175175175175175175175175175175175175175175175175187	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XNSL FC06188XNSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06189XSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR\$141XR\$1442SL\$154\$1554\$1555SL\$156\$160	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 161 . 157 . 157	FCM8571	148149149149190190218218218218218218218218218219218218218218218218218218218218218218218218218	FCM873SL	145148216148216175175175175175175175175175175175175175187	FC06186XCSL FC06186XISL FC06186XISL FC06186XISL FC06188XISL FC06188XISL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06189SL FC06189XSL FC06189XSL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06190SL FC06190XCSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XX\$141XX\$141XX\$141XX\$1544SL\$155\$155SL\$156\$160\$160SL\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 157 . 146 . 150	FCM8571	148149149190219218218218218218218218218219	FCM873SL	145148216148216180175175175175175175167187187187	FC06186XCSL FC06186XJSL FC06186XJSL FC06186XRSL FC06188XRSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06188XSL FC06189XSL FC06189XSL FC06189XSL FC06189XSL FC06189XSL FC06190SL FC06190XSL FC06190XSL FC06190XSL FC06190XSL FC06190XSL FC06190XSL FC06190XSL FC06190XSL FC06190XSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XM\$141XM\$141XM\$141XM\$141XM\$1541XN\$155\$155SL\$155\$155SL\$156\$160\$160SL\$161\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 144 . 150 . 144	FCM8571	148149149149190219218218218218218218218219218218218218218218218218218218218218218	FCM873SL	145148216148216175167167168170187169188	FC06186XCSL FC06186XISL FC06186XISL FC06186XISL FC06186XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06190SI FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR\$1541XR\$1555\$155S\$156\$160\$160SL\$161\$161SL	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 157 . 144 . 198 . 198	FCM8571		FCM873SL	145148	FC06186XCSL FC06186XISL FC06186XISL FC06186XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06190SL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XG\$141XG\$141XM\$141XM\$141XM\$141XM\$1542SL\$155\$155SL\$156\$160\$160\$160\$160\$161\$161SL\$162\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 157 . 144 . 198 . 198	FCM8571		FCM873SL	145148	FC06186XCSL FC06186XISL FC06186XISL FC06186XISL FC06186XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06190SI FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR\$1541XR\$1555\$155S\$156\$160\$160SL\$161\$161SL	
FCM81200XE	. 156 . 157 . 141 . 161 . 157 . 147 . 149 . 159 . 159	FCM8571		FCM873SL	145148216148216148216175175175175175175175175175175167168168170187187187188188	FC06186XCSL FC06186XISL FC06186XISL FC06186XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06188XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06189XISL FC06190SL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL FC06190XISL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XG\$141XG\$141XM\$141XM\$141XM\$141XM\$1542SL\$155\$155SL\$156\$160\$160\$160\$160\$161\$161SL\$162\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 146 . 159 . 144 . 198 . 198 . 198 . 191 . 145	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$1411\$1415TC\$141XC\$141XG\$141XG\$141XG\$141XG\$141XM\$141XM\$141XM\$141XM\$1541XM\$1555\$155SL\$156\$160\$160SL\$161SL\$162\$163\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 146 . 150 . 144 . 198 . 198 . 191 . 145 . 147	FCM8571		FCM873SL	145148216148216180175175175175175175175175175175187187189189189189189	FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$1411XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XR\$ \$141XR\$ \$1541XR\$ \$1542S\$ \$156\$ \$156\$ \$160\$ \$160\$ \$160\$ \$161\$ \$161SL\$ \$162\$ \$163\$ \$1645\$	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 146 . 150 . 144 . 198 . 198 . 198 . 191 . 145 . 147	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR\$1542\$155\$156\$156\$160\$1	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 161 . 157 . 144 . 198 . 198 . 191 . 145 . 145 . 147 . 143 . 143	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XK\$141XK\$141XK\$141XK\$141XK\$141XR\$141XR\$1554\$1554\$1555\$156\$156\$160\$160SL\$161\$161SL\$162\$163\$1645\$1645\$1646\$1646SL\$1647\$1647	
FCM81200XE	. 156 . 161 . 161 . 161 . 161 . 157 . 144 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XR\$ \$141XR\$ \$1542L\$ \$155\$ \$155SL\$ \$155SL\$ \$160\$ \$160SL\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 144 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XR\$ \$141XR\$ \$1541XR\$ \$1545\$ \$1555\$ \$156\$ \$155\$ \$156\$ \$160\$ \$160\$ \$160\$ \$161\$ \$162\$ \$162\$ \$163\$ \$1645\$ \$1645\$ \$1646\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 161 . 161 . 161 . 161 . 187 . 149 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$1411\$1415TC\$141XC\$141XG\$141XG\$141XG\$141XG\$141XG\$141XM\$141XM\$141XM\$141XM\$151XA\$1555\$155SL\$156\$160\$160SL\$161SL\$162\$163\$1645\$1646\$1646\$1646\$1647\$1650\$1651\$1650\$1651	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 140 . 157 . 144 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151 . 151	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$1411\$141STC\$141XC\$141XG\$141XG\$141XG\$141XG\$141XG\$141XM\$141XM\$141XM\$141XR\$1541XR\$1555\$1556\$155\$1556\$160\$160SL\$161\$161SL\$162\$1645\$1645\$1645\$1645\$1645\$16468\$16468\$1650\$1651\$1655\$1650\$1655\$1655\$1655\$1655\$1655\$1655\$1655\$1655\$1655\$16555\$16555\$16555\$16555\$1655	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151 . 151	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$1411XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XA\$ \$141XA\$ \$141XA\$ \$141XA\$ \$141XA\$ \$1541XA\$ \$1541XA\$ \$1542SL\$ \$155\$ \$156\$ \$156\$ \$160\$ \$161\$ \$160 SL\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1645\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1651SL\$ \$1651SL\$ \$1652\$ \$1652\$ \$1652SL\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151 . 151 . 151 . 151	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$1541XK\$ \$1541XK\$ \$1542\$ \$155\$ \$156\$ \$156\$ \$156\$ \$160\$ \$161\$ \$162\$ \$1645\$ \$1646\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1651\$ \$1651\$ \$1651\$ \$1652\$ \$1652\$ \$1653\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 198 . 191 . 147 . 143 . 217 . 173 . 151 . 151 . 151 . 151 . 151 . 193 . 193	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$1541XK\$ \$1542\$ \$155\$ \$156\$ \$156\$ \$156\$ \$160\$ \$160\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1651\$ \$1652\$ \$1652\$ \$1653\$ \$1653\$ \$1654\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151 . 151 . 151 . 151 . 151 . 151 . 193 . 193 . 144	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$1541XK\$ \$1554\$ \$1555\$ \$156\$ \$156\$ \$156\$ \$160\$ \$160\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1645\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1652\$ \$1652\$ \$1653\$ \$1654\$ \$1654\$ \$1655\$ \$1655\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 198 . 191 . 145 . 147 . 143 . 217 . 173 . 151 . 151 . 151 . 151 . 151 . 151 . 151 . 153 . 193 . 144 . 145	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XR\$ \$1541XK\$ \$1555\$ \$1555\$ \$1555\$ \$1555\$ \$156\$ \$160\$ \$160\$ \$160\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1645\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1651\$ \$1652\$ \$1652\$ \$1652\$ \$1652\$ \$1653\$ \$1654\$ \$1655\$ \$1655\$ \$1655\$ \$1655\$ \$1656\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 191 . 145 . 147 . 151	FCM8571		FCM873SL	145148	FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$1541XK\$ \$1554\$ \$1555\$ \$156\$ \$156\$ \$156\$ \$160\$ \$160\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1645\$ \$1646\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1652\$ \$1652\$ \$1653\$ \$1654\$ \$1654\$ \$1655\$ \$1655\$	
FCM81200XE	. 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 156 . 157 . 146 . 157 . 144 . 198 . 191 . 145 . 147 . 151	FCM8571		FCM873SL		FC06186XCSL		\$118XK		\$140XR\$ \$141\$ \$1411\$ \$141XC\$ \$141XC\$ \$141XG\$ \$141XG\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$141XK\$ \$1541XK\$ \$1554\$ \$1555\$ \$1555\$ \$1555\$ \$156\$ \$160\$ \$160\$ \$160\$ \$160\$ \$161\$ \$162\$ \$163\$ \$1645\$ \$1646\$ \$1645\$ \$1646\$ \$1647\$ \$1650\$ \$1651\$ \$1651\$ \$1652\$ \$1652\$ \$1652\$ \$1652\$ \$1653\$ \$1654\$ \$1655\$ \$1655\$ \$1655\$ \$1656\$	

S1661	203	S2103SL	176	\$237	217	S32XE	195	S543	171	S574	149
S17	205	S2103XC	174	S241	145	S32XG	195	S545SL	171	S575	190
S198	165	S2103XCSL	174	S243	197	S32XJ	195	S549	207	S577	190
S198SL	165	S2103XE	174	S255	217	S32XK	195	S5700	160	S579	190
S20	205	S2103XESL	174	S256	217	S32XN	195	S5700SL	160	S581	190
S200		S2103XG		S2600		S32XR		S5700XC		S583SL	
S2000		S2103XGSL		S2610		S34		S5700XCSL		S585	
S2000SL		S2103XJ		S2610XC		S3487SL		S5700XE		S5870SL	
S2000SL-2C		S2103XJSL		S2610XE		S3487XCSL		S5700XESL		S600	
S2000SL-4C		S2103XK		S2610XJ		S3487XESL		\$5700XG		\$6000	
S2000XC		S2103XKSL		S2610XN		S3487XGSL		S5700XGSL		S6000SL	
S2000XCSL S2000XCSL-2C		S2103XN S2103XNSL		S2610XR S262		S3487XJSL S3487XKSL		S5700XJ S5700XJSL		S6002SL	
S2000XCSL-2C		S2103XR		S2620		S3487XNSL		S5700XK		S6006	
S2000XC3L-40		S2103XRSL		S262XC		S3487XRSL		S5700XK		S6006SL	
S2000XESL		S2104		S262XE		\$35		S5700XN		S6008	
S2000XESL-2C		S2104SL		S262XG		S369		S5700XNSL		S6008SL	
S2000XESL-4C		S2104XC		S262XJ		S37		S5700XR		S6009	
S2000XG		S2104XCSL		S262XK		S38		S5700XRSL		S6009SL	
S2000XGSL		S2104XE		S262XN		S4070SL		S5705		S601	
S2000XJ		S2104XESL	174	S262XR	194	S41	188	S5705XC	153	S6010	169
S2000XJSL	155	S2104XG	174	S2630	210	S416SL	150	S5705XE	153	S6012	204
S2000XJSL-2C	153	S2104XGSL	174	S263SL	199	S42	190	S5705XG	153	S6013	202
S2000XJSL-4C	153	S2104XJ		S263XCSL	195	S426		S5705XJ	153	S6014	202
S2000XK	155	S2104XJSL		S263XESL		S43		S5705XK	153	S601SL	
S2000XKSL	155	S2104XK		S263XGSL		S430	203	S5705XN	153	S601XC	
S2000XN		S2104XKSL		S263XJSL		S430SL		S5705XR		S601XCSL	
S2000XNSL		S2104XN		S263XKSL		S454		S571		S601XE	
S2000XNSL-2C		S2104XNSL		S263XNSL		S4570SL		S5710		S601XESL	
S2000XNSL-4C		S2104XR		S263XRSL		S4800		S5710SL		S601XGSL	
S2000XR		S2104XRSL		S2640		S4810		S5710XC		S601XJ	
S2000XRSL		S2105		S2650		S4810SL		S5710XCSL		S601XJSL	
S2000XRSL-2C		S2106 S2107		S2660		S4810XC		S5710XE		S601XKSL	
S2000XRSL-4C S20042		S2107 S2108		S2670 S289		S4810XCSL		S5710XESL		S601XN S601XNSL	
\$20042 \$2009		S210SL		S289E		S4810XE S4810XESL		S5710XG S5710XGSL		S601XR	
S2009SL		S210XCSL		S289ESL		S4810XJ		S5710XJ		S601XRSL	
S2010		S210XESL		S289XC		S4810XJSL		S5710XJSL		S602	
S2010SL		S210XGSL		S289XE		S4810XN		S5710XK		S6021	
S2010XC		S210XJSL		S289XG		S4810XNSL		S5710XKSL		S6021XC	
S2010XCSL		S210XKSL		S289XJ		S4810XR		S5710XN		S6021XE	
S2010XE		S210XNSL		S289XK		S4810XRSL		S5710XNSL		S6021XG	
S2010XESL		S210XRSL		S289XN	203	S4812		S5710XR		S6021XJ	
S2010XG	153	S211	186	S289XR	203	S4812SL	213	S5710XRSL	154	S6021XK	195
S2010XGSL	153	S213	188	S291	202	S4812XC	212	S5715	159	S6021XN	195
S2010XJ	153	S214	190	S291SL		S4812XCSL	212	S5715XC	153	S6021XR	
S2010XJSL		S2150		S292		S4812XE		S5715XE		S6022	
S2010XK		S220		S292SL		S4812XESL		S5715XG		S6022XC	
S2010XKSL		S2200		S294		S4812XJ		S5715XJ		S6022XE	
S2010XN		S2200XC		S294SL		S4812XJSL		S5715XK		S6022XG	
S2010XNSL		S2200XCSL		S296		S4812XN		S5715XN		S6022XJ	
\$2010XR		\$2200XE		S296XC		S4812XNSL		S5715XR		S6022XK S6022XN	
S2010XRSL S205		S2200XESL S2200XGSL		S296XE S296XG		S4812XR S4812XRSL		S5720 S5720SL		S6022XR	
S2050		S2200XJ		S296XJ		S4813		S5720XC		S6023	
S2050XC		S2200XJSL		S296XK		S4813XC		S5720XCSL		S6025	
S2050XE		S2200XK		S296XN		S4813XE		S5720XE		S6026	
S2050XG		S2200XKSL		S296XR		S4813XJ		S5720XESL		S6027	
S2050XJ		S2200XN		S30		S4813XN		S5720XG		S6029	
S2050XK	153	S2200XNSL		S308SL	164	S4813XR		S5720XGSL		S602SL	147
S2050XN	153	S2200XR	175	S308XCSL	155	S4814	213	S5720XJ	153	S6030	190
S2050XR	153	S2200XRSL	175	S308XESL	155	S4814XC	212	S5720XJSL	154	S6031	186
S206	200	S2250	176	S308XGSL	155	S4814XE	212	S5720XK	153	S6032	184
S206E	194	S2250XC	174	S308XJSL	155	S4814XJ	212	S5720XKSL	154	S6034	197
S206XC		S2250XCSL		S308XKSL		S4814XN		S5720XN		S6035	
S206XE		S2250XE		S308XNSL		S4814XR		S5720XNSL		S6036	
S206XG		S2250XESL		S308XRSL		S4816		S5720XR		S604	
\$206XJ		S2250XG		S30XC		S4816XC		S5720XRSL		S6041	
\$206XK		S2250XGSL		S30XE		S4816XE		\$5725		S6041XC	
\$206XN		\$2250XJ		\$30XG		S4816XJ		S5725XC		S6041XE	
S206XR S2070SL		S2250XJSL S2250XK		S30XJ S30XK		S4816XN S4816XR		S5725XE S5725XG		S6041XG S6041XJ	
S210		S2250XK		S30XN		S506		S5725XJ		S6041XK	
S2100		S2250XN		S30XR		S507		S5725XK		S6041XN	
S2101		S2250XNSL		S31		S508		S5725XN		S6041XR	
S2101SL		S2250XR		S310		S529		S5725XR		S6042	
S2102		S2250XRSL		S32		S5425		S572SL		S6042XC	
S2103	176	S236	217	S32XC	195	S5425SL	176	S573SL	149	S6042XE	194

CC0.40VC	104	00004	100	CCETC	100	COOZVE	202	COLOODBYC	105	CO2C1OVN	010
S6042XG S6042XJ		\$6084		S6576 S6577		\$807XE		S81929PXG S81929PXJ		\$82610XN	
S6042XK		S6085 S608XC		S6580		\$807XG \$807XJ		S81929PXK		S82610XR S82620	
S6042XN		S608XE		S6580SL		S807XK		S81929PXN		S82630	
S6042XR		S608XJ		S6582		S807XN		S81929PXR		S82640	
S6043		S608XN		S668		S807XR		S81932P		S82650	
S6045		S608XR		S682		S808		S81933P		S82660	
S6046		S609		S685L		S808SL		S81935P		\$82670	
S6047		S6090		S685LXC		S80XC		S81936P		S828	
S6049		S6091		S685LXE		S80XE		S81937P		S829	
S604SL		S6091SL		S685LXG		S80XG		S81938P		S829SL	
S605		S6092		S685LXJ		S80XJ		S81939P		S82SL	
S6050		S6092SL		S685LXK		S80XK		S81940P		S82XC	
S6051		S6093		S685LXN		S80XN		S81941P		S82XCSL	
S6052		S6094		S685LXR		S80XR		S81942P		S82XE	
S6054		S6095		S685R		S810		S81983			
S6055		S6100		S685RXC		S81000		S82		S82XESL S82XG	
S6056		S6100SL		S685RXE		S81086SL		S820		S82XGSL	
S605SL		S6101		S685RXG		S81086XCSL		\$8200		S82XJ	
S605XC		S6101SL		S685RXJ		S81086XESL		\$8201		S82XJSL	
		S6102						S8202SL		S82XK	
S605XCSL				S685RXK		S81086XGSL					
S605XE		S6102SL		S685RXN		S81086XJSL		\$8204\$L		S82XKSL	
S605XESL		S6103		S685RXR		S81086XKSL		S8207SL		S82XN	
S605XJ		S6104		S691		S81086XNSL		S821		S82XNSL	
S605XJSL		S6105		S691XC		S81086XRSL		\$82103		S82XR	
S605XN		S6106		S691XE		S81100		S82103XC		S82XRSL	
S605XNSL		S6107		S691XG		S81186SL		S82103XE		\$830	
S605XR		S6108		S691XJ		S8120		S82103XG		S830XC	
S605XRSL		S6111		S691XK		S81208		S82103XJ		S830XE	
S606		S6113		S691XN		S81225		S82103XK		S830XG	
S6061		S6117		S691XR		S8132		S82103XN		S830XJ	
S6062		S6119		S704		S8132SL		S82103XR		S830XK	
S6062SL		S6121		S707		S814		S82104		S830XN	
S6063		S6123		S708		S8140		S82105		S830XR	
S6063STC		S6124SL		S709		S81401		S82105XC		S831	
S6063XC		S6124XCSL		S7125SL		S81405		S82105XE		S8310	
S6063XE		S6124XESL		S721		S8140STC		S82105XG		S8310SL	
S6063XG		S6124XJSL		S735		S8140XC		S82105XJ		S8311	
S6063XJ	155	S6124XNSL	155	S736		S8140XE	156	S82105XK	174	S8311SL	
S6063XK	155	S6124XRSL	155	S745		S8140XG	156	S82105XN	174	S83120	209
S6063XN	155	S6125SL	165	S751SL		S8140XJ	156	S82105XR		S831203	
S6063XR	155	S6125XCSL	155	S751XCSL	175	S8140XK	156	S82106	176	S831203XC	208
S606SL		S6125XESL	155	S751XESL	175	S8140XN	156	S82106XC		S831203XE	
S606XC	212	S6125XJSL	155	S751XGSL	175	S8140XR	156	S82106XE	174	S831203XG	208
S606XCSL	155	S6125XNSL	155	S751XJSL	175	S8141	209	S82106XG	174	S831203XJ	208
S606XE	212	S6125XRSL	155	S751XKSL	175	S8144	200	S82106XJ	174	S831203XK	208
S606XESL	155	S6126SL	165	S751XNSL	175	S8145	200	S82106XK	174	S831203XN	208
S606XJ	212	S6126XCSL	155	S751XRSL	175	S8145SL	200	S82106XN	174	S831203XR	
S606XJSL	155	S6126XESL	155	S752	216	S8149	192	S82106XR	174	S83120XC	208
S606XN	212	S6126XJSL	155	S755	220	S814SL	144	S82107	176	S83120XE	208
S606XNSL	155	S6126XNSL	155	S757SL	172	S815	144	S82107XC	174	S83120XG	208
S606XR	212	S6126XRSL	155	S758SL	168	S816	143	S82107XE	174	S83120XJ	208
S606XRSL	155	S6127SL	146	S770	183	S81645	217	S82107XG	174	S83120XK	208
S607	214	S6128SL		S771	181	S81646	173	S82107XJ	174	S83120XN	
S6070	147	S6130SL	144	S773	182	S81646SL	173	S82107XK	174	S83120XR	208
S6070SL	148	S6131SL	146	S774	182	S81649	208	S82107XN	174	S8313	179
S6071		S6132SL	150	S80	180	S81650	211	S82107XR	174	S8313SL	179
S6071SL		S6134SL	145	S8000		S81651		S82200		S83141	
S6072		S6135SL		S8000-12		S81651SL		S82200XC		S83142	
S6073		S6201SL		S8000-18		S81652	152	S82200XE		S83143	
S6074		S6240		S8000-9		S81652SL		S82200XG		S83145	
S6075		S6240SL		S8000SL		S81653		S82200XJ		S83147	
S6076		S626		S8000XC		S81654		S82200XK		S83149	
S607SL		S6500		S8000XCSL		S81654SL		S82200XN		S83152	
S607XC		S6500SL		S8000XE		S81656		S82200XR		S83153	
S607XCSL		S6520		S8000XESL		S817		S82250		S83154	
S607XE		S6532		S8000XG		S818		S822XC		S83155	
S607XESL		S6534		S8000XGSL		S81828		S822XE		S83156	
S607XJ		S6536		S8000XJ		S818XC		S822XG		S8316	
S607XJSL		S6550		S8000XJSL		S818XE		S822XJ		S8317	
S607XN		S6550SL		S8000XK		S818XG		S822XK		S8318	
S607XNSL		S6560		S8000XKSL		S818XJ		S822XN		S8319	
S607XR		S6565		S8000XN02		S818XK		S822XR		S832	
S607XRSL		S6565SL		S8000XNSL		S818XN		S82600		S8320	
S608		S6568		S8000XN3L		S818XR		S82610		S8321	
S6080		S6570		S8000XRSL		S81929P		S82610XC		S8321XC	
S6081		S6572		S807		S81929PXC		S82610XE		S8321XE	
S6082		S6575		S807XC		S81929PXE		S82610XJ		S8321XG	
0000£	102	30070	100	JUU1 //U	200	00 10201 AL	100	JULU 1 U/\U	210	JUUL 17/4	190

S8321XJ	195	S85700XCSL	. 154	S85892SL	143	S86026	191	S8691XE	153	S902SL	172
S8321XK		S85700XE		S85893		S86027		S8691XG		S90SL	
S8321XN		S85700XESL		S85893SL		S86029		S8691XJ		S90XC	
S8321XR		S85700XG		\$85895		S8602SL		S8691XK		S90XE	
\$8322 \$8323		S85700XGSL S85700XJ		S85895SL S85896		\$86030 \$86031		S8691XN S8691XR		S90XG S90XJ	
S8324		S85700XJSL		S85896SL		\$86032		\$8704		S90XK	
S8325		S85700XK		S85897		S86035		S8707		S90XN	
S8326		S85700XKSL		S85898		S86036	192	S8708		S90XR	
S8327	199	S85700XN		S85898SL		S8604		S8721		S91	168
S8328		S85700XNSL		S85900		S8605		S8735		S912	
S832XC		S85700XR		S85900SL		S8605SL		S8736		S916	
S832XE		S85700XRSL		S85901		S8605XC		\$8745		S916SL	
S832XG S832XJ		\$85705 \$85705XC		S85902 S85902SL		\$8605XE \$8605XJ		S8752 S880		S91SL S92	
S832XK		S85705XE		\$85905		\$8605XN		S880SL		S925	
S832XN		S85705XG		S85906		S8605XR		S880XC		S926	
S832XR		S85705XJ		S85907		S8606		S880XCSL		S92SL	
S833	186	S85705XK	. 153	S85908	188	S8606SL	165	S880XE	175	S92XC	175
S837		S85705XN		S85909		S8606XC		S880XESL	175	S92XE	
S84586SL		S85705XR		S85910SL		S8606XE		S880XG		S92XG	
S84800		S8571		S85910XCSL		S8606XJ		S880XGSL		S92XJ	
S84810 S84810SL		S85710 S85710SL		S85910XESL		S8606XN S8606XR		S880XJ S880XJSL		S92XK S92XN	
S84810XC		S85710XC		S85910XGSL S85910XJSL		\$8607		S880XK		S92XR	
S84810XCSL		S85710XCSL		S85910XKSL		S86074		S880XKSL		S93	
S84810XE		S85710XE		S85910XNSL		S8607SL		S880XN		S930	
S84810XESL		S85710XESL	. 154	S85910XRSL		S8607XC		S880XNSL	175	S930SL	185
S84810XJ	213	S85710XG	. 153	S85911SL	188	S8607XE	212	S880XR	175	S9320	209
S84810XJSL		S85710XGSL		S85912SL		S8607XJ		S880XRSL		S93203	
S84810XN		S85710XJ		S85914SL		S8607XN		S881		S93203XC	
S84810XNSL		S85710XJSL		S85915SL		S8607XR		S881SL		S93203XE	
S84810XR S84810XRSL		S85710XK S85710XKSL		S85916SL S85917SL		\$8608 \$8608XC		S881XC S881XCSL		S93203XG S93203XJ	
S84812		S85710XN		S85918SL		\$8608XE		S881XE		S93203XK	
S84812SL		S85710XNSL		S85920SL		S8608XJ		S881XESL		S93203XN	
S84812XC		S85710XR		S85922SL		S8608XN		S881XG		S93203XR	
S84812XCSL	212	S85710XRSL	. 154	S85924SL	165	S8608XR	212	S881XGSL	175	S9320XC	208
S84812XE		S85715		S85925SL		S8609		S881XJ		S9320XE	
S84812XESL		S85715XC		S85926SL		S86107		S881XJSL		S9320XG	
S84812XJ		S85715XE		S85927SL		S86201SL		S881XK		S9320XJ	
S84812XJSL		S85715XG		S85928SL S85930SL		\$86240		S881XKSL		S9320XK	
S84812XN S84812XNSL		S85715XJ S85715XK		S85931SL		S86240SL S86500		S881XN S881XNSL		S9320XN S9320XR	
S84812XR		S85715XN		S85932SL		S86500SL		S881XR		S9341	
S84812XRSL		S85715XR		S85934SL		S86520		S881XRSL		S9342	
S84813	213	S85720	. 160	S8600	220	S86533	208	S882	179	S9343	205
S84813XC		S85720SL		S8600XC		S86536		S884SL		S9345	
S84813XE		S85720XC		S8600XE		S86550		S887		S9347	
S84813XJ		S85720XCSL		\$8600XJ		S86550SL		\$887\$L		\$9349	
S84813XN S84813XR		S85720XE S85720XESL		S8600XN S8600XR		S86560 S86560SL		S888 S888SL		S9352 S9353	
S84814		S85720XG		S8601		\$86565		S891		S9354	
S84814XC		S85720XGSL		S8601SL		S86570		S891SL		S9355	
S84814XE		S85720XJ		S8601XCSL		S86580		S892		S9356	
S84814XJ	212	S85720XJSL	. 154	S8601XESL	156	S86580SL	173	S892SL	171	S95	168
S84814XN		S85720XK		S8601XGSL		S8675SL		S893		S960	
S84814XR		S85720XKSL		S8601XJSL		S867SL		S894		S962	
S84816		\$85720XN		S8601XKSL		S8682		S894SL		S962SL	
S84816XC S84816XE		S85720XNSL S85720XR		S8601XNSL S8601XRSL		S8682SL S8685L		S895 S895SL		S964SL	
S84816XJ		S85720XRSL		\$8602		S8685LXC		\$896		S966	
S84816XN		S85725		S86021		S8685LXE		S8968		S968	
S84816XR		S85725XC		S86021XC		S8685LXG		S896XC		S97	
S84886SL	159	S85725XE	. 153	S86021XE	195	S8685LXJ	154	S896XE	218	S970	
S84886XCSL		S85725XG		S86021XG		S8685LXK		S896XG		S971	
S84886XESL		S85725XJ		S86021XJ		S8685LXN		S896XJ		S972	
S84886XGSL		\$85725XK		\$86021XK		\$8685LXR		S896XK		S973	
S84886XJSL S84886XKSL		S85725XN S85725XR		S86021XN S86021XR		S8685R S8685RXC		S896XN S896XR		S975 S975SL	
S84886XNSL		S8572SL		\$86022XC		S8685RXE		S897		S976	
S84886XRSL		S8573SL		S86022XE		S8685RXG		S89701		S976SL	
S8508		S8574		S86022XG		S8685RXJ		S8971		S977	
S8529	171	S8575	. 190	S86022XJ		S8685RXK	154	S8972		S979	
S8545SL		S8579		S86022XK		S8685RXN		S898		S980	
\$85700		S8581		\$86022XN		S8685RXR		S898SL		S981	
S85700SL S85700XC		S8583SL S85892		S86022XR S86025		S8691 S8691XC		S90 S902		S982 S983	
30370000	103	J0J09Z	. 143	J0002J	100	3009170	103	J30Z	1/2	J30J	1/1

Steel

S985	202
S988	181
S989	183
S991	182
S992	183
S994	183
S995	182
S997	181
S999	182
SART	221

100		1025HD		1201SL		237HD		584SLHD	
104		1027SL		1201SL		243HD		588HD	
105		1029SL		1202SL		255HD		601HD	
108		1031HD		1202SL		256HD		601XCHD	
118		1031SLHD		128XC		262HD		601XEHD	
128		1032HD		128XE		262HDXC		601XJHD	
130		1034HD		128XG		262HDXE		601XNHD	
131		1035HD		128XJ		262HDXG		601XRHD	
137		1037HD		128XK		262HDXJ		602HD	
139		1037SLHD		128XN		262HDXK		604HD	
198		1038HD		128XR		262HDXN		605HD	
310		1038SLHD		130SL		262HDXR		605HDXC	
369		1039HD		130SL		263HD		605HDXE	
571		1039SLHD		132HD		263HDXC		605HDXJ	
610		1040HD		132SLHD		263HDXE		605HDXN	
620		1040SLHD		138SL		263HDXG		605HDXR	
626		1041HD		139SL		263HDXJ		606HD	
800		1041SLHD		1400SLHD		263HDXK		606HDXC	
808		1042HD		1403HD		263HDXN		606HDXE	
810		1044HD		1405HD		263HDXR		606HDXJ	
818		1047HD		1405SLHD		263SLHD		606HDXN	
828		104XC		1406HD		263SLHDXC		606HDXR	
829		104XE		1408HD		263SLHDXE		607HD	
896		104XG		1411HD		263SLHDXG		607HDXC	
916		104XJ		1643HD		263SLHDXJ		607HDXE	
1006		104XK		1643SLHD		263SLHDXK		607HDXJ	
1027		104XN		1644HD		263SLHDXN		607HDXN	
1028		104XR		1644SLHD		263SLHDXR		607HDXR	
1029		1055HD		1650HD		289EHD		608HD	
1200		1089SLHD		1651HD		289ESLHD		608HDXC	
1201		108XC		1651SL		289HD		608HDXE	
1202		108XE		1657HD		289HDXC		608HDXJ	
1203		108XG		1657SLHD		289HDXE		608HDXN	
5425		108XJ		1659HD		289HDXG		608HDXR	
8132		108XK		1660HD		289HDXJ		609HD	
8145		108XN		1662HD		289HDXK		610SL	
8206		108XR		19020T		289HDXN		613HD	
8317		1101HD		19055T		289HDXR		615HD	
8321		1101XCHD		19080T		294HD		615SLHD	
8322		1101XEHD		19200T		294SLHD		6184SL	
8323		1101XGHD		19210T		296HD		6184SL	
8324		1101XJHD		19220T		296HDXC		6184XCSL	
8704		1101XKHD		19520T		296HDXE		6184XCSL	
8708		1101XNHD		19720T		296HDXG		6184XESL	
8752		1101XRHD		19730T		296HDXJ		6184XESL	
03142HD		1102HD		19740T		296HDXK		6184XJSL	
1001HD		1107HD		19750T		296HDXN		6184XJSL	
1002HD		1110HD		19800T		296HDXR		6184XNSL	
1004HD	241	1111HD	239	19810T	253	296SLHD	246	6184XNSL	247
1005HD		1112HD		19820T		296SLHDXC		6184XRSL	
1006SL		1113HD		198SL		296SLHDXE		6184XRSL	
1007HD		1114HD		198SL		296SLHDXG		6185SL	
1007SLHD		1115HD		203HD		296SLHDXJ		6185SL	
1008HD		1116HD		205HD		296SLHDXK		6185XCSL	
1009HD		1117HD		206EHD		296SLHDXN		6185XCSL	
1009SLHD		1118HD		206HD		296SLHDXR		6185XESL	
100SL		1119HD		206HDXC		309HD		6185XESL	
100SL		1120HD		206HDXE		310SL		6185XJSL	
100XCSL		1121HD		206HDXG		311HD		6185XJSL	
100XCSL		1123HD		206HDXJ		311SLHD		6185XNSL	
100XESL		1123HDXC		206HDXK		369SL		6185XNSL	
100XESL	248	1123HDXE	241	206HDXN	241	371HD		6185XRSL	234
100XGSL		1123HDXG		206HDXR		371SLHD		6185XRSL	
100XGSL	248	1123HDXJ	241	2109HD	237	374HD	239	6186SL	235
100XJSL	234	1123HDXK	241	210HD		416SL	234	6186SL	
100XJSL		1123HDXN		210SLHD		426HD		6186XCSL	
100XKSL		1123HDXR		210SLHDXC		430HD		6186XCSL	
100XKSL		115HD		210SLHDXE		430SLHD		6186XESL	
100XNSL	234	118XC	234	210SLHDXG	241	454HD		6186XESL	
100XNSL		118XE		210SLHDXJ		4572SLHD		6186XJSL	
100XRSL	234	118XG	234	210SLHDXK	241	508HD	244	6186XJSL	
100XRSL	248	118XJ	234	210SLHDXN	241	5425SL	237	6186XNSL	234
1011HD	239	118XK	234	210SLHDXR	241	544HD		6186XNSL	
1020HD		118XN	234	2110HD	237	546SLHD	236	6186XRSL	234
1021HD	238	118XR	234	2111HD	237	576HD	240	6186XRSL	
1022HD		1200SL	235	211HD	239	578HD	240	620SL	233
1024HD	238	1200SL	248	236HD	246	582HD	240	623HD	240

Pulse_® Fire 625HD......243 8321XC 249 999HD.....240 TS237......252 625SLHD 240 8321XE......249 AVRT......253 TS243.....249 100 626SL..... 234 8321XG 249 AXRT TS255..... 253 251 203 627HD 240 8321XJ.....249 BSRT 253 TS256..... 20 628HD 243 8321XK 249 CNRT......253 TS262......250 210 TS262XC249 628SLHD......240 8321XN 249 FWRT...... 253 8321XR249 TS262XE......249 630HD238 KNRT......253 978 631HD.....240 86184SL......248 PBRT 253 TS262XG 249 FCI 632SL......235 86185SL.....248 RSRT 253 TS262XJ......249 FCI 86186SL.....248 632SL..... 248 SART 253 TS262XK 249 FCI 632XCSL 234 896XC 252 TS100......252 TS262XN FCI 632XCSL 247 TS104......250 TS262XR 249 896XE......252 FCF 632XESL......234 896XG 252 TS104XC249 TS263......251 FCI TS104XE..... 632XESL..... TS263SL..... 247 896XJ......252 249 250 FCF 632XGSL 234 896XK 252 TS104XG 249 TS263XC 251 FCI TS263XCSL 249 632XGSL 247 896XN 252 TS104XJ......249 FM TS263XE..... 632XJSL......234 896XR 252 TS104XK 249 FM 632XJSL......247 916SL.....233 TS104XN 249 TS263XESL..... 249 FMI 632XKSL......234 926HD......238 TS104XR 249 TS263XG 251 FM 632XKSL......247 930HD......243 TS105......250 TS263XGSL 249 FM 930SLHD......238 632XNSL 234 TS108..... 248 TS263XJ..... 251 FM TS108XC247 TS263XJSL.....249 632XNSL 247 956SLHD 236 FM 632XRSL 234 959HD.....237 TS108XE......247 TS263XK251 FM 632XRSL 247 959HDXC......237 TS108XG247 TS263XKSL.....249 TS108XJ..... 6500HD..... TS263XN 234 959HDXCSL......237 247 251 FM 6500SL..... 234 959HDXE......237 TS108XK TS263XNSL 247 249 SS 6520HD......244 959HDXESL 237 TS108XN 247 TS263XR251 SS 6560HD..... 240 959HDXG......237 TS108XR 247 TS263XRSL 249 SS 6565HD 240 959HDXGSL......237 TS115......250 TS289......251 SS TS289XC251 6565SLHD......240 959HDXJ 237 TS118.....249 SS 959HDXJSL 237 TS118XC247 6568HD......240 TS289XE......251 SS TS118XE..... TS289XG 6570HD..... 959HDXK......237 246 247 251 SS 6570SLHD 246 959HDXKSL.....237 TS118XG247 TS289XJ.....

TS118XJ.....247

TS118XK247

TS118XN 247

TS118XR247

TS1200......248

TS1202......248

TS1203......248

TS128.....248

TS128XC 247

TS128XE......247

TS128XG247

TS128XK247

TS128XN 247

TS128XR 247

TS131.....249

TS132......249

TS132SL.....249

TS1408......250

TS198......249

TS128XJ.....

TS130.....

TS137.....

TS1405SL.....

TS1411.....

TS206..... TS206XC249

TS206XE.....

TS206XG

TS206XJ......249

TS206XK 249

TS206XN 249

TS206XR 249 TS210.....252

TS210XESL.....249

TS210XGSL 249

TS210XJSL.....249

TS210XKSL.....249

TS210XNSL 249 TS210XRSL

TS236......252

TS210SL.....

TS210XCSL

248

247

248

249

250

TS1201.....

959HDXN......237

959HDXNSL......237

959HDXR.....237

959HDXRSL.....237

959SLHD......237

961HD......237

961HDXC......237

961HDXE......237

961HDXG......237

961HDXJ237

961HDXK......237

961HDXN......237

961HDXR.....237

965HD......236

965SLHD 236

966SLHD......236

967HD......236

967SLHD 236

968HD......236

969HD......246

971SLHD 236

978HD......246

980HD 242

980HDXC......241

980HDXE......241

980HDXG......241

980HDXJ 241

980HDXN......241

980HDXR......241

982HD......242

982HDXC......241

982HDXE......241

982HDXG......241

982HDXJ 241

982HDXK......241

982HDXN......241

982HDXR.....241

984HD.....241

985HD......241

988HD......239

989HD......240

991HD......238

996HD......239

241

980HDXK.....

6572HD 243

6578HD......238

6580SLHD 237

6582HD......237

6720HDXCSL......237

6720HDXGSL......237

6720HDXJSL237

6720HDXKSL......237

6720HDXNSL......237

6720HDXRSL......237

6720SLHD 237

704HD......245

707HD 245

708HD 245

721HD......245

735HD 245

736HD......245

745HD 245

752HD......245

818XCSL 248

818XE......247

818XESL......248

818XG 247

818XGSL 248

818XJSL.....248

818XK 247

818XKSL......248

818XN 247

818XNSL 248

818XR 247

8206XC 249

8206XE......249

8206XG 249

8206XK 249

8206XN 249

828SL.....248

829SL.....248

818XRSL

8206XJ.....

8206XR

818XJ.....

818SL.....

818XC

237

249

247

247

248

249

249

6720HDXESL

1 110	1 0100
100258	DRS2131SL271
1005HD 258	DRS82131SL 271
203HD258	S10AXSL272
205HD258	S10CLSL272
210HD258	S10PBSL271
969HD258	S10XCSL272
978HD258	S10XESL272
FCF100257	S10XGSL272
FCF160257	S10XJSL272
FCF31256	S10XKSL272
FCF755257	S10XNSL272
FCF809256	S10XRSL272
FCF8100257	S1651SL271
FCF8160257	S1AV265
FCF862257	S1AX 266
FMF100256	S1BL264
FMF134256	S1BS264
FMF205256	S1CL266
FMF220256	S1LAV265
FMF31256	S1LAX 266
FMF60256	S1LBL264
FMF600256	S1LBS 264
FMF755256	S1LCL266
FMF8100256	S1LPB
FMF860256	S1LRS 265
SSF100258	S1LSA
SSF11258	S1LSG
SSF1100257 SSF120257	S1LSN 265 S1LXC 266
SSF160258	S1LXE266
SSF200257	S1LXG 266
SSF205257	S1LXJ266
SSF220257	S1LXK
SSF31257	S1LXN
SSF4800258	S1LXR 266
SSF600258	S1PB266
SSF755257	S1RAV
SSF8100258	S1RAX
SSF81100257	S1RBL 265
SSF8120257	S1RBS264
SSF8160258	S1RCL 266
SSF8200257	S1RPB266
SSF8205257	S1RRS266
SSF8220257	S1RS 265
SSF831257	S1RSA265
SSF84800258	S1RSG265
SSF8600258	S1RSN265
SSF93257	S1RXC266
SSF960258	S1RXE 266
TS100258	S1RXG266
TS210258	\$1RXJ266 \$1RXK266
	S1RXN266
	S1RXR 266
	S1SA
	S1SG265
	S1SN265
	S1XC
	S1XE266
	S1XG266
	S1XJ266
	S1XK 266
	S1XN266
	S1XR266
	S2AX264
	S2CL264
	S2PB 264
	S2RS264
	S2SG 264
	S2SN
	S2XC 264
	S2XE
	S2XG
	S2XJ
	S2XK

252

252

252

252

252

252

TS289XK 251

TS289XN251

TS289XR251

TS296......252

TS296SL......252

TS296XE......252

TS296XESL......252

TS296XGSL 252

TS296XJ......252

TS296XN 252

TS296XR 252

TS296XRSL252

TS572SL......234

TS752......251

TS296XC

TS296XCSL

TS296XG

TS296XJSL.....

TS296XK

TS296XKSL.....

TS296XNSL

TS704.....

TS708.....

S2XR	264	S5XK	269	S811LXG	270	S83AX	264	S85RXC	269	S8RPB	267
S4570SL	271	S5XKSL	272	S811LXJ	270	S83CL	264	S85RXE	269	S8RXC	270
S4AX	268	S5XN	269	S811LXK	270	S83PB	264	S85RXG	269	S8RXE	270
S4AXSL	272	S5XNSL	272	S811LXN	270	S83RS	264	S85RXJ	269	S8RXG	270
S4CL	269	S5XR	269	S811LXR	270	S83SG	264	S85RXK	269	S8RXJ	270
S4CLSL	272	S5XRSL	272	S811PB	267	S83SN	264	S85RXN	269	S8RXK	270
S4LAX	268	S601SL	271	S811PBSL	271	S83XC	264	S85RXR	269	S8RXN	270
S4LCL	269	S601XCSL	271	S811RAX	269	S83XE	264	S85XC	269	S8RXR	270
S4LPB	266	S601XESL	271	S811RCL	270	S83XG	264	S85XCSL	272	S8XC	270
S4LXC	269	S601XGSL	271	S811RPB	267	S83XJ	264	S85XE	269	S8XE	270
S4LXE	269	S601XJSL	271	S811RXC	270	S83XK	264	S85XESL	272	S8XG	270
S4LXG	269	S601XKSL	271	S811RXE	270	S83XN	264	S85XG	269	S8XJ	270
S4LXJ	269	S601XNSL	271	S811RXG	270	S83XR	264	S85XGSL	272	S8XK	270
S4LXK	269	S601XRSL	271	S811RXJ	270	S84586SL	271	S85XJ	269	S8XN	270
S4LXN	269	S602SL		S811RXK		S84AX	268	S85XJSL	272	S8XR	
S4LXR	269	S604SL		S811RXN	270	S84AXSL		S85XK	269	S9AX	268
S4PB	266	S6127SL		S811RXR	270	S84CL	269	S85XKSL	272	S9AXSL	
S4PBSL		S6130SL		S811XC		S84CLSL		S85XN		S9CL	
S4RAX		S6134SL		S811XCSL		S84LAX		S85XNSL		S9CLSL	
S4RCL		S6500SL		S811XE		S84LCL		S85XR		S9LAX	
S4RPB		S81086SL		S811XESL		S84LPB		S85XRSL		S9LCL	
S4RXC		S81086XCSL		S811XG		S84LXC		S86500SL		S9LPB	
S4RXE		S81086XESL		S811XGSL		S84LXE		S86AX		S9LXC	
S4RXG				S811XJ		S84LXG		S86AXSL		S9LXU S9LXE	
		S81086XGSL		S811XJSL							
S4RXJ		S81086XJSL				S84LXJ		S86CL		S9LXG	
S4RXK		S81086XKSL		S811XK		S84LXK		S86CLSL		S9LXJ	
S4RXN		S81086XNSL		S811XKSL		S84LXN		S86LAX		S9LXK	
S4RXR		S81086XRSL		S811XN		S84LXR		S86LCL		S9LXN	
S4XC		S810AX		S811XNSL		S84PB		S86LPB		S9LXR	
S4XCSL		S810AXSL		S811XR		S84PBSL		S86LXC		S9PB	
S4XE		S810CL		S811XRSL		S84RAX		S86LXE		S9PBSL	
S4XESL		S810CLSL		S81651SL		S84RCL		S86LXG	269	S9RAX	268
S4XG		S810LAX		S81AX		S84RPB	266	S86LXJ	269	S9RCL	270
S4XGSL		S810LCL	270	S81BL	264	S84RXC	269	S86LXK	269	S9RPB	267
S4XJ	269	S810LPB	267	S81BS	264	S84RXE	269	S86LXN	269	S9RXC	270
S4XJSL	272	S810LXC	270	S81CL	266	S84RXG	269	S86LXR	269	S9RXC	270
S4XK	269	S810LXE	270	S81LAX	266	S84RXJ	269	S86PB	267	S9RXE	270
S4XKSL	272	S810LXG	270	S81LBL	264	S84RXK	269	S86PBSL	271	S9RXJ	270
S4XN	269	S810LXJ	270	S81LBS	264	S84RXN	269	S86RAX	268	S9RXK	270
S4XNSL	272	S810LXK	270	S81LCL	266	S84RXR	269	S86RCL	269	S9RXN	270
S4XR	269	S810LXN	270	S81LPB	266	S84XC	269	S86RPB	267	S9RXR	270
S4XRSL	272	S810LXR	270	S81LRS	265	S84XCSL	272	S86RXC	269	S9XC	270
S572SL		S810PB	267	S81LSA	265	S84XE	269	S86RXE	269	S9XCSL	
S5AX		S810PBSL		S81LSG		S84XESL		S86RXG		S9XE	
S5AXSL		S810RAX		S81LXC		S84XG		S86RXJ		S9XESL	
S5CL		S810RCL		S81LXE		S84XGSL		S86RXK		S9XG	
S5CLSL		S810RPB		S81LXG		S84XJ		S86RXN		S9XGSL	
S5LAX		S810RXC		S81LXJ		S84XJSL		S86RXR		S9XJ	
S5LCL		S810RXE		S81LXK		S84XK		S86XC		S9XJSL	
S5LPB		S810RXG		S81LXN		S84XKSL		S86XCSL		S9XK	
S5LXC		S810RXJ		S81LXR		S84XN		S86XE		S9XKSL	
S5LXE		S810RXK		S81PB		S84XNSL		S86XESL		S9XN	
				S81RAX				S86XG			
S5LXG S5LXJ		S810RXN S810RXR		S81RBL		S84XR S84XRSL		S86XGSL		S9XNSL S9XR	
S5LXK				S81RBS				S86XJ		S9XR S9XRSL	
		S810XC				S8572SL				99VH9F	212
S5LXN		S810XCSL		S81RCL		S85927SL		S86XJSL			
S5LXR		S810XE		S81RPB		S85931SL		S86XK			
S5PB		S810XESL		S81RRS		S85932SL		S86XKSL			
S5PBSL		S810XG		S81RS		S85AX		S86XN			
S5RAX		S810XGSL		S81RSA		S85AXSL		S86XNSL			
S5RCL		S810XJ		S81RSG		S85CL		S86XR			
S5RPB		S810XJSL		S81RXC		S85CLSL		S86XRSL			
S5RXC		S810XK		S81RXE		S85LAX		S8AX			
S5RXE	269	S810XKSL	272	S81RXG	266	S85LCL	269	S8CL	270		
S5RXG	269	S810XN	270	S81RXJ	266	S85LPB	266	S8LAX	268		
S5RXJ	269	S810XNSL	272	S81RXK	266	S85LXC	269	S8LCL	270		
S5RXK	269	S810XR	270	S81RXN	266	S85LXE	269	S8LPB	267		
S5RXN	269	S810XRSL	272	S81RXR	266	S85LXG	269	S8LXC	270		
S5RXR		S811AX	269	S81SA	265	S85LXJ	269	S8LXE	270		
S5XC		S811AXSL		S81SG		S85LXK		S8LXG			
S5XCSL		S811CL		S81XC		S85LXN		S8LXJ			
S5XE		S811CLSL		S81XE		S85LXR		S8LXK			
		S811LAX		S81XG		S85PB		S8LXN			
S5XESL		S811LCL		S81XJ		S85PBSL		S8LXR			
S5XESL S5XG	269										
S5XG											
	272	S811LPB S811LXC	267	S81XK S81XN	266	S85RAX S85RCL	268	S8PB S8RAX	267		










Top: Pulse Línea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB














Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at **thermatru.com/learning.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals.**







Where Home Begins...

thermatru.com 1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537









#thermatru

Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally.

©2022 Larson Manufacturing Company. All rights reserved. LARSON, QUICKFIT and CLICK&HOLD are trademarks of Larson Manufacturing Company.

Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Home & Security, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.