
## PAVING STONES • RETAINING WALLS • OUTDOOR LIVING paver-shield



Give your Backyard What it Wants



#### **START PLANNING**

Welcome to Nicolock4
Warranty5
Financing6
paver- <b>shield</b> ™7
Designing with Borders & Inlays9
START WITH COLOR10
Nicolock's Top Selling Colors11
IMAGES BY PROJECT TYPE
Pools & Patios14
Driveways, Walkways & Stoops24
Fire Pits, Fireplaces & Outdoor Dining34

#### **PAVING STONES**

paver- <b>shield</b> ™pavers	44
Stone Ridge	
Stone Ridge Contemporary	
Stone Ridge XL	
Alpine Ridge	48
Alpine Contemporary	49
Plank Paver	50
Ridge Brick	51
Rustico 6x6 & Rustico 6x9	53
Rustico 4 Pc Combo	
Blue Ridge	55
Heritage Slab	56
Holland Stone	58
Colonial Cobble 1.5 Normal	58
NEW Hex Paver & Paragram Paver	59
Inlays, Borders & Circle Kits	62
Environmental Pavers	69
Nicostone Pavers	73

#### WALL SYSTEMS

<b>WALL SYSTEMS</b> 79
Landscape Walls
Belvedere Wall82
6" Colonial Wall83
5" Colonial Wall84
Mini Colonial Wall85
V <u>er</u> ona Wall86
(NEW) Verona Wall XL
Stonegate <sup>®</sup> Contemporary Wall
Kodah Wall
Retaining Walls
Alta Wall
Alta Pro Wall90
(NEW!) Keystone Compac <sup>®</sup> Contemporary91
Keystone Compac <sup>®</sup> III Straight Split92
Firma Wall93
Outcropping94
Redi-Rock <sup>®</sup> Retaining Wall95
Garden Walls
Serafina Wall96
Mountain Block97
Garden Wall98

#### PIERS, CAPS & STEPS

Pier Kits	100
Pier Caps	103
Coping & Caps	104
Steps	111

#### FIRE PITS & FIREPLACES

FIRE PITS	114
NEW LUME Surround	121
Fire Pit Accessories	123
FIREPLACES	125

#### **OUTDOOR DINING**

OUTDOOR DINING	129
Segmental Kitchen Systems	134
Appliance Kitchen Packages	135
(NEWI) Hybrid Oven & Quest Grill	135
Stainless Steel Appliances	136
Essenze di Luce	138
Dimplex Outdoor Heaters	139
Pergolas	140
NATURAL STONE VENEERS	141

#### PRODUCT SPECIFICATIONS

paver- <b>shield™</b> Color Swatches	.142
Textured Wall Swatches	.146
Smooth Wall Swatches	.148
Nicostone Swatches	.150
Paver Installation Guide	.152
Retaining Wall Installation Guide	.154

#### FAQ, INSTALL GUIDES & MORE

Stain Removal15	56
Frequently Asked Questions19	58
Paving Stone Patterns15	59



# TO NICOLOCK PAVING STONES

#### TO NICOLOCK P

#### Roberto Micolia

CEO/President, Nicolock Paving Stones

If you're like me, you take great pride in your home. It's likely your biggest investment. It's your retreat from the world and its stresses. More than just a shelter for you and your family—it's the place life's most special moments happen.

Why limit yourself— and the memories you make— to the interior of your home when you can break out and expand your living space? Imagine a dream outdoor living space custom-designed with every feature that's important to you and your family. From patios to poolscapes, fire pits to outdoor kitchens, lighting and sound features, and everything in-between, we've got you covered.

It's time to give your backyard what it wants!

Whether you're here to start planning the perfect outdoor living project or are a returning customer looking to add some of the newest design features to your existing Nicolock oasis, we're happy to help you.

With an outdoor living space by Nicolock, you're not just investing in the long-term value of your home, you're living life better today. You're building a space where everyone special to you will want to gather together— year-round—to create priceless memories.

Together, we'll transform your backyard into a place you won't want to leave —and the place you can't wait to return to if you do.

Three generations of my family have been building homeowners' hardscape dreams for over 60 years.

Let's build yours next.

#### WHY HOMEOWNERS CHOOSE NICOLOCK

**Color That Can't Be Beat.** Did someone say "COLOR"? Nicolock customers surveyed consistently state that, of all the reasons to choose our products, the single most important factor in their buying decision was COLOR. And none of our competitors can beat the vast range of stunning color palettes Nicolock offers.

With virtually limitless, vibrant color options, we can accommodate whatever your vision entails— from earthy tones to accent features that pop with color, and more, Nicolock has you covered on color.

And thanks to our exclusive, patented paver-**shield™** technology, you can count on our pavers to always look as good as the day we installed them. Infused from top to bottom, each stone has color that lasts—and durability to match.

**Personalized Shopping Experience Options.** Whether you already know exactly what your dream yard will look like, or you have some ideas in mind to get started, or you're totally lost over the many choices we offer, our team is here to help you every step of the way.

It's important to us to make the process, stress-free and enjoyable for you from our very first meeting until the last paver of your project is placed. We offer shopping experiences to suit your preferences.

If you are looking for inspiration for your next outdoor living project, you are welcome to visit one of our spacious outdoor design centers. Here, you can explore the many samples of outdoor living features and projects on display. This is a great starting point for many of our customers.

Maybe you prefer a personalized and pampered shopping experience? Let us bring our showroom to your front door. Imagine your excitement— not to mention your neighbors' attention— when our 10 x 20-foot luxury mobile showroom pulls up to your home with samples of many of our most popular foundational pieces and accent features. You can see it all up close, in person, at your home. Feel the pavers, see the colors, check out the popular fire features while being guided by one of our friendly, knowledgeable territory managers. Our projects sell themselves, so you will never be pressured by our sales team.

#### Guaranteed for Life...and Longer: Our Lifetime Transferrable

**Warranty.** It is our mission to deliver the outdoor living space you dreamed of. And when we say we stand behind our work, it isn't just empty words.

Three generations of my family (so far!) have backed our promise with something as strong as the Nicolock family reputation. It's our *lifetime, transferable warranty.* 

It's us promising that the project we build for you today will be enjoyed not only for as long as you own your home—but for as long as the person you someday transfer it to owns it as well. What a value to pass on to a future buyer of your home! You'd be hard-pressed to find a guaranty like ours on any other indoor or outdoor home improvement project. "Show Me the Money!"— Affordability and Financing. Whatever you dream for your project, we are committed to finding the payment solution that works best for you regardless of the size of your budget. In fact, we offer multiple financing options that help homeowners complete their projects all at once, as well as options for those who want or need to spread their projects out in phases over time.

If you comparison shop, you will find that our products are often significantly more affordable than our competitors' similar products.

We love when our customers return to expand on their original projects by adding other exciting features like pizza ovens, outdoor kitchens, fire features, and more. We're seeing this upgrading trend every year as we roll out new and irresistible, "must-have" features to take the fun up another level! And this year is no exception!

Nicolock offers stunning lighting, sound, and design options that rival professional catering venues. So, many of our customers wisely choose to invest in a permanent backyard paradise instead of spending that money on a single, four-hour catering hall event. Can you picture special events in the outdoor space you're dreaming of creating?

Just like indoor home improvements are often financed, your outdoor investment can be as well. Let's talk.

We've Got the Goods— No Supply Chain Worries. Just as

important as doing the job right, is doing the job on time. We respect your time and pride ourselves on showing up with our products to do the job when we say we will be there.

We don't have supply chain worries because we make our paving stones on Long Island and in three more of our manufacturing plants throughout the northeast. So, wherever you are, you're never far from a Nicolock facility.

Unlike some of our competitors, we have plenty of inventory and won't try to limit you to just a handful of the most popular options. You can have it all. Your color. Your style. Don't you and your family deserve that?


PROUDLY MADE IN THE USA

So, are you ready to give your backyard what it wants? Because we're ready when you are.

paver-**shield** 

## **COME HOME TO NICOLOCK!**

Nicolock pavers have a full, structural lifetime warranty\* and are transferable to the next owner should you sell. Register your products at NICOLOCK.COM and follow the 3 easy steps below.



#### LIFETIME WARRANTY\*

Nicolock provides a limited lifetime warranty on the structural integrity of its manufactured product used in residential applications. Nicolock pavers are warrantied for as long as you own your home and are transferable to the next owner should you sell. Nicolock products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with products of equal value. Removal and replacement labor cost is not the responsibility of Nicolock. Regarding de-icing products, Nicolock recommends sand for slip resistance as it is the most environmentally friendly option for use on concrete products. If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) which should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent. **NOTE:** De-icing agents of any kind are not recommended for our Nicostone line.

Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Nicolock representative. Other exclusions apply.

Nicolock / Nicolia Concrete Products is the owner or authorized user of all patents and trademarks for products and designs illustrated herein. Firma®, Checker Block®, Sante-Euro® & paver-shield® are examples of registered trademarks of Nicolia Concrete Products. SF-Rima® is a trademark of SF Concrete Technology, Inc. Trinity® is a trademark of Earth Reinforcement Technologies. • US Patent # : Firma® 6,082,933.



### DEFER PAYMENT, NOT YOUR DREAMS!

Introducing **Nicolock Financing** powered by Service Finance, a nationwide consumer finance program. Our exclusive financing plans make it possible for homeowners to complete their dream outdoor living spaces now with the help of multiple financing options, including true no interest payment (SAC), low monthly payments, or a combination of both plans.

Increase your home's value with the peace of mind of **Nicolock Financing**. Ask your Territory Manager for more information.



LOW MONTHLY PAYMENTS Avoid high credit card interest rates. Choose the best payment option for you.




FAST, EASY AND SAFE Easy application for nearinstant approvals via phone, online or mobile app, 24/7



UNSECURED FINANCING 100% unsecured financing up to **\$100,000**on approved credit.



PEACE OF MIND The application is free, there are no closing costs and no prepayment penalties





#### **PAVER-SHIELD™** is not a sealer, it's built into the manufacturing process for optimal durability

4

The final result is the very best in color, strength, and beauty that will last for generations!

6



gives pavers a tight, smooth surface texture that will not expose heavy aggregate

#### PAVER-SHIELD<sup>™</sup> TECHNOLOGY

Tight, smooth surface texture that is built into the paver, not a sealer like other manufacturers

Nicolock sources the highest class raw materials in the industry for the highest quality pavers



Our state-of-the-art manufacturing process creates a durable base mix

щ

2

THE PAVER-SHIELD™ DIFFERENCE

Our patented process is not a sealant and features a smooth, ultra dense surface and rich vibrant color guaranteed not to fade!

Iron oxide bonds with cement molecules resulting in the most vibrant color seen throughout each paver

3

Other quality materials are added to create our **PAVER-SHIELD™ TECHNOLOGY!** 

÷

Ultra dense base mix featuring color throughout the paver ensuring a lifetime of beauty

## **BEFORE YOU START...**

A key aspect to consider when choosing your product is your landscaping. Keep in mind the change of seasons and the way the colors around your home project will change. Different times of day may cast shadows in different areas of your pavers. It's important to plan how the environment affects your aesthetic. The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.** 

Images below were photographed minutes apart in the same location. Image on the left is with cloud cover, image on the right is in full sun.



Shade variations are inherent in colored concrete products using natural materials. Delivered product can vary slightly from physical samples.

# Using advanced design fundamentals to **CREATE A STRIKING VISUAL OUTDOOR SPACE**

Nicolock has everything you need to create the "WOW" factor when you're designing your outdoor space. Whether it's a new patio, poolscape, driveway, or any other outdoor project, our design fundamentals make it easy to create a customized look that complements your particular style and taste. It all begins with color. Choose from our vast collection of rich, artisan colors. Then, get creative with our different-shaped paving stones and paver laying pattern options. Check out a few examples of popular laying patterns on the next few pages-- or mix and match to create your own unique design.




### **90°**traditional

#### PAVER DIRECTION

Go from a traditional installation to an exceptional look by laying pavers at a 45 degree angle to create the illusion of space.





#### BORDERS

Borders define edges and softly combine large areas that would otherwise be toneless. Monochromatic or contrasting colors help define your style.






#### INLAYS

Inlays allow you to define an area within your outdoor space. Often created with contrasting colors and textures, inlays add visual interest to make your space pop.

step 1, choose your GOLOR

Nicolock's rich, artisan colors—in blends of tans, browns, grays, and blues—are where your outdoor living dreams begin. Create your perfect space from our virtually limitless palettes of warm and cool neutral tones.



hcolocc

## paver-shield



**CAPPUCCINO BLEND\*** 

A blend of earthy Browns and vibrant tans



**CHESAPEAKE BLEND\*** 

A blended mix of Travertina and Pewter



TOP

SELLING

**COLORS** 

**GRANITE CITY BLEND** 

A two color blend of Pewter and Charcoal



#### **GRAPHITE PEARL BLEND\***

A rich mixture of white, Pewter and Raven



#### HUDSON VALLEY BLEND

A blended mix of earthtones containing Pewter, Charcoal and Brown



OCEANIC BLUE\*

stormy blue and white



PENNSYLVANIA BLUE\*\*

A deep blue resembling the natural color of Pennsylvania Bluestone



SOUTH BAY BLEND\*




TRAVERTINA\*
A two-tone blend of coral and white




#### WESTCHESTER BLEND

A three color blend containing Pewter, Charcoal and Chamois accents

> \*Premium Color \*\*Deluxe Color







**GRANITE CITY BLEND** 


Stone Ridge XL

### enjoy your outdoor OASIS **Pools & Patios**


nicolock.com | Give Your Backyard What it Wants 14






















# enhance your CURBAPPEAL Driveways, Walkways & Stoops























# elevate your BACKYARD Fire Pits, Fireplaces & Outdoor Dining











37














# PAVER-SHIELD<sup>TM</sup> pavers

Helpful hint: If you're overwhelmed by all the choices smooth or textured, colors and sizes—matching the style of your home is a great place to start.

Nicolock's pavers are infused with more vibrant color options than anyone else. With a variety of sizes, styles, and textures to choose from, your perfect combination awaits.



## **STONE RIDGE**

#### paver-shield

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge XL.

#### THICKNESS PCS/SF SF/PALLET PCS/PALLET LBS/PALLET WIDTH LENGTH

A 4½"	9	23⁄8"	3.8		130	
<b>B</b> 9"	9"	23⁄8"	1.9	110	60	2,950
<b>C</b> 9"	13½"	23⁄8"	1.3		50	



**CAPPUCCINO BLEND\*** 



**PENNSYLVANIA BLUE\*\*** 



**CHESAPEAKE BLEND\*** 



**SOUTH BAY BLEND\*** 



#### **GRANITE CITY BLEND**



**TRAVERTINA\*** 



**GRAPHITE PEARL BLEND\*** 



WESTCHESTER BLEND



HUDSON VALLEY BLEND

**OCEANIC BLUE\*** 

#### Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* Golden Brown Blend

Marble Blend\* Oceanic 5\* Oyster Blend\* Peconic 6\*



## **STONE RIDGE CONTEMPORARY**

WIDTH LENGTH THICKNESS PCS/SF SF/PALLET PCS/PALLET LBS/PALLET

CONTEMPORARY	<b>A</b> 4½" <b>B</b> 9"	9" 9"	2¾" 2¾"	3.8 1.9	110	<u>130</u> 60	 2,950	- A	B 🌰	c 🍆	
nver- <b>shield</b>	<b>C</b> 9"	13½"	23⁄8"	1.3		50			100		200
Multi-sized rectangular shapes with a smooth and modern finish. Slightly chamfered edge.	D 18" Size D sold se	18" Darately	2¾"	2.25	131	60	3,537				SOLD SEPARATELY



**CAPPUCCINO BLEND\*** 



**CHESAPEAKE BLEND\*** 



SOUTH BAY BLEND\*







TRAVERTINA\*



**GRAPHITE PEARL BLEND\*** 



HUDSON VALLEY BLEND



**OCEANIC BLUE\*** 

#### Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* Golden Brown Blend

Marble Blend\* Oceanic 5\* Oyster Blend\* Peconic 6\*

46



## **STONE RIDGE XL**

#### Daver-shield

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge. Not recommended for vehicular applications.

#### SF/PALLET PCS/PALLET LBS/PALLET WIDTH LENGTH THICKNESS PCS/SF

A	9"	9"	2¾"	1.9		20	
В	9"	18"	23⁄8"	.93	110	50	2,950
С	18"	18"	23⁄8"	.46		20	
	Sizes not sold se	parately					





**CAPPUCCINO BLEND\*** 



**PENNSYLVANIA BLUE\*\*** 



**CHESAPEAKE BLEND\*** 



**SOUTH BAY BLEND\*** 



**GRANITE CITY BLEND** 



**TRAVERTINA\*** 



**GRAPHITE PEARL BLEND\*** 



WESTCHESTER BLEND



HUDSON VALLEY BLEND



**OCEANIC BLUE\*** 

# Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* Golden Brown Blend

Marble Blend\* Oceanic 5\*

Oyster Blend\* Peconic 6\*



## **ALPINE RIDGE**

#### (i) paver-shield

These multi-sized shapes will add a great feel to any project. Natural cleft texture with a lightly chamfered edge. Not recommended for vehicular applications. Add our 24x24 to your pattern, or use alone.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	7¾"	15%"	23⁄8"	2.55		30	_
В	15%"	15%"	23⁄8"	1.7	127	30	3,500
С	15%"	23½"	23%"	.84		20	

4

80





**CAPPUCCINO BLEND\*** 





D 23½"

Size D sold separately

23½"



**SOUTH BAY BLEND\*** 



2%"

**GRANITE CITY BLEND** 



**TRAVERTINA\*** 



20

2,260

**GRAPHITE PEARL BLEND\*** 



WESTCHESTER BLEND



HUDSON VALLEY BLEND

**OCEANIC BLUE\*** 

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Golden Brown Blend Marble Blend\* Oyster Blend\*




**PENNSYLVANIA BLUE\*\*** 48



## ALPINE CONTEMPORARY

paver-shield

Multi-sized rectangular shapes with a smooth texture and slightly chamfered edges. Not recommended for vehicular applications.





**CAPPUCCINO BLEND\*** 



PENNSYLVANIA BLUE\*\*



CHESAPEAKE BLEND\*



SOUTH BAY BLEND\*



**GRANITE CITY BLEND** 



**TRAVERTINA\*** 



**GRAPHITE PEARL BLEND\*** 



WESTCHESTER BLEND



HUDSON VALLEY BLEND

**OCEANIC BLUE\*** 

Also available in the following: (color swatches on pg. 142-145) Adobe Blend Golden Brown Blend Marble Blend\* Oyster Blend\*



## **PLANK PAVER**

#### naver-shield

The long and narrow design of this Nicolock favorite gives a finished and sleek appearance to complement modern design trends.



**GRANITE CITY BLEND** 



WIDTH

**A** 6"

**B** 6"

**C** 6"

**D** 6"

Size D sold separately

LENGTH

9"

13"

17"

13"

**GRAPHITE PEARL BLEND\*** 



THICKNESS

2¾"

2¾"

2¾"

2¾"

PCS/SF

2.66

1.85

1.41

1.85

SF/PALLET

103

103



PCS/PALLET LBS/PALLET

3,122

3,122

54

81

54

189



А 🍆 В 🎙



SOLD SEPARATELY

D


**C** \

SOUTH BAY BLEND\*


## **RIDGE BRICK**

#### naver-shield

A universal, oversized brick shape with a textured riven surface. Slightly chamfered edges. Use as a field paver or as a border.









**OCEANIC BLUE\*** 



SOUTH BAY BLEND\*



**GRANITE CITY BLEND** 

TRAVERTINA\*

# Also available in the following: (color swatches on pg. 138-141)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* CHARCOAL

2,950

400



**GRAPHITE PEARL BLEND\*** 



RAVEN\*






#### WESTCHESTER BLEND

# Golden Brown Blend

Marble Blend\* Oyster Blend\*





## RUSTICO 6x6 & 6x9

#### paver-shield

Single-sized square and rectangular shapes with a slightly dimpled surface. Chamfered edges and square corners make these perfect for inlays and borders.

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	6"	6"	2¾"	4	120	480	3,027
В	6"	9"	2¾"	3	113	300	2,982
	Sizes sold separ	ately					•••••





ADOBE BLEND (6x9 only)



CHESAPEAKE BLEND\*



GRAPHITE PEARL BLEND\* (6x9 only)



RAVEN\*



AUTUMN BLEND\* (6x9 only)



CRAB ORCHARD BLEND\* (6x9 only)



MARBLE BLEND\* (6x9 only)



SOUTH BAY BLEND\*



BROWN

**FIRE ISLAND BLEND** 

(6x9 only)

OCEANIC BLUE\*

(6x9 only)

TRAVERTINA\*



**CAPPUCCINO BLEND\*** 



CHARCOAL



GOLDEN BROWN BLEND (6x9 only)



**OYSTER BLEND\*** 



WESTCHESTER BLEND



GRANITE CITY BLEND



PENNSYLVANIA BLUE\*\* (6x9 only)



## **RUSTICO** 4 PC COMBO

#### naver-shield

Stylish multi-sized rectangular shapes with a slightly dimpled surface. Chamfered edges with square corners.

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	3"	6"	23⁄8"	8	_	100	
В	6"	6"	23⁄8"	4		100	
С	6"	9"	23⁄8"	2.7	117	160	3,050
D	9"	9"	23%"	1.8		40	







ADOBE BLEND

**GRANITE CITY BLEND** 



MARBLE BLEND\*



TRAVERTINA\*

**PENNSYLVANIA BLUE\*\*** 

WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 142-145)

Autumn Blend\* Crab Orchard Blend\* Fire Island Blend

Golden Brown Blend Oyster Blend\*



# **BLUE RIDGE**

## naver-shield

Multi-sized rectangular shapes with a textured riven surface and slightly chamfered edges give this paver a sleek look. Not recommended for vehicular applications.

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	6½"	13"	23⁄8"	3.8		40	
В	13"	13"	23⁄8"	1.9	106	40	2,761
С	13"	19½"	23⁄8"	1.3		20	

Sizes not sold separately





ADOBE BLEND




**CHESAPEAKE BLEND\*** 






**OCEANIC BLUE\*** 





PENNSYLVANIA BLUE\*\*





## **HERITAGE SLAB**

#### naver-shield

RED

SAHARA\*

(18x18 & 24x24 only)

SNOW\*

(18x18 & 24x24 only)

Heritage Slab is a great stone for various architectural applications including rooftops and plazas. Suitable for overlays and at-grade applications.

		WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
-	A	8"	16"	2"	1.13	80	90	1,783	
	В	12"	12"	2"	1	120	120	2,654	Δ
	С	18"	18"	2"	.44	135	60	2,990	
S 10	D	24"	24"	2"	.25	80	20	1,776	
JE	Ε		ROUND	2"	n/a	n/a	40	1,562	





TRAVERTINA\*

(18x18 & 24x24 only)

## **MRP SUPPORTS**

Decking and paver pedestal systems make a great alternative to traditional paving projects. These systems provide support for removable floor paneling, are quick and easy to install, improve ventilation to prevent water and mold damage, and can reduce energy consumption. Adjustable, self-leveling supports are slip resistant and can be used to compensate for slopes and absorb noise. Additional units available other than shown below. Project take-offs available upon request.



PRIME-PR1 covers heights: 1.20"-2.55"




PRIME-PR2 covers heights: 2.55"-6.10"



6.10"-16"

PRIME-PR3

covers heights:





SE5-P covers heights: 6.75"-8.5"

To view all products and information, please visit www.mrpsupports.com



SE1-P covers heights: 1.5"-2"



The adjustment key allows you to level your final grade by adjusting the height of the pedestal WITHOUT removing the paver. This unique tool helps save on labor costs, assists in reducing the opportunity for injuries caused by repeatedly removing heavy pavers in order to shim to achieve a level surface.



PAVER-SHIELD™



#### **ADVANTAGES OF PEDESTAL SUPPORTS:**

- Hides pipes and equipment while providing easy access for maintenance
- Absorbs expansion and structural movement
- Eliminates requirements of surface preparation
- Compensates for uneven and irregularities in the surface to create a flat surface
- Facilitates fast water drainage to resist mold
- Provides better thermal insulation
- Ensures fast installation to save money





covers heights: 2"-3"

SE3-P covers heights: 3"-4.75"



## MATRIX PEDESTALS



**5X ADJUSTABLE PEDESTAL** covers heights: 1.25"-2" 3/16" spacer tab 9/16 top tab

PAVER PEDESTAL

6<sup>13</sup>/16" X 6<sup>13</sup>/16" X <sup>9</sup>/16"

<sup>1</sup>/<sub>8</sub>" spacer tab %16 top tab



**6X ADJUSTABLE PEDESTAL** covers heights: 2"-3" 3/16" spacer tab 9/16 top tab



**PRODUCT SHIM** 1/8"

7X ADJUSTABLE PEDESTAL covers heights: 3"-4.5" 3/16" spacer tab 9/16 top tab



**PRODUCT SHIM** 1/16"



**8X ADJUSTABLE PEDESTAL** covers heights: 4.5"-7.5" <sup>3</sup>/<sub>16</sub>" spacer tab <sup>9</sup>/<sub>16</sub> top tab






**8X COUPLER** covers heights: 2.5"-4"




**PAVER PEDESTAL** 6 <sup>13</sup>/<sub>16</sub>" X 6 <sup>13</sup>/<sub>16</sub>" X <sup>9</sup>/<sub>16</sub>" 1/8" spacer tab 15/16 top tab



# **HOLLAND STONE**

### Daver-shield

A classic brick shape with a flat surface and chamfered edges. Versatile for many residential and commercial projects. Available in 31%" thickness for special order.



Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* Fire Island Blend Golden Brown Blend Marble Blend\* Oyster Blend\* Pewter Red




## COLONIAL COBBLE 1.5 NORMAL

#### paver-shield

RAVEN\*

Single-sized paver with a flat, smooth surface. Chamfered edges and pillowed corners make this paver perfect for driveways, walkways and more.

WESTCHESTER BLEND









Also available in the following: (color swatches on pg. 142-145) Adobe Blend Golden Brown Blend Oyster Blend\*


CHARCOAL



## **HEX PAVER**

#### (1) paver-shield

This unique hexagon-shaped stone brings a modern look to various residential and commercial projects. Available in eight color options, the Hex paver's six-sided shape is a striking option for driveways, walkways, patios, courtyards, and pool decks.





## PARAGRAM PAVER

#### (i) paver-shield

With a smooth face and ultra-modern design, the Paragram is perfect for borders, inlay, patios, pool decks, walkways, and driveways. This sleek, parallelogram-shaped stone pairs perfectly with our Hex Paver to offer virtually unlimited contemporary design options for residential and commercial applications. Available in eight color options.





## **COLONIAL COBBLE NORMAL & 4 PC COMBO**

(i) paver-shield

3%"	63%"	23%"	7.1	JI/FALLEI	PCS/PALLET 100	LDS/FALL
6¾"	6¾"	23⁄8"	3.6		100	o 454
6¾"	9¾"	23%"	2.4	155	160	5,454
9¾"	9¾"	23⁄8"	1.6	ia 	40	



## ROMA I & II

paver-shield

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	4.6"	7"	23⁄8"	4.27	131	560	3,519
D	4.6"	4.6"	2¾"	N/A	126	740	3 278
D	2.33"	4.6"	2¾"	,	120	120	3,210
	Sizes A & B sold						





## **FIUGGI TRAVERTINE**

(i) paver-shield

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	7¾"	15%"	23⁄8"	.84		30	
В	15%"	15%"	23⁄8"	1.7	127	30	3,500
С	15%"	23½"	2¾"	2.56		20	-
	izes not sold se						
						-	
			A	B	🏊 C <	States	

60 COLOR AVAILABILITY FOR SPECIAL ORDER PRODUCTS VARIES BY LOCATION. PLEASE CONTACT YOUR LOCAL DEALER TO CONFIRM PRICING AND AVAILABILITY.



# COBBLESTONE

Daver-shield

	WIDTH	LENGTH	THICKNESS	PCS/SF S	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	6¼"	81⁄8"	23⁄8"	3.6	111	400	2,823
В	4¾"	81⁄8"	2¾"	4.5	111	500	2,877
	Sizes sold separa						
			A	в (			
				<u>т</u> ,			
				C	obblestone Edger		
	-		a Liph Elle		-		
	STATES OF	1	plinter.	- Ister	ne l		1
	1799 1		dige to get	1 10-1	12.51	CHE T	
	AUTUMI (NOT AVAILAR	N BLEND BLE IN EDGER)	CHARCOAL	FIRE ISLAND BLEN	ID GRANITE C	ITY BLEND	RED



## **DIAMOND PAVER**

(i) paver-shield

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	51⁄16"	131⁄8"	23%"	2.48	96	192 FULL PCS 32 HALF PCS	2,750



## 8X8

(i) paver-shield

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET				
A	8"	8"	23⁄8"	2.25	106	240	3,724				
				al al							
			1 pt -	THE P	T	1					



integrate an ACCENT

Consider adding an accent to your project. Choose from a variety of Inlay & Border styles, or make one of our Circle Kits your focal point. These products make the perfect finishing touch for driveways, seating areas and much more.

GRANITE CITY BLEND, ADOBE BLEND, BROWN & WESTCHESTER BLEND Rustico Circle

THE OF

IL NEW!



## THE MOSAIC

#### paver-shield

Like the artwork it's named after, these multi-sized, irregular shapes of textured stone create a whimsical, striking border, path, or accent.





CHARCOAL

#### WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET

101

576

2,126



TRATER PROPERTY.



**GRANITE CITY BLEND** 







**OYSTER BLEND\*** 





RAVEN\*



RAVEN





## OLD VIENNA WITH PAVER-SHIELD™

#### 🕧 paver**-shield**


Rustic antique clay brick surface. Borders come to life with this aesthetic inlay.

WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	
A 2¾"	7½"	23⁄8"	55	425	1,554	_
					-	
a aller		1 and				
	a lat				1 Section	
R 10282	Photo in			TRACT	Ser al	ALC: DOT 1
AUTUMN	BLEND*	BRC	OWN	FIRE ISLAND	) BLEND	RAVEN*

## THE MONTAUK

#### Daver-shield

Multi-sized, irregular shapes with a textured surface and textured edges. Makes a stunning accent and is just as beautiful on its own. No spacer lugs.








# **EURO COBBLE**

### naver-shield

Add an artistic touch to your hardscape design that has a classic old European look.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	6"	9"	2¾"	3	113	300	2,982	







**GRANITE CITY BLEND** 

RAVEN\*



## **EDGESTONE**

### (i) paver-shield

Decorative solution for use around walkways, patios and gardens.

	WIDTH	LENGTH	THICKNESS	LF/PALLET	PCS/PALLET	LBS/PALLET	Δ
A	4"	10"	7½"	100	120	2,695	





ADOBE BLEND

GOLDEN BROWN BLEND




**GRANITE CITY BLEND** 



# **RUSTICO CIRCLE**

## paver-shield

You can mix in a Rustico Circle with other paver styles or use it with Rustico pavers to create incredible designs. This 10-ring with center circle kit makes a beautiful 10'4" circle with a dimpled surface texture.









**OYSTER BLEND\*** 

WESTCHESTER BLEND

BROWN



**GRANITE CITY BLEND** 



RAVEN\*

Also available in the following: (color swatches on pg. 142-145)

Adobe BlendFAutumn Blend\*CCrab Orchard Blend\*M

Fire Island Blend Golden Brown Blend Marble Blend\*





## **RIDGE CIRCLE**

#### paver-shield

Graceful curves and a stone texture make this circle kit a favorite for patios and driveways. Large oversized pieces, with 6 rings plus a center stone, all with a ridge, will complement any of our Ridge products.



**CAPPUCCINO BLEND\*** 




**CHESAPEAKE BLEND\*** 

TRAVERTINA\*

GRANITE CITY BLEND					
	1	1	The	1	
1-			SP		
				1	
		Lan		1	
	- Aler	10.30			

SIZE	SF/PALLET	LAYERS/PALLET	LBS/PALLET



72

Sizes not sold separately

Ε

PCS/PALLET









3,143





# Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\*

Golden Brown Blend Marble Blend\* Oyster Blend\*



SOUTH BAY BLEND\*

WESTCHESTER BLEND



## SANTE-EURO® CIRCLE

## 🕕 paver**-shield**"

Circle designs with sweeping curves are all possible with the stunning Sante-Euro® Circle Kit. A beautiful way to enhance your walkway, patio or driveway.

	PCS/PALLET	SIZE	SF/PALLET	LAYERS/PALLET	LBS/PALLET
Α	9				
В	27	KIT	70	0	2.120
С	288	CREATES 10' CIRCLE	76	9	2,126
D	360				
	izes not sold separately				







CHARCOAL



**GRANITE CITY BLEND** 



RAVEN\*





WESTCHESTER BLEND




# ENVIRONMENTAL pavers

Going green was never so easy or cost-efficient. Nicolock's environmental pavers work with nature to provide visually appealing pavement options, plus the bonus of storm water management.

Available in a range of attractive colors, textures and styles, our environmental paver collection comes with ADA-compliant joint openings and is designed to filter rainwater safely back into the ground.

**GRANITE CITY BLEND** 

69



## **ECO-TRE**

## paver-shield

Textured, chamfered edges give these pavers an authentic, stone feel yet provide a 10% open surface area and joint opening that is compliant with the Americans with Disabilities Act. (ADA)




ADOBE BLEND



**GRANITE CITY BLEND** 

#### WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET











3,284

Α

В

С

WESTCHESTER BLEND





# ECO-RIDGE

## paver-shield

An oversized brick shape with a slightly textured riven surface. Slightly chamfered edges with a 13% open surface area. Joint opening is compliant with the Americans with Disabilities Act. (ADA)



**GRANITE CITY BLEND** 

**OYSTER BLEND\*** 



## SF-RIMA®

## paver-shield

A square shape and flat surface give these pavers a contemporary look. Chamfered edges give them a real stone feel. 10% open surface area and joint opening make these stones compliant with the Americans with Disabilities Act. (ADA)

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	A
A	8"	8"	31⁄8"	91	192	3,218	and the second



GOLDEN BROWN BLEND



**GRANITE CITY BLEND** 



# 

## paver-shield

Gives you the strength of concrete with steel reinforcement in areas where you wish to maintain a grassy look including overflow parking, service roads, tree pits and fire lanes. It is also ideal for stabilizing embankments along streams, rivers and lakes. 75% surface open area for excellent drainage.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	Α
A	24"	24"	4"	80	20	2,000	6



NATURAL




## TURFSTONE

## paver-shield

Lattice concrete grid in rectangular pieces allows rainwater to gradually filter back into the soil. 40% flat, open surface area.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	16"	24"	31⁄8"	93	35	2,100	



NATURAL

# NICOSTONE pavers

Love the look and feel of real stone? Look no further than Nicostone. Offered in either free-form Grand Flagstone or an array of rectangular and square options, the look, durability and color-blending make Nicostone pavers a wildly-popular choice.

A State of the set of the set

Nicostone pavers come with Cool Touch™ technology that reflects solar heat. Bye-bye burning feet! cool touch

ooler surface temperature hot days vs. natural stone

73

YORK BROWN Natural Cleft Flagstone



# **NATURAL CLEFT FLAGSTONE**

## cool touch

A uniquely attractive natural cleft texture with an Old World charm. Sold as a patio pack or purchase sizes individually.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	12"	12"	1½"	6	6	
B	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	1 175
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	
I	Patio Pack Speci	fications 68 sq. ft.				

#### WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET

A 12"	12"	1½"	40	40	700
<b>B</b> 12"	18"	1½"	60	40	1,100
<b>C</b> 12"	24"	1½"	80	40	1,400
<b>D</b> 18"	18"	1½"	45	20	800
<b>1</b> 8"	24"	1½"	60	20	1,000
24"	24"	1½"	80	20	1,400

Individual Size Specifications









YORK BROWN



BLUESTONE

мосна



# **THERMAL FINISH FLAGSTONE**

# cool touch

Natural stone appearance with a thermal, smooth finish and consistent texture. Sold as a patio pack or purchase sizes individually.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	12"	12"	1½"	6	6	
B	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	. 1175
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	
1	Patio Pack Speci	fications 68 sq. ft.				

#### WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET

Α	12"	12"	11⁄2"	40	40	700
В	12"	18"	1½"	60	40	1,100
С	12"	24"	1½"	80	40	1,400
D	18"	18"	1½"	45	20	800
E	18"	24"	11⁄2"	60	20	1,000
F	24"	24"	1½"	80	20	1,400

























**GIRONDE\*** 

YORK BROWN





# **GRAND FLAGSTONE**



Stunning natural stone texture and 15 unique shapes that replicate large, irregular flagstone. Fast installation with easy-to-install pattern. Uniform thickness with a comfortable end result. Multiple natural color blends are available.









YORK BROWN



# VERSAILLES TRAVERTINE



Sleek multi-sized rectangular shapes with a flat surface and natural travertine markings.





GIRONDE\*

MARBLE BLEND\*

WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET

8"	8"	1½"		16	
8"	16"	1½"	- 64 ·	18	
16"	16"	1½"		8	1,051
16"	24"	1½"		8	
12"	24"	1½"	N/A	15	493
12"	12"	1½"	N/A	N/A	12
18"	18"	1½"	N/A	N/A	18









# **OLD TOWN FLAGSTONE**

cool touch

A complete patio on a pallet! Naturally aged and textured surface with stone cut edges.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	6	6	
В	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	
D	18"	18"	1½"	5	2	1,200
E	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	
		parately, Patio Pack				







BLUESTONE



GIRONDE\*



мосна



YORK BROWN

# structural WALLS

Today, walls are not only functional but are distinctive focal points in numerous outdoor living and design projects. Whether it's a commercial or residential installation, you'll find the perfect wall in The Nicolock Wall Collection.

Get inspired by our endless color and style options to create an exceptionally attractive and functional wall system that will stand the test of time.

CHESAPEAKE BLEND

6" Colonial Wall





# LANDSCAPE WALLS

Ideal for retaining, free-standing seat walls, and many other outdoor living features

# **RETAINING WALLS**

Walls built for earth retention-suitable for residential or commercial installations



# GARDEN WALLS


Perfect for tree rings, edgings, garden borders and low retaining wall installations Nicolock Walls are available in a variety of styles and include features designed for multiple applications. To help you select the best wall for your installation, please review the chart below. Additional information is included on each product page.

WALL HEIGHTS*										
WALL STYLE	SYSTEM	Engineered Retaining Wall System	CORNERS	GRAVITY (+/-)	REINFORCED (+/-)	ALIGNMENT	SETBACK	CORE	FEATURES	OUTDOOR LIVING KITS
LANDSCAP	E WALLS									
Mini Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
5" Colonial	4-Piece	Yes	Yes/Split	2.5'	6'	Tongue & Groove	Vertical or 1.5"	Solid	Double Sided	N/A
6" Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Hollow	Double Sided	N/A
Verona	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Verona XL	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Stonegate <sup>®</sup> Contemporary	3-Piece	Yes	Yes	2.5'	6'	Pin	Vertical or 1"	Solid	Double Sided	Yes
Belvedere	6-Piece	Yes	Yes	2.0'	6'	Concrete Adhesive	1/2"	Solid	Double Sided	Yes
Kodah	4-Piece	Yes	Yes	2.5'	6'	Concrete Adhesive	3/4"	Solid	Double Sided	N/A
RETAINING	G WALLS									
Firma®	1-Piece	Yes	Yes	3.0'	12'	Tongue & Groove	3/4"	Solid	Single Sided	N/A
Alta	1-Piece	Yes	Yes	3.0'	12'	Rear Lip	1"	Hollow	Single Sided	N/A
Alta Pro	1-Piece	Yes	Yes	3.0'	40'	Rear Lip	1"	Hollow	Single Sided	N/A
Compac <sup>®</sup> III	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Compac <sup>®</sup> Contemporary	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Outcropping	12-Piece	Yes	Yes	6'	15'	Shear Heel Lugs	14 Degrees	Solid	Single Sided	N/A
Redi-Rock®	Multi-Piece	Yes	Yes	25'	60'	Knob & Groove	0, 1, 5, 27½ & 43 Degree options	Solid & Hollow	Single, Double or Triple Sided	N/A
GARDEN W	ALLS									
Serafina	1-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Mountain Block	2-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical or 1"	Solid	Single Sided	N/A
Garden Wall	1-Piece	N/A	N/A	1.5'	N/A	Rear Lip	1"	Solid	Single Sided	N/A

\*Wall heights shown are intended as a guide and not for construction purposes. **Note:** Gravity walls rely on unit weight and unit set-back to retain soils. Reinforced walls rely on unit weight, unit set-back and geogrid to retain and stabilize soils.



The symbol signifies that this product is suitable for building elevated wall heights using geogrid reinforcement or other design methods. Consult a licensed engineer for design assistance.



# **BELVEDERE WALL**



A Belvedere Wall provides the rich texture of quarried stone for an organic finish without the expense. Create warm, rustic silhouettes with our Belvedere Wall.



BLUESTONE



мосна



YORK BROWN

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A	3"	18"	9"		12	
B	6"	18"	9"		12	
С	3"	12" 9"		12	· ) 475	
D	6"	12"	9"	21	12	2,475
E	3"	6"	9"		12	
F	6"	6"	9"		12	
	Sizes not sold sep					





## **6" COLONIAL WALL**

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.





**CAPPUCCINO BLEND** 



SOUTH BAY BLEND



HEIGHT

A 6"

**B** 6"

**D** 6"

Sizes not sold separately

С 6" WIDTH

16"

12"

9"

16"



**TRAVERTINA\*** 



DEPTH

9"

9"

9"

9"

SF/PALLET

35

PCS/PALLET LBS/PALLET

4,068

15

25

25

10

**GRANITE CITY BLEND** 



WESTCHESTER BLEND



Α


**GRAPHITE PEARL BLEND\*** 



D

CORNER PIECE

HUDSON VALLEY BLEND



Adobe Blend Bluestone\* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



# **5" COLONIAL WALL**



The Colonial Wall System features a distinctive double-sided face, hard-split finish. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.



**CHESAPEAKE BLEND\*** 



**GRANITE CITY BLEND** 

#### HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET

				,	,	,
A	5"	16"	9"	-	18	
В	5"	12"	9"		30	2 5
С	5"	9"	9"	33	30	3,54
D	5"	16"	9"		12	
	Sizes not sold s					









Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone\* Crab Orchard Blend

Fire Island Blend Golden Brown Blend Oyster Blend





## **MINI COLONIAL WALL**

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
--------	-------	-------	-----------	------------	------------

				· ·	·	
Α	3"	16"	9"		30	
В	3"	12"	9"	35	50	2 0
С	3"	9"	9"	55	50	3,5
D	3"	16"	9"		20	
	es not sold se					





**CAPPUCCINO BLEND** 



WES



CHESAPEAKE BLEND\*



WESTCHESTER BLEND



**GRANITE CITY BLEND** 




**GRAPHITE PEARL BLEND\*** 



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone\* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



PCS/SF

3

2

DEPTH

8"

8"

SF/PALLET

32

48

# VERONA WALL & VERONA WALL XL

Looking for a smooth, sleek, modern wall? Look no further, than the Verona Wall. With more than a dozen beautiful colors to choose from, the Verona is a versatile wall that can be used to construct almost any outdoor feature including free-standing walls, steps, outdoor kitchens, and fireplaces. You can also build Verona piers to complement your wall. Now available in your choice of our original 12" width or our NEW XL 16" width.



**CHESAPEAKE BLEND\*** 



**GRANITE CITY BLEND** 



WESTCHESTER BLEND



WIDTH

12"

16"

HEIGHT

4"

Sizes sold separately

Α

**B** 4"

**GRAPHITE PEARL BLEND\*** 



**OCEANIC BLUE\*** 



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 148-149)

Α

Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

		_	
C.T. S	2 8 . St.		The said

PCS/PALLET LBS/PALLET

2,650

3,398

96

96



VERONA WALL XL

86



# **STONEGATE**<sup>®</sup> **CONTEMPORARY WALL**




The 3-piece Stonegate<sup>®</sup> Contemporary Wall System features a unique, modern contemporary finish on three sides. It's offered in three face lengths and has a matching cap. Specialized pin system allows vertical to 1" setback.



**CHESAPEAKE BLEND\*** 



TRAVERTINA\*









**GRANITE CITY BLEND** 







**GRAPHITE PEARL BLEND\*** 



**OCEANIC BLUE\*** 



SOUTH BAY BLEND

#### Also available in the following: (color swatches on pg. 148-149)

Adobe Blend	
Bluestone*	
Charcoal	

Crab Orchard Blend Golden Brown Blend Oyster Blend



## **KODAH WALL**



ROSETTA By Nicolock

Kodah Wall is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfect for a variety of applications. The Kodah Wall also makes it easier than ever to provide you with the big block look without the over-the-top installation costs.








F	IEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	6"	42"	10½"		6	
В	6"	30"	10½"		3	
С	6"	21"	10/2		6	2,400
D	6"	12"	10½"		3	
E	6"	21"	10½"	31½	24	2,400
Size	e E sold separa	ately				
A		B	C		101	B
					7	CORNER SEPARAT

BLUESTONE


YORK BROWN



# ALTA WALL



Alta Wall is a versatile wall for everyday landscape applications. Its tapered design simplifies installation of inside and outside curves so you can design with freedom. The hollow core design and rear lip connection make this wall system a go-to system for professionals.





CORNER SOLD SEPARATELY



ADOBE BLEND



FIRE ISLAND BLEND

**GOLDEN BROWN BLEND** 




**GRANITE CITY BLEND** 



TRAVERTINA\*



WESTCHESTER BLEND



# **ALTA PRO WALL**

## Engineered Retaining Wall

A taller version of our beautiful Alta Wall, this system helps landscape and hardscape professionals create stunning outdoor living spaces with structural integrity.



ADOBE BLEND




HUDSON VALLEY BLEND



**FIRE ISLAND BLEND** 



**TRAVERTINA\*** 





CORNER SOLD SEPARATELY



**GOLDEN BROWN BLEND** 



WESTCHESTER BLEND



**GRANITE CITY BLEND** 



**GRAPHITE PEARL BLEND\*** 





# **KEYSTONE COMPAC® CONTEMPORARY**

Engineered Retaining Wall System	EYSTONE RETAINING WALL SYSTEMS
--	-----------------------------------

The Compac<sup>®</sup> Contemporary's design and features make it a wall option that's hard to beat. Large sizes that are perfect for tight radius curves and vertical core alignments make installation fast and easy. With a smooth stone appearance and ten color options, the Contemporary offers modern appeal to complement any landscape.

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	8"	18"	12"	1	40	40	2,900
:	8"	18"	9"	1	32	32	3,100
	Sizes sold separa						

Made in New York, additional freight rates may apply.

CORNER SOLD SEPARATELY

ADOBE BLEND

SNOW\*



**CHESAPEAKE BLEND\*** 





**GOLDEN BROWN BLEND** 





SAHARA\*

# SOUTH BAY BLEND\*



WESTCHESTER BLEND



# KEYSTONE COMPAC<sup>®</sup> III STRAIGHT SPLIT



The Compac<sup>®</sup> III Straight Split's shape allows for tight radius curves and vertical core alignments. This wall can do it all with vertical or battered setback construction options. With triangular-shaped receiving holes, construction adjustments are simplified. Natural stone appearance and rich colors complement any setting.



GOLDEN BROWN BLEND


	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	A
A	8"	18"	12"	1	40	40	2,417	15-2

Made in New York, additional freight rates may apply.



r

**GRANITE CITY BLEND** 



# FIRMA<sup>®</sup> WALL



The Firma<sup>®</sup> Wall is a segmental retaining wall with a natural split-face texture. Its classic line complements any natural or architectural landscape. A solid block with tapered sides, this wall system combines rich color, form and function into your project.



ADOBE BLEND



**CRAB ORCHARD BLEND** 



**GOLDEN BROWN BLEND** 



**GRANITE CITY BLEND** 




**OYSTER BLEND** 



_	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	Α
A	6"	16"	12"	1.5	26.6	40	3,187	





# OUTCROPPING



With this large rock landscaping look, your new retaining wall, stairs or poolscape will stand out among your neighbors. Get the look you want without sacrificing the structurally-sound solution you need.

F	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	12"	42"	24"/20"				
B	12"	48"	24"/20"		4	4,000	
С	12"	60"	24"/20"	18	4	4,000	
D	12"	66"	24"/20"				
	zes not sold se	parately					
A	1	B	in the	C			
	<b>LLET B</b> HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	6"	24"	24"/20"				
B	6"	36"	24"/20"				
С	6"	48"	24"/20"	10	C	4 000	
D	12"	36"	24"/20"		6	4,000	
E	12"	54"	24"/20"				
F	12"	72"	24"/20"				
Α	es not sold sep	parately	and a	agest			F
	<b>ILLET C</b> HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	6"	24"	24"/20"			<u> </u>	
B	6"	36"	24"/20"				
C	18"	60"	24"/20"		4	4,000	
D	24"	48"	24"/20"				
Siz	es not sold sep						

# CORNERS

	CORNERS	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PALLET
	6" CORNER	6"	39"	27"	1-6	489
B	12" CORNER	12"	48"	30"	1-4	1,222
	Sizes sold separately					

Α В

BLUESTONE



YORK BROWN



## **Ledgestone Block Specifications**

- Trapezoidal shape allows convex and concave radii
- 5.5 inch deep texture
- Rich formulated colors to mimic the look of natural stone
- Ten individual face molds offer up to 115 square feet of non-repeating patterns
- Wet-cast concrete gives a greater level of detail and durability

# **REDI-ROCK**<sup>®</sup>

#### Engineered Retaining Wall System

Gravity, reinforced, hybrid, and freestanding walls come together to create optimized solutions. Redi-Rock<sup>®</sup> Ledgestone blocks, available in four natural colors, give projects a random, stacked stone look. Because they're made using architectural-grade precast concrete, the depth and level of detail in the texture is outstanding.



- Build walls over 20 feet tall
- Reduce excavation and use a smaller footprint without geogrid



• Install quickly with a machine and small crew

#### **REINFORCED RETAINING WALLS**

- Build walls over 50 feet tall
- Eliminate geogrid connection failures with positive connection blocks
- Support heavy live loads

#### HYBRID WALLS


- Blend gravity and reinforced sections
- Combine precast modular blocks with cast-in-place
- Maintain seamless appearance

#### FREESTANDING WALLS

- Integrate parapets with other walls seamlessly
- Build stand-alone structures
- Create great looking results with texture on multiple sides



BLUESTONE



PEWTER



ſ	
ì	
	Fer a



мосна



YORK BROWN



# **SERAFINA WALL**


The Serafina Wall's trapezoid shape and split face on two sides makes it a multifaceted solution for many hardscape applications. From straight and curved walls, single or two-sided borders for your garden, Serafina is a great option where walls less than three feet high are required. Available in colors for every home.



**GRANITE CITY BLEND** 



**GRAPHITE PEARL BLEND\*** 








TRAVERTINA\*




Also available in the following: (color swatches on pg. 146-147) Adobe Blend Fire Isl Bluestone\* Golde Crab Orchard Blend Oyster

.46-147)
Fire Island Blend
Golden Brown Blend
Oyster Blend



# MOUNTAIN BLOCK

Mountain Block's single-sided face provides a unique stone texture with its 4" x 12" wall face. Solid block makes this system structurally sound for walls with a maximum height of 36". Its organic design stylishly connects your home to its natural surroundings. Nicolock's Rockface Multi-Cap can be used to add the finishing touch to a great outdoor setting.












BLUESTONE

мосна



## **GARDEN WALL**

A pleasing 4" x 12" garden wall with straight lines and a rear lip connection. This single-sided wall has tapered lines and is perfect for small applications in straight or serpentine walls.



**GRANITE CITY BLEND** 



TRAVERTINA\*



WESTCHESTER BLEND

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	A
A	4"	12"	8"	3.5	36	108	1800	



#### Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Charcoal Fire Island Blend Golden Brown Blend

# PIERS, COPING, CAPS & STEPS

Take your wall system, poolscape, and outdoor project to the next level. The many colors and styles of Nicolock's decorative finishing touches complement any aesthetic.

SOUTH BAY BLEND

Verona Pier

BLUESTONE Irregular Steps

**BLUESTONE** 

Pier Cap



# **VERONA PIER**

#### **Builds Per Pallet:**

Two: 20" x 20" x 48" high piers Two: 24" x 24" x 48" high piers (Verona Wall XL)

HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET

Α	4"	12"	8"	32	96
В	4"	16"	8"	48	96
Size	ac cold consu	ratoly			

В

VERONA WALL XL

(NEW!)

#### Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend



# STONEGATE<sup>®</sup> CONTEMPORARY PIER



#### **Builds Per Pallet:**

One: 20" x 20" x 60" high pier or One: 30" x 30" x 30" high pier or Two: 20" x 20" x 30" high piers

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6"	16"/14"	10"			
B	6"	12"/10"	10"	30	60	2,800
С	6"	6"/4"	10"			
D	3"	12"/10"	11"	66 LF	72	2,033
	Size D sold separ					











A

2,650 3,398







CHESAPEAKE BLEND\* GRANITE CITY BLEND

**OCEANIC BLUE\*** 

SOUTH BAY BLEND

TRAVERTINA\*

WESTCHESTER BLEND

100



# **MINI COLONIAL PIER**

**Builds Per Pallet:** One: 24" x 24" x 60" high pier Two: 24" x 24" x 30" high piers

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
3"	14¾"	9"	40	80	2,620



# **5" COLONIAL PIER**

#### **Builds Per Pallet:**

One: 24" x 24" x 70" high pier Two: 24" x 24" x 35" high piers

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
5"	14¾"	9"	46.6	56	2,849



# **6" PIER**

You can also use our 6" and 8" corners to create piers.

#### **Builds Per Pallet:**

One: 20" x 20" x 72" H pier Two: 20" x 20" x 36" H piers



HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	8"	12"	24	48	2,164
8" Corner					
o cuillei					

**Builds Per Pallet:** One: 27" x 27" x 64" H pier Two: 27" x 27" x 32" H piers



HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET 8" 18" 9" 32 32 2,509

(Mini & 6" only)

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend

Bluestone\* Crab Orchard Blend



Fire Island Blend

Oyster Blend

Golden Brown Blend

**CHESAPEAKE BLEND\*** 

**GRANITE CITY BLEND** 

**GRAPHITE PEARL BLEND\*** (Mini & 6" only)



(Mini & 6" only)



WESTCHESTER BLEND



# **BELVEDERE PIER**

ROSETTA By Nicolock

**Builds Per Pallet (corner units):** One: 24" x 24" x 36" high pier

HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET

Α	3"	15"	9"	16	1 5 2 0
B	6"	15"	9"	16	1,520



Cap: 2½" x 27" x 27"



# KODAH PIER

ROSETTA By Nicolock

Corner blocks are used to build the pier. The cap provides the finishing touch as well as additional landscape lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units):

One: 32" x 32" x 36" high pier

HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET

	6"	21"	10½"	31.5	24	2,400
--	----	-----	------	------	----	-------

#### Cap: 3" x 34" x 34"



BLUESTONE

мосна

YORK BROWN



# PIER CAPS

A clean, chiseled stone edge providing a sturdy platform for additional landscape lighting.

HEIGHT	WIDTH	DEPTH
21⁄2"	18"	18"
2½"	20"	20"
3"	24"	24"
3"	26"	26"
3"	27"	27"
3"	28"	28"
3"	30"	30"





BROWN



**GIRONDE\*** 

YORK BROWN



# NANTUCKET PRE BUILT PIER

Easy to install, makes one pier. Pier Cap sold separately.

QTY	HEIGHT	WIDTH	DEPTH	LBS/PALLET
1 Pier	35"	24"	24"	250
1 Pier	35"	30"	30"	350



LEDGE STONE

### **CHOOSE YOUR COLOR:**



BISCOTTI TAN

MOUNTAIN SLATE NY BLUESTONE

103



# LINEAR CAP

#### paver-shield

Contemporary double-sided wall cap with clean lines and a slight chamfer. Perfect for pools, steps, or walls.



# **STONE FACE CAP**

#### Daver-shield

Double-sided rustic wall cap with natural stone texture and a slight chamfer. Perfect for pools, steps, or walls.






#### 104



# **MULTI CAP**

Features a hard-split face design on one edge. Suitable for single-sided walls but also compatible with all Nicolock Walls.



#### Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Charcoal Crab Orchard Blend Fire Island Blend

Golden Brown Blend Hudson Valley Blend Oyster Blend



# **COLONIAL CAP**

Offered in a hard-split rock face finish on two sides. Corners can be split into trapezoid shapes suitable for Colonial Wall Systems, but also compatible with any Nicolock Wall.

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET		
A	3"	9"	12½"		40			
B	3"	12"	12½"		40			
C	3"	15"	12½"	108	20	5,700		
D	3"	15" 12½"			20			
Sizes not sold separately								
	A			C	D 📢	1999 A		





SOUTH BAY BLEND



CHESAPEAKE BLEND\*

TRAVERTINA\*



WESTCHESTER BLEND




Adobe Blend Bluestone\* Crab Orchard Blend Fire Island Blend Golden Brown Blend Hudson Valley Blend Oyster Blend



# **COASTAL CAP**

#### (i) paver-shield

Features a smooth texture on two sides with a rounded front. Rectangular shapes and available in two depths. Can be cut for corners. Perfect for walls, steps and pool coping.





COASTAL CAP PLUS





# **ROCKFACE MULTI CAP**

Features cast stone texture on two sides. Trapezoid shapes and available in two depths. Compatible with all Nicolock walls.

HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLE
2"	9"	11½"	11	14	
2"	12"	11½"	14	14	1 000
2"	15"	11½"	18	14	1,200
2"	15"	11½"	5	4	



#### ROCKFACE MULTI CAP GRANDE

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
Α	2"	9"	14"	11	14	
В	2"	12"	14"	14	14	1 400
С	2"	15"	14"	18	14	1,400
D	2"	15"	14"	5	4	






# **DIMENSIONAL COPING**

ROSETTA By Nicolock

Features chiseled stone texture on two sides. Compatible with all Nicolock walls.

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
A	21⁄2"	24"	12½"		18	
В	21⁄2"	18"	12½"	61	12	500
С	21⁄2"	19"	12½"		4	
	Sizes not sold sep					



BLUESTONE



# **ROCKFACE TREADS**

These treads have a chiseled stone edge treatment on three sides making them the perfect finishing touch to any wall, step or pool coping. A thermal finish top surface gives them a smooth texture.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A	2"	51"	14"	13	118	1,810	
B	2"	64"	14"	13	147	2,245	Concession of the second
С	2"	74"	14"	13	165	2,515	

Sizes sold separately







BLUESTONE

BROWN

**GIRONDE\*** 



# THERMAL & FULLNOSE TREADS

These classic treads offer a flamed or rounded stone edge treatment with a thermal finish top surface. Six sizes make it easy to fit your design. Perfect for walls, steps and pool coping.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET
A	2"	48"	12"	15	96	1,490
B	2"	60"	12"	15	120	1,850
С	2"	72"	12"	15	143	2,200
D	2"	48"	14"	15	118	1,815
E	2"	60"	14"	15	147	2,250
F	2"	72"	14"	15	165	2,515



Fullnose Treads offered **ONLY** in 14" depth

Sizes sold separately






BROWN

BLUESTONE



GIRONDE\*




## **6x12 FULLNOSE**

Surround your pool or create sturdy steps. 6x12 Fullnose pavers come in a wide variety of colors. Rectangular in shape and a smooth surface gives this coping a unique look. Rounded edges add a special charm. No spacer lugs needed.

HEIGHT	WIDTH	DEPTH	PCS/LF	LF/PALLET	PCS/PALLET	LBS/PALLET	
A 23/8"	6"	12"	2	104	208	2,566	A

\*8x12 Fullnose available for special order in Charcoal & Granite City Blend



















RAVEN\*\*



WESTCHESTER BLEND





SOUTH BAY BLEND\*

#### Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend\* Crab Orchard Blend\* Fire Island Blend

Golden Brown Blend Oyster Blend\* Red





### **BELVEDERE COPING**

ROSETTA By Nicolock

Creates the rustic appearance of natural stone and complements our Belvedere Wall.

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
F	21⁄4"	6"	10¼"		24	
E	21⁄4"	12"	10¼"		12	
_	21⁄4"	18"	10¼"	66	6	1,550
D	21⁄4"	18"	10¼"		6 LEFT END UNIT	
E	21⁄4"	18"	10¼"		10 RIGHT END UNIT	

Sizes not sold separately








Flat surface with natural travertine markings. Fullnose on one side. Inside and outside corners available.

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET
A	1½"	24"	12"	30	15	-	493
E	1½"	12"	12"	N/A	N/A	12	N/A
C	1½"	18"	18"	N/A	N/A	18	N/A









## **OLD TOWN COPING**

Rectangular shapes and a dimpled surface give this coping a unique look. Textured edges add a special charm. No spacer lugs needed.

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET
A	1½"	18"	12"	30	20	30	600
B	1½"	19 "	12"	30	20	30	600
C	11/2"	12"	12"	N/A	N/A	12	N/A
D	1½"	18"	18"	N/A	N/A	18	N/A

Sizes sold separately





мосна



AUTUMN COTSWOLD BLUESTONE GIRONDE\*

YORK BROWN



## **ROCKFACE STEPS**

Makes a 6" change in elevation with a single unit. Thermal finish top surface with chiseled stone edge treatment on three sides.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A	6"	51"	16"	6	365	4,745	199
В	6"	64"	16"	6	455	5,915	Bar all and
С	6"	74"	16"	6	545	7,085	
	izoo oold oonoro	talı					









BLUESTONE

**GIRONDE\*** 



## **IRREGULAR STEPS**

### ROSETTA By Nicolock

Our Irregular Steps will give a magnificent appearance that's indistinguishable from natural stone. They have a uniform rise that is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.

	HEIGHT WIDTH DEPTH UNITS/BU		UNITS/BUNDLE	LBS/PC	LBS/PALLET	
A	7"	54"	24"		458	
B	7"	60"	24"		600	
С	7"	42"	12" 17"		349	
D	7"	48"	28"	6	567	2,962
E	7"	42"	26"		476	
F	7"	48"	24"		512	

Sizes not sold separately





### **ROMA STEP**

Smooth top with a textured finish, the Roma Step provides transition and functionality to your hardscape design.



**OYSTER BLEND\*** 

TRAVERTINA\*

WESTCHESTER BLEND



## **STEPPING STONES**

Effective in protecting lawns from traffic. Create winding paths across gravel, mulch or grass.





### LOG SLEEPERS

Create an authentic, rustic feel with a cut-log look. Create winding paths across gravel, mulch or grass.

HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	and and and
A 1½"	24"	10"	20	23	483	A



RUSTIC BROWN

# Turn up the heat with our FIRE PITS & FIREPLACES

## WOOD

If you prefer the smell and crackle of logs burning in the style of an old-fashioned campfire, the nostalgic charm of the Standard Wood option is for you.

# **SMOKE-LESS WOOD**

For a wood-burning experience with less smoke, choose a double wall system with a smoke-less insert. Rising hot air exits the wall cavity through tiny holes in the top of the insert which reduces smoke.

## GAS

If you prefer the experience of a gas-burning fire, we offer the flexibility of choosing propane or natural gas. Further customize your fire vision with multiple ignition-type options. Packages include vent kits and control panels.

**GRANITE CITY BLEND** 

Serafina Fire Pit



## **SERAFINA FIRE PIT**

There is something magical about sitting around the fire pit. The Serafina Fire Pit provides a charming focal point for entertaining with family and friends.

	OUTSIDE DIAMETER	HEIGHT	LBS/PALLET
WITHOUT COPING	48"	16"	1,350
WITH COPING	51½"	19"	1,714







TRAVERTINA\*

## Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone\* Crab Orchard Blend

Fire Island Blend Golden Brown Blend Oyster Blend



WESTCHESTER BLEND



BROWN

GIRONDE\*

CHOOSE	YOUR	WOOD	OR	GAS	PACKAG	E:

WOOD	Full Pallet Wall Stone	NES Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Rockface Coping
Wood Standard 1	0	0			
Wood Standard 2	0	0			0
SMOKE-LESS					
Smoke-less 1	0		0		
Smoke-less 2	0		0		0
Smoke-less 3	0			0	
Smoke-less 4	0			0	0

GAS	Full Pallet Wall Stone & Coping	Lava Rocks <sup>2</sup> (min qty)	Match Throw Burner Kit	TPSI Burner Spark Ignition Kit	TFS Burner w/ remote	Deluxe Brass Match Throw	Deluxe Brass AWS
*Deluxe Match Throw <sup>1</sup>	0	0	0				
*Deluxe Spark TPSI <sup>1</sup>	0	0		0			
Deluxe Remote TFS**	0	0			0		
Deluxe Brass Match Throw**	0	0				0	
Deluxe Brass AWS**	0	0					0

Vent kit included with all ignition systems.

\*Control panel included

<sup>1</sup>Includes NG to LP Piece

<sup>2</sup>Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **\*\*Must be ordered with natural gas or liquid propane** 



## **BELVEDERE FIRE PIT**

ROSETTA By Nicolock

What better way to enjoy your outdoor living area than to gather together around this cozy Belvedere Fire Pit with your loved ones. The natural textures and colors of the Belvedere seamlessly fit together with every Nicolock stone.

OUTSIDE DIAMETER	HEIGHT	LBS/PALLET
55"	14¼"	2,540
-		••••••



BLUESTONE


мосна





#### CHOOSE YOUR WOOD OR GAS PACKAGE:

	Half Pallet Wall Stone	NES Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Belvedere Coping
WOOD			1	9	0
Wood Standard	0	0			0
SMOKE-LESS					
Smoke-less 1	0		0		0
Smoke-less 2	0			0	0



Vent kit included with all ignition systems. Control panel included. **Brass options available.** <sup>1</sup>Includes NG to LP Piece

 $^{2}\mbox{Lava}$  Rock supplied is minimum quantity needed. Must add additional or glass for finish.

\*\*Must be ordered with natural gas or liquid propane



#### **CHOOSE YOUR WOOD OR GAS PACKAGE:**

HUNDE LOOK	WUUD UN UI	AS LAPKAD	E.		
WOOD	Half Pallet Wall Stone	Square Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Coping
Wood Standard 1	0	0			
Wood Standard 2	0	0			0
SMOKE-LESS					
Smoke-less 1	0		0		
Smoke-less 2	0		0		0
Smoke-less 3	0			0	
Smoke-less 4	0			0	0

## **VERONA FIRE PIT**

Complement your patio with the sleek look of the Verona Fire Pit. Add warmth to your backyard in any season! An easy fire pit to install, the Verona Fire Pit will fit in with any backyard or patio design.

	LENGTH	WIDTH	HEIGHT	LBS/PALLET
WITHOUT COPING	43½"	43½"	16"	1,312
WITH COPING	48"	48"	18"	1,600



**CHESAPEAKE BLEND\*** 





**GRANITE CITY BLEND** 

**GRAPHITE PEARL BLEND\*** 





Also available in the following: (color swatches on pg. 148-149)



**TRAVERTINA\*** 

Crab Orchard Blend

Golden Brown Blend

Oyster Blend

0

OCEANIC BLUE\*



WESTCHESTER BLEND

0

60

G

0

0

0

GAS

\*Deluxe

Match

Throw<sup>1</sup>

\*Deluxe

Spark

TPSI<sup>1</sup>

Deluxe

Remote TFS\*\*



Adobe Blend

Bluestone\*

Charcoal

Vent kit included with all ignition systems. Control panel included. **Brass options available**. <sup>1</sup>Includes NG to LP Piece <sup>2</sup>Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish \*\*Must be ordered with natural gas or liquid

propane

0



## **ENCORE FIRE PIT**

Celebrate every season year after year with the Encore Fire Pit! Anywhere you install it, the Encore will quickly become the favorite place for your family and friends to gather. Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-less or Gas), then select from our various options.

	BASE	TOP	HEIGHT	LBS/PALLET
WITHOUT TOP	40" x 40"	44" x 44"	18"	400
WITH TOP	40 X 40	44 X 44	19½"	400

### **CHOOSE YOUR TEXTURE:**





BROWN

BARN WOOD\*

### CHOOSE YOUR COLOR:









**BISCOTTI TAN** 

NY BLUESTONE

WEATHERED WOOD



BLUESTONE



### VERTICAL PANEL TECHNOLOGY

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce material waste and environmental impact, while delivering the highest quality vertical masonry structures.

### CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD	4 Panels and Connectors	Stone-Face Top	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert
Wood Standard	0	0		
SMOKE-LESS				
Smoke-less 1	0	0	0	
Smoke-less 2	0	0		0

GAS	4 Panels and Connectors	Stone-Face Top	Lava Rocks <sup>2</sup> (min qty)	Match Throw Burner Kit	TPSI Burner Spark Ignition Kit	TFS Burner Kit w/ remote
*Deluxe Match Throw <sup>1</sup>	0	0	0	0		
*Deluxe Spark TPSI <sup>1</sup>	0	0	0		0	
Deluxe Remote TFS**	0	0	0			0

Vent kit included with all ignition systems. Control panel included. **Brass options available.** \*Control panel included

<sup>1</sup>Includes NG to LP Piece

<sup>2</sup>Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **\*\*Must be ordered with natural gas or liquid propane** 

<sup>\*</sup>Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.



## **OVATION FIRE PIT**

Every season is the season for the Ovation. Easily installed, the Ovation can create warmth and ambiance at your home tonight! Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-less or Gas), then select from our various options.

	BASE	TOP	HEIGHT	LBS/PALLET
WITHOUT TOP	40" DIAMETER		18"	345
WITH TOP	40 DIAMETER	HH DIAMETER	19½"	545

### **CHOOSE YOUR TEXTURE:**





\*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.

BARN WOOD\*

### **CHOOSE YOUR COLOR:**







**BISCOTTI TAN** 

NY BLUESTONE

WEATHERED WOOD



MOUNTAIN SLATE



### VERTICAL PANEL TECHNOLOGY

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce material waste and environmental impact, while delivering the highest quality vertical masonry structures.

WOOD	2 Panels and Connectors	Stone-Face Top	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert
Wood Standard	0	0		
SMOKE-LESS				
Smoke-less 1	0	0	0	
Smoke-less 2	0	0		0



Vent kit included with all ignition systems. Control panel included. **Brass options available.** \*Control panel included

<sup>1</sup>Includes NG to LP Piece

<sup>2</sup>Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish

\*\*Must be ordered with natural gas or liquid propane



### **SG GRANDE FIRE PIT**

LENGTH	WIDTH	HEIGHT	TOP HEIGHT	LBS/PALLET
62¼"	40"	24"	1¼"	3,500

#### INCLUDES:

- 30 SF Stonegate<sup>®</sup> Wall
- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 6LNTS
- 1 TPSI-LPK #35
- 1 Paver CP-TPSI
- 1 LOF-3612HTPSI-N (12" x 36" linear burner)
- Lava Rocks



## **SG LINEAR FIRE PIT**

LENGTH	WIDTH	HEIGHT	TOP HEIGHT	LBS/PALLET
--------	-------	--------	------------	------------

52¼"	30"	18"	1¼"	3,200

#### **INCLUDES:**

- 30 SF Stonegate<sup>®</sup> Wall
- 34" x 56" Granite Top
- 1 Paver Vent 6LNTS
- 1 TPSI-LPK #35
- 1 Paver CP-TMSI/TPSI
- 1 LOF-30HTPSI-N (10" x 30" linear burner)

Lava Rocks





**CHESAPEAKE BLEND\*** 



SOUTH BAY BLEND





**GRANITE TOP** 

Caledonia

**TRAVERTINA\*** 





WESTCHESTER BLEND



4 GFRC Corner Pieces

LENGTH

621/2"

- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 4LNTS

WIDTH

40"

- 1 TPSI-LPK #35
- 1 FG-32LPHRK Propane Regulator & Hose
- 1 LOF-36HTPSI-N (12" x 36" linear burner)
- Lava Rocks

## **CHOOSE YOUR TEXTURE:**



BRICKFACE





VERTICAL PANEL TECHNOLOGY

BRICKFACE | BISCOTTI TAN

750

**GRANITE TOP** 

Caledonia

HEIGHT TOP HEIGHT LBS/PALLET

11/4"

**BISCOTTI TAN** 

NY BLUESTONE\*

\*Harbor Gray not available in Stacked Stone. NY Bluestone not available in Brickface.





**OCEANIC BLUE\*** 

Adobe Blend Bluestone\* Charcoal

Crab Orchard Blend

Golden Brown Blend Oyster Blend

Also available in the following: (color swatches on pg. 148-149)





**TRIUMPH FIRE PIT** 

24"





## SANCTUARY SERIES

**A** FIREGEAR



\*WOOD FIRED SURROUND\* (NO GAS LINE REQUIRED)

#### LUME SURROUND FEATURES:

- Smoke-less Insert
- Dimensions: 42" Diameter x 18" H
- Base Width: 20" W
- Interior Diameter: 23½" W



#### SANCTUARY 76 FEATURES:

- Ignition Systems: MT or TPSI
- Dimensions: 76" L x 38" W x 16" H
- Choose between Natural Gas (NG) and Propane (LP)
- 125,000 BTUs

In a class of its own, the Lume Surround encases a smoke-less, woodburning fire pit insert within a large, rounded GFRC bowl, creating a rustic yet modern aesthetic reminiscent of the Olympic flame itself. For purists who prefer the crackle and smell of logs burning, but appreciate a uniquely sleek look, this gasless fire pit is available in four fabulous colors. As its name suggests, everyone will surround this focal point in your outdoor space. Strike a match. Let the games begin.



### **SANCTUARY 1**


#### FEATURES:

- Ignition Systems: MT, TPSI or AWS
- Dimensions: 56" W x 38" W x 16" H
- Choose between Natural Gas (NG) and Propane (LP)
- 75,000 BTUs AWS and TPSI | 100,000 BTUs MT



#### SANCTUARY 2 FEATURES:

- Ignition Systems: MT, TPSI or AWS
- Dimensions: 39" Diameter x 18" H
- Choose between Natural Gas (NG) and Propane (LP)
- 75,000 BTUs





**SANCTUARY 3** 

• Ignition Systems: MT, TPSI or AWS

• Dimensions: 29" Diameter x 14" H

• Choose between Natural Gas (NG) and Propane (LP)

FEATURES:

• 75,000 BTUs



SLATE

ARCTIC

CHOCOLATE



### ALSO AVAILABLE:



36 IN. DIAMETER / 130 LB. BASIN

The Ranch Boss

42 IN. DIAMETER / 220 LB. BASIN

### COWBOY CAULDRON COWBOY CAULDRON CO.

Say "Howdy!" to the Cowboy Cauldron –the world's finest fire pit and grill.™ And possibly the coolest thing you ever did see. Channel your inner wrangler and treat your family and friends to endless entertainment and moments of meaningful interaction with one of these beautiful, versatile, and durable cauldrons. Each Cowboy Cauldron is painstakingly built by hand from solid plate steel and functions as a combination of fire pit, grill, and cooking vessel. It's built to outlive you and last for generations to come. Whatever your lifestyle, there is a cauldron that fits it. You can take it to campgrounds, beaches, lakeshores, ski hills, tailgate parties, in the RV, and to other places where adventure awaits. Or settle it into your backyard and let the fun begin as your favorite people gather 'round it. Be forewarned…you're gonna need more chairs! Happy trails…



24 IN. DIAMETER / 35 LB. BASIN



30 IN. DIAMETER / 75 LB. BASIN

### The Dude<sup>®</sup>

This smaller cauldron is huge on adventure. It is lightweight, convenient, mobile, and affordable with segmented legs for easier transport. Its 24", 35 lb. basin brings the heat and draws the crowds wherever it goes – camping, tailgate parties, ski hills, the beach, or on your patio. Scaled to fit almost any lifestyle. You'll wonder how you ever lived without it.

#### FEATURES:

- Solid Steel Construction
- Segmented, 2-Piece Legs
- Use as Fire Pit, Grill, or Cooking Vessel

#### INCLUDED:

- Cauldron Basin
- Tripod Frame
- Suspension Chain
- Charcoal Grate
- Cooking GrillRain Cover

### The Urban Cowboy

The most versatile cauldron. Its 30" basin provides your crew with plenty of warmth to extend your outdoor life by weeks in the fall and spring. More than a cozy heat source, this cauldron really shines as a grill and cook pot--adding a western flair, a haunting vibe, or a touch of sophistication to any gathering at home or on the road. Though slightly larger, one person can still easily transport it, so you don't have to leave home without it.

#### FEATURES:

- Solid Steel Construction
- Perfectly Proportioned
- Multipurpose Fire Pit, Grill, Cooking Vessel

#### INCLUDED:

- Cauldron Basin
- Tripod Frame
- Suspension Chain
- Charcoal Grate Cooking Grill
- COOKING GITI
   Rain Cover

### LIDS | ROUND AND SQUARE

MODEL	DIMENSIONS	DESIGNED TO FIT
Round LID-19R2*	22¾" Diameter x ¾" H - lid height 2" with handle	Ovation Gas
Round LID-29R2*	32½" Diameter x 5%" H - lid height 2" with handle	Ovation Gas or Serafina Gas
Square LID-20S	22¼" W x %" H - lid height 2" with handle	Encore Gas
Square LID 26S	28¼" Diameter x 5%" H - lid height 2" with handle	Verona & Encore Wood or Gas
LID-LUME29R	27" Diameter x 1¼" H - lid height with handle	Serafina Wood
LID-LUME34R	32" Diameter x 1¼" H - lid height with handle	Belvedere Wood

### **SPARK SCREENS**

MODEL	DIMENSIONS	DESIGNED TO FIT
Square 770 Black	30" Screen (30" x 12")	Verona & Encore
Round 775 Black	30" Screen (30" x 15")	Serafina & Ovation
Round 775 Stainless Steel	30" Screen (30" x 15")	Serafina & Ovation
Round 781 Black	39" Screen (39" x 18")	Belvedere
Round 24SS	24" Screen Stainless Steel	N/A





LAVA ROCK



Mined from the earth, these dark rocks contrast beautifully against a bright flame. Each rock is approximately 1" to 2" in diameter. 10lb bag / 50lb bag

I CDA			N
ol 984	IKK IU	NITIU	V
×.	X		
-1	A		7
1	10		
	SI SPA	SI SPARK IG	SI SPARK IGNITION

AVAILABLE IN ROUND AND SQUARE





LAVA STONE



Made from tumbled lava rock, these stones lend a casual elegance. Each stone is approximately 1" to 2" in diameter 40lb bag





### GLASS

**TFS W/ REMOTE** 

AVAILABLE IN ROUND AND SQUARE

**T-BURNER** 

**SPIT FIRE** 

REFLECTIVE	Mirror finish broken reflective. Approx. 1/2" to 3/4" in size	10lb jug
BROKEN	Large broken. Approx. 1/2" to 3/4" in size	10lb jug

2



SS COLORS	BLACK
<b>BROKEN GLASS COLOR</b>	COPPER
	CRYSTAL
	DARK BLUE



**IRONWOOD STEEL** 







### LUME SMOKE-LESS FIRE PIT

### A FIREGEAR

Transform your ordinary paver fire pit into an extraordinary smoke-less sanctuary with the LUME, a metal smoke-less fire pit insert. Enjoy the mesmerizing dance of flames without the annoyance of smoke, and create unforgettable moments in your backyard oasis. Upgrade your outdoor experience with ease, style, and the ultimate comfort of a smoke-less ambiance.

### **LUME DROP-INS**



AVAILABLE IN 24" & 30" DIAMETERS 24: LUME-24R-BK | 30: LUME-30R-BK \*LID INCLUDED



AVAILABLE IN 24" & 30" DIAMETERS 24: LUME-MS2SR | 30: LUME-30R-SS \*LID INCLUDED



LUME-24SQ-BK \*LID INCLUDED



LUME-24SQ-SS \*LID INCLUDED

### LUME FREESTANDING



AVAILABLE IN 21" & 26" DIAMETERS 21: LUME-MS1 | 26: LUME-MS2



AVAILABLE IN 21" & 26" DIAMETERS 21: LUME-MS1SR | 26: LUME-MS2SR

\*AVAILABLE LIDS MS1 & MS2SR - LIDLUME-MS-A MS1SR - LIDLUME-MS-B MS2 - LIDLUME-MS-C

## NEXT EVOLUTION SMOKE-LESS DROP-IN



AVAILABLE IN 29", 34" & 36" DIAMETERS 29: NES-29R | 34: NES-34R | 36: NES-36R

> \*AVAILABLE LIDS LID-29R LID-34R LID-36R



LENGTH	WIDTH	HEIGHT	LBS/PALLET
91"	56"	97"	16,828



- 6 Pallets of Verona WallCast Concrete Fireplace opening surround
- Wood burning fireplace inset with single piece, brushed stainless face, stainless mesh screens with hidden pockets
- Round top cap with mesh screen
- Realistic textured brick liner in natural white, EZ access damper & gas log ready feature
- 4 concrete lintels
- Double wall flue pipe
- Pre-cast concrete medallion


### FIREPLACE WITH VERONA WALL

Gather 'round the fire day or night! Complement your patio with the sleek look of the Fireplace with Verona Wall. Add warmth to your backyard in any season! Contains everything you need to construct this stunning fireplace.





CHESAPEAKE BLEND\*





**GRAPHITE PEARL BLEND\*** 




**OCEANIC BLUE\*** 



SOUTH BAY BLEND



WESTCHESTER BLEND



**TRAVERTINA\*** 

(color swatches on pg. 148-149)

Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend





LENGTH	WIDTH	HEIGHT	LBS/PALLET
48"	40"	82½"	5,860

- 2 Pallets of Verona Wall 4' Rockface step tread
- 4" Rockface accent piece
- Top piece with 8" cut out for smoke
- Lentil with keystone
- Firebrick recommended
- Does not come with flue pipe (must be supplied by others if need)





### **MINI FIREPLACE** WITH VERONA WALL

A smaller version of the Fireplace with Verona Wall but just as awesome! Enjoy the warmth all year round. Extend your outdoor living season with a toasty fire anytime!







**GRANITE CITY BLEND** 



**GRAPHITE PEARL BLEND\*** 



SOUTH BAY BLEND





TRAVERTINA\*

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend



BLUESTONE

GIRONDE\*



	LENGTH	WIDTH	HEIGHT	LBS / PALLET
FOOTPRINT W/O STEP	47"	40"	70"	C 002
STEP	48"	16½"	6"	6,003

- 2 Pallets of Verona Wall
- Wet Cast 52" x 44"
- Wet Cast 36" x 36"
- Wet Cast 32" x 32"
- Insert, Flue Pipe & Vent Cap
- 6" x 48" x 16 ½" Rockface Step



28" H

DIMENSIONS WITHOUT TOP

### **JR FIREPLACE WITH VERONA WALL**

A compact version of the Fireplace with Verona Wall with all of the fire power! Enjoy all year long!



**CHESAPEAKE BLEND\*** 



**GRANITE CITY BLEND** 



**GRAPHITE PEARL BLEND\*** 



SOUTH BAY BLEND



**OCEANIC BLUE\*** 

**TRAVERTINA\*** 

Also available in the following: (color swatches on pg. 148-149) Adobe Blend

Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend





## TECHNOLOGY

VERTICAL PANEL

### KALEA BAY FIREPLACE

Perfect for entertaining or when you desire a place to retreat, relax and reconnect. Available in single-sided and see-through configurations.

	LENGTH	WIDTH	HEIGHT	LBS/PALLET
WITHOUT TOP	87"	19½"	42"	750
WITH TOP	91½"	24½"	43½"	



### **CHOOSE YOUR COLOR:**







NY BLUESTONE

\*Only offered in Ledge Stone texture

#### SINGLE SIDED KALEA BAY INCLUDES:

- 1- 42" high x 84" wide with cut out
- 1-42" high x 84" wide panel (no cut out)
- 2- 42" high x 17" wide side panel
- 4- 42" high structural corner units, smooth
- 1- Cast Stone top (24½" x 91½")

■ 1-48" Kalea Bay Fireplace insert with black crushed glass Non LED

#### DOUBLED SIDED KALEA BAY INCLUDES:

- 2- 42" high x 84" wide with cut-out
- 2-42" high x 17" wide side panel
- 4- 42" high structural corner units, smooth
- 1- counter top (24½" x 91½")
- 1- 48" Kalea Bay Fireplace insert with black crushed glass Non LED

\*Must order burner see thru conversion part #78010 separately \*\*Remote available, must order part #RCAF-3TX separately \*\*\*Available in LED option



OUTDOOR dining

Give your backyard what it wants! Level up your expanded living space with a predesigned or customized outdoor dining package to fit your space and budget. Picture simple family dinners and backyard parties all year round. Never miss a moment because everyone—and everything—you need is right outside.

A STAR AND A STAR AND A STAR

A Add

You may never want to cook inside again...

> OCEANIC BLUE & GRANITE CITY BLEND Stonegate<sup>®</sup> Contemporary Wall

1



	LENGTH	WIDTH	HEIGHT	LBS/PALLET
WITHOUT TOP	79"	32"	36"	
WITH TOP	82"	36"	37¼"	6,500

- 2 Pallets of Verona Wall
- 32" Sizzler Pro Grill cutout dimensions: 305%" (W) x 8½" (H) x 203/4" (D)
- Double-lined roll top hood
- 740 sq in. Stainless steel cooking grates, warming rack, drip pan
- Illuminated control knobs
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- Granite counter top included, covers 12 sq. ft of area
- Concrete Lintels

\*\*Countertop is 1¼"in height

\*\*\*Kit also available without granite top



\*Please order gas specific LP/NG



Caledonia

### **GRILL ISLAND DELUXE** WITH VERONA WALL

Cook up a feast on the Grill Island Deluxe with Verona Wall! A granite countertop and pro grill make this the perfect addition to your backyard patio.





GRANITE CITY BLEND



**GRAPHITE PEARL BLEND\*** 



SOUTH BAY BLEND



WESTCHESTER BLEND

**OCEANIC BLUE\*** 



**TRAVERTINA\*** 

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone<sup>\*</sup> Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend



GRILL SIDE

**GRANITE TOP** 

Caledonia

### **GRILL ISLAND DELUXE** WITH VERONA WALL

Nothing beats firing up that steak year-round with your "L" Shaped Kitchen with Verona Wall! These hard-wearing units include a stainless steel grill, stainless steel refrigerator, six-piece granite countertops and lintel. Customize for maximum enjoyment with the many accessories offered!

#### INCLUDES:

- 4 Pallets of Verona Wall
- 6 Piece Granite Tops
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- 33" Double Access Door cutout dimensions: 30¼" (W) x 19¾" (H) x n/a (D)
- 38" Stainless Steel TRL Grill
- 22" Standard Refrigerator cutout dimensions: 21%10"(W) x 33%10"(H) x 21%10"(D)
- 15" Sink cutout dimensions: 14%"(W) x n/a (H) x 14%" (D)
- Refrigerator Trim Kit
- Concrete Lintels















**TRAVERTINA\*** 



WESTCHESTER BLEND

**GRANITE CITY BLEND** 

**GRAPHITE PEARL BLEND\*** 

**OCEANIC BLUE\*** 

SOUTH BAY BLEND

131

REFRIGERATOR SIDE 87" 119" 32" 40" \*\*Countertop is 1¼"in height \*\*\*Kit also available without granite top

128"

WIDTH

32"

HEIGHT

36"

LBS/PALLET

12,000

LENGTH INSIDE LENGTH OUTSIDE

96"



\*Please order gas specific LP/NG

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone\* Charcoal

Crab Orchard Blend Golden Brown Blend Oyster Blend



### NANTUCKET **KITCHEN ISLAND**

We are changing the way outdoor kitchens are built. Engineered stone panels make it possible to have the outdoor kitchen of your dreams in one day. This system gives you the flexibility of using our grill and door combinations or you can customize with other accessories. You can choose the design, colors and stone profile of your outdoor kitchen to perfectly fit the rest of your landscape and your home.

WITHOUT TOP	35" x 84" x 41"	甹
WITH TOP	361/2" x 86" HORIZONTAL	3
LBS/PALLET	1,000	



#### \*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan. Mountain Slate and NY Bluestone colors.

**BARN WOOD\*** 

### **CHOOSE YOUR COLOR:**

**CHOOSE YOUR TEXTURE:** 





LEDGE STONE



STACKED STONE



**BISCOTTI TAN** 

**MOUNTAIN SLATE** NY BLUESTONE





\*Please order gas specific LP/NG

### **VERTICAL PANEL** TECHNOLOGY

#### **PACKAGE A INCLUDES:**

- 1 Back panel
- 1 Front panel
- 4 Corners 2 End panels (sides)
- 📕 Тор
- Drop cloth/sheet protector
- 32" Sizzler Pro Grill cutout dimensions: 305%" (W) x 81/2" (H) x 203/4" (D) ■ 30" Double Access Door • cutout dimensions: 30¼" (W) x 19¼" (H) x n/a (D)

55 5 5

- 1 Strap
- 2 Tubes of adhesive
- \*\*Package A comes with cut outs

#### PACKAGE B INCLUDES:

- 2 Horizontal panels
- 4 Corners
- 2 End panels (sides)
- 🔳 Тор
- Drop cloth/sheet protector
- 1 Strap
- 2 Tubes of adhesive

\*\*All cut outs for Package B will have to be done on site and can accommodate a variety of grills and accessories

LEDGE STONE | NY BLUESTONE

132







OUTSIDE OVEN

BASE

OVERALL HEIGHT WITH TOP

#### Oven Only Option Available 304 stainless steel Black top Refractory brick floor Removable door with wood handles Outside oven: 21" x 30¾" Inside oven: 18" x 271/4" Opening: 15" Fits a 12" personal pizza

331/2' x 381/4" 44" x 44"

103"

DUKE



### **WOOD FIRED OVEN** WITH VERONA WALL

Dazzle everyone with an outdoor pizza oven! Cook up delicious pizza and a whole lot more! Leave the kitchen and cook outdoors!

#### INCLUDES:

- 2 Pallets of Verona Wall
- 1- 30" Combo (2 drawer/1 door) enclosure cutout dimensions: 30¼"(W) x 19¼" (H) x 20 ¾" (D)
- 3 4" Wetcast Tops
- Pizza Peel
- Cleaning Brush
- All-Weather Cover
- Cast Stone top
- Imperial Wood Fired Oven
- Concrete Lintel







**CHESAPEAKE BLEND\*** 

**GRANITE CITY BLEND** 

**GRAPHITE PEARL BLEND\*** 

INSIDE OVEN

TOP

OVERALL HEIGHT WITHOUT TOP

**OCEANIC BLUE\*** 

29½" x 32½"

49" x 49"

99"

LBS/PALLET

SOUTH BAY BLEND



**TRAVERTINA\*** 



WESTCHESTER BLEND





#### Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

133



7,500





### SEGMENTAL KITCHEN SYSTEMS

Create your customized outdoor dining area the way you envision it. Use our Segmental Kitchen Systems to create grill islands, kitchens, bar spaces and much more. Possibilities are endless when you choose from a variety of cabinet options and stainless appliances.

#### \*FITS MOST MAJOR MANUFACTURERS OF GRILLS & ACCESSORIES





**The Ultimate** 

**The Sierra** 



INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet

(2) End Panel Cabinets Trash Drawer / LP Cabinet





INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet (2) End Panel Cabinet

6" Filler Cabinet 12" Filler Cabinet Trash Drawer / LP Cabinet Universal Corner Cabinet INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet 48" Door / Drawer Cabinet (2) End Panel Cabinets

6" Filler Cabinet 12" Filler Cabinet Trash Drawer / LP Cabinet (2) Universal Corner Cabinets

#### Use one of our 3 combinations above, or choose multiple pieces below, to create your custom look:

3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet 54" Grill Cabinet 48" Door / Drawer Cabinet End Panel Cabinet 6" Filler Cabinet 12" Filler Cabinet Side Burner Cabinet Power Burner Cabinet Sink Cabinet Trash Drawer / LP Cabinet Universal Corner Cabinet





### OUTDOOR DINING PACKAGES

#### **APPLIANCE ONLY PACKAGES** DO NOT INCLUDE WALL STONE, **VENEERS OR COUNTERTOPS**

Great cooking performance, innovative features and purposeful design allow you to enjoy more time outdoors. Each stainless steel package option provides everything you need to cook like a pro: grill, burner, refrigeration and storage. Build your kitchen using any Nicolock wall or create a kitchen using the natural stone of your choice.

26¾"

22¾"

18½"

41¼"

321⁄4"

21" x 10"

187 lbs







w/LED Illumination SIZPROB2



BODY DEPTH

**BODY HEIGHT (WITH FEET)** 

CHIMNEY HEIGHT

TOTAL HEIGHT

WIDTH

OPENING DIMENSIONS

WEIGHT

## **HYBRID OVEN**

#### SUMMERSET

Way beyond just fabulous pizza, this versatile hybrid oven offers interchangeable gas and woodburning cooking options so you can make everything from appetizers to dessert. Stop running inside and stay with your guests. You'll wonder how you ever lived without it.

#### FEATURES:

Fuel gas/wood

- #304 Stainless steel tube L shaped gas burner
- #304 Stainless steel jet type burner for igniting wood
- Gas burner 38,000 BTUs when cooking with gas only
- Wood burner gas started rated at 38,000 BTUs
- 39 Sq. In. of cooking surface
- Stainless steel wood rack & ash catch
- Temperature up to 1022°F / 550°C
- Cooking stone made from Cordierite
- Digital thermometer measures oven ambient temperature
- Unit equipt with 2 meat cooking temperature probes
- Material exterior: SPCC with matte black high heat powder coating
- Material interior: 443 stainless steel
- Stainless steel chimney (color subject to change to black with high temp powder coating)
- Knobs for burners marked high/low
- Adjustable feet
- Available in NG or LP models
- ETL certified

### **ALTURI KITCHEN PACKAGE INCLUDES:**









Refrigerator SSRFR-24D

33" 3-Drawer & Access Door Combo SSDC3-33

Alturi Double Side Burner w/LED Illumination ALTSB2

### TRL KITCHEN PACKAGE INCLUDES:





Refrigerator SSRFR-24S

22" Compact Refrigerator SSRFR-22S



TRL Double Side Burner w/LED Illumination TRLSB2

### SIZZLER PRO KITCHEN PACKAGE INCLUDES:



SIZPRO32



Sizzler Pro Double Side Burner



**AVAILABLE IN 3 SIZES:** 

30" QUEST - QST30 TOTAL BTU's: 43,500

36" OUEST - OST36 TOTAL BTU's: 60.000

42" OUEST - OST42 TOTAL BTU's: 76,500

## **QUEST GRILL**

#### **▲**SUMMERSET

Your quest for the perfect grill ends right here! Packed with standard features that have you covered from hamburgers to rotisserie, and from warming trays to easy-clean functionality, the Quest line is a grill master's dream.

#### FEATURES:

- 18-gauge double-lined hood w/ spring assist
- #304 stainless steel full-width hood handle
- 10,500 BTU angled infrared rear burner
- Rotisserie kit with 40 lb. motor included
- Heavy-duty 8mm square cooking grates
- Waterfall LED strip over knobs
- Easy-clean briquette system
- Removable, dishwasher safe drip tray
- Warming rack storage in drip-tray
- Includes weather-proof vinyl grill head cover
- Gold standard lifetime warranty

#### **OPTIONAL ADD-ONS:**

- Rib rack insert
- In-set griddle place (replaces 1 grate)
- Freestanding cart
- Weather-proof vinyl freestanding cart cover
  - 135

#### SIZZLER



Estate Double Side Burner

ESTSB2

Estate Power Burner

ESTPB2

30" Estate Built-In Grill

EST30

36" Estate Built-In Grill

EST36

42" Estate Built-In Grill

EST42



36" Warming Drawer SSWD-36



17' Single Drawer SSDR1-17



36" 2-Drawer & Access

Door Combo SSDC2-36

17" Triple Drawer

SSDR3-17

Towel Holder Combo SSTDC-17

33" 2-Drawer &

Access Door Combo SSDC2-33



17" Double Drawer

SSDR2-17

26" Utensil Drawer SSDR1-26U



17" Paper Towel Holder SSTH-17

20" Trash Recycling 2-Bin

Pullout Drawer

SSTD2-20







45" Double Access Door SSDD-45

32" Double Horizontal Drawer SSDR2-32H



137

### **ESSENZE DI LUCE**

eL

Take your outdoor living space to the next level with stunning, multi-sized natural stone monoliths and LED lighting available with or without a high-fidelity sound diffusion system. From romantic moments to big bashes, Essenze di Luce has you covered with a variety of natural stone lighting and rock speaker options that are maintenance-free and designed to withstand the most adverse weather conditions-- from ice to the desert sun. Perfect for gardens, poolscapes, and outdoor living use.





A series of natural stone outdoor lamps and garden lights with LED technology, available in four different styles—Soft, Sidelong, Cross, and Stonehenge. In daylight, they function as design elements but evoke emotional light in the evening.

#### FEATURES:

- Choose from single, double, or triple illuminated sections
- Choose from horizontal or inclined patterns
- Available in 2 standard textures
- Minimalistic and natural design complements any achitectural style
- Ice resistant
  Stainless Steel



SOFT







## **Menhir Sound**

This natural stone outdoor sound system integrating Hi-fi sound diffusion and LED lighting brings both sights and sounds to the yard. Fill your space with soft illumination and your favorite music—all effortlessly emanating from natural stone elements. Unparalleled resistance to splashes, spray, sand, and the most adverse weather conditions.

#### FEATURES:

- Aisi 316L stainless steel audio system
- Easy connect; user-friendly; control music from your device
   Discrete the reset accurate provider music correlated
- Plays/streams the most popular music services
   Chaose from 2 standard to:tures
- Choose from 3 standard textures
  Ice resistant
- Ice resistant
   W: f: Audia Controll
- Wi-fi Audio Controller





SOUND

MINIMAL SOUND (SPECIAL ORDER)

SOUND PRO (SPECIAL ORDER)



## Stake

Arrange an ambience with outdoor path lighting. Sleek pillars of natural stone offer architectural and design elements by day and transform into striking and luminous scenic features by evening. Perfect for illuminating footpaths, flower beds and outdoor living areas.

#### FEATURES:

- Natural stone floor lamp for outdoors
- Choose single or double vertical LED (only 4mm thick)
- Ice resistant
- Multiple color and texture options
- Fits modern, contemporary, and Mediterranean styles
- Chemical Resistant
- Stainless Steel



OUTDOOR DINING





## **DIMPLEX<sup>®</sup> HEATERS**



**DLW Series** Outdoor/Indoor Radiant Heater, White DLW3200W24



- Effective radiant heat that warms like the sun, heating people and objects with zero glare
- Silent, maintenance-free operation
- IP 55 rated, weather-proof construction allows year-round enjoyment
- Designed for permanent hardwired installations on a dedicated 240V circuit

Indoor/Outdoor Electric Infrared Heater, 240V 2000W DSH20W



- · IP65 rating for indoor and outdoor applications
- 1, 2 and 3 hour delay timer
- 8 hour auto shutoff safety mechanism
- 3 second maximum heat up time

**DLW Series Outdoor/Indoor Radiant** Heater, Black DLW2400B24



- Effective radiant heat that warms like the sun,
- heating people and objects with zero glare Silent, maintenance-free operation
- IP 55 rated, weather-proof construction allows year-round enjoyment
- Designed for permanent hardwired installations on a dedicated 240V circuit

#### **DIRP Outdoor/Indoor Infrared Heater,** Plug-in Model, 120V, 1500W DIRP15A10GR



- Nextrema<sup>®</sup> Schott glass ensures even heat
- distribution and minimizes light emissions Corrosion-resistant anodized aluminum and 304
- stainless steel makes this product suitable for all climates
- Three temperature settings 600W (low), 1050W (med), 1500W (high) for maximum comfort
- Produces full heat in as little as 6 second maximum

#### **Outdoor Portable Infrared Propane** Heater, 31,500 BTU DGR32PLP



- · Powerful, stylish and portable heat for outdoor areas
- · Heat on demand when and where you need it
- Durable stainless steel construction
- · Advanced safety features including world-class wind protection up to 9.9 Mph/16 km/hr.

\*Must order both DGR32PLP-HEAD & DGR32PLP-STAND

#### **Outdoor/Indoor Electric Infrared Heater** DIR15A10GR



- Nextrema<sup>®</sup> Schott glass ensures even heat
- distribution and minimizes light emissions • Non-porous surface and attractive design
- Instant Heat: Ruby halogen bulb provides full power in under 8 seconds
- Waterproof: IP65 rated for outdoor or indoor use
- Corrosion-resistant anodized aluminum casing provides long life and suitable for all climates

#### **Outdoor Wall-mounted** Natural Gas Infrared Heater, 31,500 BTU DGR32WNG



- · Powerful, stylish and space-saving heat for outdoor areas
- · Heat on demand when and where you need it
- Durable stainless steel construction
- Advanced safety features including world-class wind protection up to 9.9 Mph/`6 Kph

#### Indoor/Outdoor Electric Infrared Heater, **Permanent Location Floor Stand** DSHSTAND



- Ability to tilt heater(s) for optimal heat exposure Corrosion-resistant anodized aluminum and 304 stainless steel makes this product suitable for all
- climates All hardware included
- Quick and easy installation



## PERGOLAS


- Constructed of vinyl
- Easy maintenance
- Customizable
- Lifetime warranty
- Two stock sizes: 13'x16' or 15'x15'

### **CUSTOM SIZES AVAILABLE**

Flat Panel

Return

Corner



## NATURAL LEDGESTONE



Panels are designed using a unique Z-joint design that becomes nearly invisible after installation. Panels interlock for a seamless fit. Ledgestone Corners are two pieces that seamlessly interlock to create a 90 degree corner.

#### STRAIGHTS

HEIGHT	WIDTH	THICKNESS	PCS/BOX	BOX/PALLET	LBS/PALLET
6"	24"	3⁄4"	6	25	1,200

#### CORNERS

6"	16"	3⁄4"	8"	3	994
HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET

12 pieces makes 6 corners



**GOLDEN HONEY** 



PEMBREY



STERLING



## **ENGLISH PATTERN**



Natural stone veneers that feature the bold look of natural stone. Variation in size and shape complement any project. Artisan colors help create a look that will leave a lasting impression.

#### STRAIGHTS

HEIGHT	WIDTH	THICKNESS	SF/PALLET	LBS/PALLET
4"-8"	8"-15"	1¼"	120	1,600

#### CORNERS

HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET
4"-8"	4"-6"	1¼"	4"-6"	5	1,162






BOSTON



PEARL





## ADOBE BLEND



BROWN



CHARCOAL



## **AUTUMN BLEND\***



## **CAPPUCCINO BLEND\***



**CHESAPEAKE BLEND\*** 

The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.



**CRAB ORCHARD BLEND\*** 



## **GOLDEN BROWN BLEND**



**HUDSON VALLEY BLEND** 




**DOVE GRAY** 



## **GRANITE CITY BLEND**



**MARBLE BLEND\*** 



## **FIRE ISLAND BLEND**



**GRAPHITE PEARL BLEND\*** 



OCEANIC 5\* ONLY OFFERED IN STONE RIDGE COLLECTION

143

The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.



## **OCEANIC BLUE\***



**PENNSYLVANIA BLUE\*\*** 





PEWTER



PECONIC 6\* ONLY OFFERED IN STONE RIDGE COLLECTION



**RAVEN\*** 





RED

The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.

144




SOUTH BAY BLEND\*



## TRAVERTINA\*







\*Premium Color \*\*Deluxe Color

145

## **TEXTURED WALLS**



## ADOBE BLEND



## **CAPPUCCINO BLEND\***



**CHESAPEAKE BLEND\*** 



### **BLUESTONE\***



CHARCOAL



**CRAB ORCHARD BLEND** 

\*Premium Color \*\*Deluxe Color




### **FIRE ISLAND BLEND**



## **GRAPHITE PEARL BLEND\***



SOUTH BAY BLEND



**GOLDEN BROWN BLEND** 



HUDSON VALLEY BLEND



TRAVERTINA\*



## **GRANITE CITY BLEND**



## **OYSTER BLEND**



WESTCHESTER BLEND

147

# **SMOOTH WALLS**





## **ADOBE BLEND**



## CHARCOAL



CRAB ORCHARD BLEND



### **BLUESTONE\***



## **CHESAPEAKE BLEND\***



**GOLDEN BROWN BLEND** 



## **GRANITE CITY BLEND**



## **OYSTER BLEND**



WESTCHESTER BLEND



## **GRAPHITE PEARL BLEND\***



SOUTH BAY BLEND



### **OCEANIC BLUE\***



### **TRAVERTINA\***

\*Premium Color \*\*Deluxe Color

149

## NICOSTONE





МОСНА



YORK BROWN



\*Premium Color

## PAVING STONE Installation


#### **MATERIALS NEEDED**

Gloves

- Tape Measure
- Stakes
- Shovel
- 📕 3 lb. Hammer

Levels

- 📕 Line Level
- Carpenters Square
- String Line
- Broom
- Wheelbarrow
- 📕 Pry Bar
- Wire Cutters
- Mason's Chisel
- Markers
- Screed Board
- Two 1" o.d. Screed Pipes
- Plate Compactor
- Paver Cutter
- Diamond Blade Table Saw



A. Compacted Sub-BaseB. 4" - 6" Compacted Aggregate (for Pedestrian Traffic)

C. 8" - 12" Compacted Aggregate (for Vehicular Traffic)

#### **BEFORE YOU BEGIN**

Your dealer can assist you in obtaining the necessary materials and equipment needed to complete your paving stone installation.

D. Edge Restraints

E. 1" Bedding Sand

F. Pavers

\*Three color blends are not recommended for projects less than 500 sq.ft

Lay out your entire paver pattern prior to cutting any stones.

Find an area away from your installation to cut pavers. Concrete dust created by saw cutting pavers can stain the surface.

The use of an approved safety mask is recommended when cutting any concrete products.




#### 1. PLAN

Determine the area to be paved. Measure for square footage and sketch a diagram of the shape & pattern of paving stone desired.



#### 2. PREPARE / EXCAVATE

Before beginning excavation, make sure there are no utility lines within the area to be paved. Excavate area to the proper depth depending on the type of traffic.



#### 3. GRADE

Establish the finish grade and slope or pitch of pavement to allow for drainage. Lay out the lines and corners with string line and stakes. Compact sub-base.



#### 4. PREPARE / EXCAVATE

Spread aggregate base uniformly throughout the entire excavated area and 8 in. beyond perimeter lines. Base aggregate material should be processed 3/4" minus gravel or crushed concrete blend.



#### **5 BASE COMPACTION**

Compact the base aggregate evenly throughout the area with a mechanical plate compactor. Do not compact the base aggregate in more then 4" layers. The compacted base should conform to the contour of the finished paved area. The grade of the base aggregate should be 3" to 4" below the finished paving stone surface depending on the thickness of the paver.



**6. EDGE RESTRAINTS** Install edge restraints as required. Pavers butting against curbs or foundations will not need an edge restraint. Various types of edging materials can be used. Nicolock recommends a Snap Edge edge restraint system since it is easy to install and will not rot or decay.



#### 7. BEDDING

Spread 1" of concrete sand evenly over the compacted base. Screed the bedding sand to a level, smooth surface using a screed board. For areas wider than the width of the screed board, use 1" conduit pipe as screed guides 4' apart. Screed sand, remove screed rails & fill in depressions with fresh sand. You should end up with a complete layer of smooth sand. Do not disturb sand bed after it has been screeded.



#### 8. PAVER PLACEMENT


Begin placing paving stones on the screeded sand bed in the desired pattern. Hand place the paving stones with a hand tight joint. Work from the paving stone side of the installation as they are set. To achieve the best mixture of colors and blends, remove pavers from delivered bundles section by section, not layer by layer, and work from several bundles at a time. Cut pieces as needed to fill in the pattern.


#### FINISHING

When complete, sweep surface clean. Spread a fine jointing sand over the entire surface and broom sweep to fill all joints. Leaving excess sand on the paving stone surface, tap the paving stones into the setting bed with the mechanical plate compactor with a rubber pad. Broom sweep more sand to fill any open joints. Finally, backfill over the top edge restraint and grade. Your installation is now complete and ready for use.

## RETAINING WALL INSTALLATION

### **MATERIALS NEEDED**







**NOTE:** The following Installing procedures apply to all Nicolock retaining wall units constructed as a conventional gravity wall system.

**PREPARING/EXCAVATING:** Before beginning excavation, make sure there are no utility lines in the wall area. Excavate area to the proper depth. For geogrid-reinforced retaining walls or for more detailed information, consult your local distributor or contact Nicolock.


For most non-critical walls (and under favorable soil conditions) Nicolock wall units are constructed as a conventional gravity wall system. Walls up to 3 feet in height are attainable without the need for soil reinforcement (geogrid). Recommended installation procedures should be followed to ensure the life of your wall structure.

#### **1. SITE PREPARATION AND EXCAVATION**

Excavate a trench a minimum of 6" beyond the front and back of the wall block. Dig trench 9" to 14" deep, enough to create a 6" thick leveling pad and to bury at least one whole wall block below grade. Compact the soil at the bottom of trench. Shape the slope behind wall to allow for 12" of drainage material.

#### 2. INSTALL LEVELING PAD

Place filter fabric in trench and up the cut slope. Fill trench with clean, graded aggregate and compact.



#### 3. PLACE BASE COURSE (FIRST ROW)

Position a level string line at the straight face of the unit to maintain alignment. Place the wall units side by side in the center of the prepared base. Bury the first course of block below grade to a depth equal to 10% of the height of the wall or a minimum of 6", whichever is greater. Level units from side to side, and front to back.

#### 4. DRAINAGE SET-UP

**5. STACKING UNITS** 

approved design drawings.

Fill the space in front of wall with clean fill to grade to hold units from shifting. Place a perforated pipe behind wall on top of base for drainage. Fill any block cores and the drainage area with clean aggregate keeping filter fabric in place. Backfill soil on outer side of fabric and compact.

Place successive courses by fitting the keys

and grooves onto the units in the row below (if

applicable). Keep the tops of each course clean

to maintain a level surface. Stack units one layer


joints). Utilize geogrid when the wall height is 3 ft

or more or as required by the project engineer or

at a time in a running bond pattern (crossing

#### 6. PLACE GRAVEL AND BACKFILL MATERIALS


Continue building the wall to the desired height. Backfill with clean aggregate behind each course as completed. Backfill and compact soil. Finish the wall by securing the wall cap with a suitable masonry adhesive.



<sup>\*</sup>Geotextile may be necessary when the infill soil includes fine-grained sand that have the potential to infiltrate the gravel fill

Note: Illustrations shown are not for construction purpose. Please confer with your local engineer for proper placement of geogrid.

Important: Walls higher than 36" above grade, terraced walls, weak soils, and other loading conditions require special considerations in design and construction. This should be done by a qualified engineer & a professional contractor. Check with your local building department for code requirements.





## **STAIN REMOVAL**

The stain removal methods suggested here are merely a guide and may not work to your satisfaction in all instances. Nicolock is not responsible for any damage caused while using these methods. Nicolock recommends that you keep several pavers from your initial installation available to replace any pavers that become damaged or excessively stained or soiled.

#### **ALGAE & FUNGAL GROWTHS**

Apply a fungicide according to manufacturer recommendation.

#### **BEVERAGE STAINS**

Scrub the stain with hot soapy water. For stubborn stains apply a 1:10 diluted sodium hypochlorite solution (household bleach) use according to the manufacturer's recommendations.

#### CHEWING GUM

Chewing gum is best removed with a suitable aerosol freezing agent before scraping it off. Use according to the manufacturer's recommendations.

#### **FRESH OIL STAINS**

Soak the oil up with an absorbent cloth or paper towels. Do not wipe. Then cover the affected area with a 'dry' absorbent powder and leave for 24 hours. Repeat until the powder has absorbed all or as much of the oil as possible.

If a stain persists, apply a recommended cleaner according to the manufacturer's recommendations.

#### PAINT /WOOD-STAIN /VARNISH

Soak up the spillage with an absorbent cloth or paper towels. Do not wipe. The stained area should be immediately scrubbed with scouring powder and water.

The stained area should be immediately scrubbed with detergent and water. Paint removers or solvents should not be used on stains that are less than a week old, as this will increase penetration into the concrete. Scrape off as far as possible. Apply an appropriate proprietary paint remover, preferably one supplied as a thick gel. Follow the manufacturer's recommendations or contact the paint manufacturer.

#### WOOD PRESERVATIVES /CREOSOTE

Soak the stain with mineral spirits and scrub with a hot detergent and water. Finally rinse thoroughly with clean water, or contact the manufacturer of the preserver.

#### **ASPHALT & EMULSIFIED ASPHALT**

Chill with ice (if warm outside), scrape away & scrub the surface with scouring or abrasive powder. Rinse with water.

#### CUTBACK ASPHALT & ROOFING TAR

Use a soft moist putty made with talc or diatomaceous earth (available wherever pools supplies are sold.) Mix with kerosene, scrub, let dry and brush off. Repeat as needed.

#### CANDY, KETCHUP, MUSTARD, GREASE DRIPPINGS FROM FOOD

For stubborn stains, apply liquid detergent full strength and allow it to penetrate for 20-30 minutes. Scrub and rinse with hot water. Removal is easier if these stains are treated immediately.

#### CAULKING

Scrape off excess and scrub with denatured alcohol. Rinse with hot water and detergent. For acrylic latex caulk - follow guidelines for removal of latex paint.

#### **CLAY SOIL**

Scrape off dry material, scrub and rinse with hot water and strong detergent.

#### CREOSOTE

Apply a solution made with paint thinner and talc. Scrub and allow to dry. Scrape off, scrub with scouring powder and rinse with water.

#### MORTAR

Let dry but not harden and carefully remove spots with a towel, putty knife or chisel.

#### LEAF, WOOD ROT OR TOBACCO STAINS

Apply household bleach diluted 10:1 with water (10 parts water) and scrub with a non-metallic stiff bristled brush.

#### **OIL OR GREASE THAT HAS PENETRATED**

Mop up any excess oil with rags. Cover the area with oil absorbent talc, (kitty litter). Diatomaceous earth can also be used. Leave it on the stain for a day, then sweep up.

#### PAINT

Fresh paint should be mopped up immediately with rags or paper towels by blotting. Do not wipe as this will spread the paint and extend the job of removal. If the paint is latex and water-based, soak and then scrub area with hot water, scouring powder and a non-metallic stiff brush until no more improvement is seen. Let the remaining paint dry and remove as described below.

#### **DRIED PAINT**

Scrape any excess oil-based paint, varnish or water-based latex paint off the surface. Apply a commercial paint remover and let sit for 20-30 minutes. Loosen with gentle scrubbing. Do not rub the loosened paint into the surface of the pavers. Instead, blot up the loosened paint and thinner. Repeat as necessary.

#### **TIRE SKID MARKS**

Scrub black area with water, detergent and scouring powder.

#### ABOUT EFFLORESCENCE:

Efflorescence is a whitish, powder-like deposit that may sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. Efflorescence does not affect the structural performance or durability of concrete pavers. Efflorescence is a normal occurrence in all cement based products, as well as many colored paving products. Because it is a natural reaction to the proper hydration of concrete, Nicolock accepts no responsibility or liability for replacement.

If there is a need to remove the efflorescence before it naturally wears away, best results are obtained by using an efflorescence remover which is available from most mason supply dealers. Do not use muriatic acid.

If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealer being applied. For installations over a new or existing concrete base, a cementitious setting bed, or with mortared joints, the occurrence of efflorescence is more likely. Precautions for proper drainage of the paving stones system should be taken to minimize this occurrence.

#### WHAT IS EFFLORESCENCE?

Efflorescence is a natural phenomenon and can occur with any cement based product, as well as other paving products. It may appear randomly and will possibly appear more pronounced on colored paving slab.

The white bloom may give the impression that the color of the paving slab is fading but, when wet, you will find that the efflorescence vanishes and the paving slab returns to its original shade. The white bloom will often return again when the paving slab dries. Be assured that efflorescence has no detrimental effect on the performance of the paving slab and will generally disappear with time.

#### HOW DOES EFFLORESCENCE OCCUR?

All concrete products contain cement which produces water soluble calcium oxide (lime).

Concrete paving materials contain millions of tiny invisible pores; when moisture penetrates into these pores – either from rain, dew or condensation – it dissolves part of the lime to make calcium hydroxide.

When the slab dries out, the calcium hydroxide rises to the surface and reacts with the carbon dioxide in the air, sometimes leaving a white bloom of calcium carbonate once the water has evaporated.

#### WILL EFFLORESCENCE DISAPPEAR NATURALLY?

Yes. The efflorescence action is arrested by carbon dioxide reacting with calcium oxide within the pores of the concrete. The efflorescence itself is then, over a period of time, either converted back to soluble salts and washed away by rain or simply disappears through the action of trafficking, snow or ice.

Once the efflorescence has disappeared naturally it does not usually recur. It is therefore not necessary to replace the paving or to take other measures against efflorescence.

#### HOW LONG WILL EFFLORESCENCE LAST?

This is difficult to predict as factors such as climate, location and conditions (damp/shady or open/sunny) are variables which can affect the extent of the phenomenon. However, on average, it can take from 12 months to 24 months to disappear.

## FAQ

#### WHY DO NICOLOCK PAVERS MAKE THE BEST PAVEMENT?

Not only are Nicolock pavers beautiful, but they provide the best pavement solution in freeze/thaw conditions, when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, they can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. And, by definition, concrete pavers are about 3 times stronger than regular poured concrete.

## WHAT MAKES PAVER-SHIELD™ BETTER THAN THE COMPETITION?

paver-**shield**<sup>™</sup> is not a thin veneer of color coating. paver-**shield**<sup>™</sup> pavers are guaranteed to look great year after year, retaining their vibrant color and smooth texture. Products without paver-**shield**<sup>™</sup> may look worn and faded over time with exposed aggregate on the surface.

#### DOES THE COLOR GO ALL THE WAY THROUGH NICOLOCK PAVERS?

All Nicolock pavers have color throughout. Those manufactured with our exclusive paver-**shield**<sup>™</sup> process have an extra concentration of cement and pigment on the wear layer providing deep rich colors and a smooth, dense wear layer.

#### CAN I USE A PRESSURE WASHER TO CLEAN MY PATIO?

Yes – but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paver.

#### CAN PAVERS BE INSTALLED OVER A POURED CONCRETE BASE?

Absolutely, provided certain steps are taken. Care must be taken so that water does not pool underneath the pavers. Drainage holes should be drilled in large slabs and filled with pea gravel and covered with landscape fabric. Edge pavers must be restrained to keep joints from opening up.

#### CAN I USE A SEALER ON MY PATIO?

Yes – check proprietary manufacturer's instructions and suitability for sealing concrete paver. Please note: applying sealant to paver may affect the color.

#### HOW DO PAVERS COMPARE WITH PATTERNED CONCRETE?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. Therefore, they are prone to the same problems with freeze/thaw cycles, namely cracking and spalling. Also, unlike Nicolock pavers, patterned concrete pavements don't allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock Pavers are clearly a superior choice.

## HOW DO I DETERMINE HOW MUCH STONE BASE MATERIAL AND SAND SETTING BED MATERIAL I NEED?

One half ton of modified stone or sand will cover about 100 square feet at 1" thick. Using a 10' x 10' (100 square feet) patio as an example, you would need 1/2 ton of sand for the setting bed (1" thick) and 3 tons of modified stone for the base (6" thick). You'll need about 5% more sand for the joints between the pavers. The thickness of the base material depends on the application and subgrade soil conditions (use a thicker base for poorly drained soils). As a rule of thumb, you'll need 4" to 8" of base material for walkways and patios, and 8" to 12" for driveways and parking lots.

#### I HAVE WHITE DEPOSITS ON MY PAVERS/WALLS, WHAT IS IT?

You are probably referring to efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. This is not a product defect or harmful to pavers and walls and Nicolock accepts no liability for its occurrence. It will usually weather away with time.

#### HOW CAN I REMOVE MOSS OR MOLD FROM MY PAVERS?

Try liquid bleach diluted in water (10 parts water to one part bleach). Be careful not to get it on plant material. Keep in mind that there is nothing that will keep moss and mold from reappearing in a shady, damp area.

#### WHAT IS POLYMERIC SAND AND WHAT IS ITS ADVANTAGE?

Polymeric sand is a high-tech mix of graded sand and binder, specially formulated for filling joints between pavers. When installed properly, polymeric sand will remain in the paver joints and inhibit weed growth and insect infestation.

#### CAN I USE NICOSTONE PAVING INSIDE MY HOUSE?

Yes – but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

#### WHY DO THE PAVING STONES HAVE DARK PATCHES?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

#### HOW OFTEN SHOULD I CLEAN MY PATIO?

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.

#### WHAT ARE THE BENEFITS OF SEALING MY PAVERS? HOW LONG Do I need to wait before I apply a sealer?

Sealers help resist stain and may enhance the color. Some can also bind the sand in the joints to make it difficult for weeds to germinate. As a rule of thumb we generally want you to wait at least six months to allow any efflorescence to appear. Prior to the application of any sealers, the pavers must be cleaned with an appropriate product to remove dirt and efflorescence.

#### CAN NICOLOCK PAVERS BE USED FOR MY DRIVEWAY?

Absolutely! For residential driveways, 8" to 12" of compacted base material is recommended. A standard 2-3/8" thick paver can be used for light vehicular (cars & pickup trucks) applications. A herringbone pattern is most suitable in these situations. (Not applicable for Stone Ridge XL, Alpine series and Nicostone products.)



## FAQ

Not only do Nicolock Pavers make an attractive pool deck, but they also provide a slip-resistant walking surface. Pavers actually are better than poured concrete around pools from the standpoint that the joints will take on moisture and leave the pavement cooler under foot. Like all products that are used outdoors, lighter colors will tend to stay cooler as they reflect the sunlight. Furthermore, our Fullnose and Pool Coping Pavers are ideal for the pool's edge. Make sure the base material around the pool is well compacted before installing pavers. Safety covers can also be installed over pavers with the use of special anchors.

#### WILL WEEDS GROW BETWEEN MY PAVERS?

Weeds and grass between pavers occur when seeds or spores lodge in the joints between pavers. They will not grow from underneath. This can be minimized by using polymeric sand or mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-Up<sup>TM</sup>) can be used and will not damage the pavers.

#### CAN I SHOVEL AND PLOW MY PAVERS?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended when needed. Do not use sharp objects to chop ice as they can damage the pavers.

#### WHAT SHOULD I USE TO MELT SNOW AND ICE ON MY PAVERS?

Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant.

If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent.

De-icing agents of any kind are not recommended for our Nicostone line. We recommend using only sand for providing skid and slip resistance.

## I'VE GOT A RAILROAD TIE WALL THAT IS ROTTING AND FALLING DOWN. WHAT CAN I DO?

Our segmental retaining wall systems provide an excellent solution to this problem. They are strong and will last a lifetime. Nicolock offers several different wall systems to meet your needs.

#### WHAT IS GEOGRID AND WHEN SHOULD IT BE USED?

As a rule of thumb, all walls over 3' high should be reinforced with geogrid. Geogrid is placed between the layers of block at different intervals to stabilize the soil behind the retaining wall and secure the wall face to the earth behind it. The height of the finished wall, soil characteristics, and the pressure on the wall caused by slopes, structures, and/or paved areas all affect the proper placement and lengths of geogrid.

#### WHAT IS RECONSTITUTED STONE?

Reconstituted Stone – is manufactured from the highest grade materials and will last for years. It is hand crafted, with molds taken from original natural stone for an authentic appearance. Nicostone products are a consistent thickness and are therefore easy to lay.

Colors – shades are subtle and subject to slight variations, especially highlighted in the weathered shades where many products are hand made to ensure a completely random, natural look. Colors will appear different depending upon the prevailing conditions such as sunlight, heavy shade or rain.

Therefore it is advisable to check the color and appearance of the actual product samples in dry daylight conditions before purchasing. Where possible, products should also be selected from the same production batch. Reconstituted stone will weather over time in a fashion similar to natural stone.

#### PAVING SLAB AND WALLSTONE COLOR

Please note that some products have a multi-color mix where the manufacturing process means that different color percentages are likely selected from multiple pallets prior to installation. Choose from three to five different packs.

Multi-colored products are produced randomly, therefore color proportions in different slabs may vary widely.

#### APPLICATION/SUITABILITY

Unless otherwise stated, the Nicostone materials featured in this catalog are intended for use in residential landscape projects. Nicostone decorative slabs are not suitable for driveways. The manufacturer cannot accept any liability where products have been used for any inappropriate purpose.

In the unlikely event of products reaching you in a less than satisfactory condition, please contact your local distributor directly, allowing time for the rejected product to be replaced. If a complaint is raised after laying the product, Nicostone cannot accept responsibility for any defect. **De-icing salts should not be used on Nicostone slabs.** 

#### **SIZES & JOINT WIDTHS**

All dimensions quoted in this catalog are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, Nicostone recommends dry laying the product to check area required.

When laying random slabs and circles, and in particular Old Town Flagstone Paving Slabs with their fettled edges, joint widths will depend on the slab type & laying pattern chosen and will be variable – from approximately 1/2" to 1".

#### HANDLING

Standard manual handling techniques should be adopted when handling products. Some products in the Nicostone range are heavy or an awkward shape to lift and it is recommended that suitable lifting equipment be used for these products. Always wear gloves and safety footwear when handling product.

If product is to be cut, always wear safety goggles and when using a high speed saw also wear suitable respiratory protection, such as a dust mask.

Before removing wrapping or banding, ensure that the products are on level ground or retained in some way to prevent them from tipping over. When removing, shrink wrapping and banding use the appropriate cutting tools; also it is recommended that safety goggles are worn.

Product should always be handled with care as breakages, chipping and other damage may result from mishandling. Minor scuffing can occur due to movement in transit and will generally disappear in time. If in doubt do not install the product, consult your Nicolock Territory Manager.

#### SPECIAL NOTES

All measurements are nominal. Dimensions include the joint widths when fully installed. Dimensions/height: May vary up to 1/4" due to unique manufacturing technique. Nicostone provides only general installation guidelines, climate and soil conditions may vary by region.

## PATTERNS

Patterns, whether simple or complex, help to define a paved area and add your own personality to your project. The following are examples of popular patterns.

#### RUNNING BOND Products that can be used:

Plank Paver Ridge Brick Rustico 6x6 Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Heritage Slab Old Vienna with paver-**shield™** The Montauk Euro Cobble Eco-Ridge SF-Rima

#### HERRINGBONE Products that can be used:


Plank Paver **Ridge Brick** Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Old Vienna with paver-**shield™** Eco-Ridge

#### **BASKET WEAVE** Products that can be used:

Plank Paver Ridge Brick Holland Stone Old Vienna with paver-**shield**™ Eco-Ridge


\_

#### **MODIFIED HERRINGBONE & 'I' PATTERN** Products that can be used: Rustico 6x6 & 6x9



	У Д.	Уλ	ΥЪ	$\gamma \ge 2$	ィント								
Č	$\sim$	$\sim$	$\sum$	$\sim$	$\sim$				ЦП				T
X	$\bigwedge$	$\sim$	УЛ,	$\sim$	$\sim$	-	-	$\neg$	$- \square$		-	$- \bot$	4
X	$\bigwedge$	$\langle \cdot \rangle$	۲X`	$\sim$	$\wedge$	_	┥┝┑		+++	+ $-$			4
X	$\bigwedge$	$\langle \mathcal{N} \rangle$	$\langle \mathcal{N} \rangle$	$\sim$	$\bigwedge$				1   – –			- F	Т
×	$\langle \rangle^{\vee}$	$\langle \rangle$	$\langle \wedge \rangle$	$\sim$	$\sim$	_							_
<	$\langle \mathcal{N} \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\times$		$  \vdash$			+			
X	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \times \rangle$	$\times$		┶┥┝		┥┝┯			┥┝	Т
×	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \vee$	$\sim$					T.			ł
X	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\langle \wedge \rangle$	$\sim$								
<	$\sim$	$\langle \wedge$	$\langle \wedge \rangle$	$\sim$	$\sim$	_	$\Box$		┥┝┯	Ц		┥┝	_
<	″∕~	$\sim$	$\sim$	$\sim$	X	-			┶┥┝				ł
<	×∧	۲A	$\sim$	ZN	$\sim$	-	⊢⊤+	$\dashv \vdash$			-1 F	T *	1
Ż	$^{\vee} $	YЛ	$\Sigma $	$\Sigma$	$\sim \sim$		$1 \square$						_
Ż	$^{\vee} \geq$	YЛ	$\Sigma $	XX	$\sim \sim$		$- \square$		니ト				╞

	$\left  - 1 \right  \left  - 1 \right  \left  - 1 \right  \right $	
		· ┆╶┥Т┢┷┥Т┢┷┥┨┢┯┥╽┢┯┥╽┢
		┊╺┝┯┥┙┝┯┥╽┝┯┥╽┝
		· · · · · · · · · · · · · · · · · · · ·
		┊╺┤┰╞┷┥┰╞┷┥┰╞┷┥┰╞┷



#### **RANDOM 3-PIECE RECTANGULAR & STAGGERED RUNNING BOND** Products that can be used:


Stone Ridge Stone Ridge Contemporary Alpine Ridge Alpine Contemporary Blue Ridge Eco-Tre Natural Cleft Flagstone (Individual Sizes) Thermal Finish Flagstone (Individual Sizes)


#### **RANDOM 3-PIECE SQUARE & DIAGONAL PATTERN** Products that can be used:



#### **RANDOM 6-PIECE PATIO PACK** Products that can be used:


Natural Cleft Flagstone Patio Pack Thermal Finish Flagstone Patio Pack Old Town Flagstone Patio Pack






#### **RANDOM 4-PIECE** Products that can be used:

Rustico 4 Pc Combo



**FRENCH ASHLER PATTERN** Products that can be used:

Versailles Travertine



#### Please use patterns as a reference to get you started. The diagrams shown may require additional material if followed directly.

### nicolock.com | Give Your Backyard What it Wants





#### LOCATIONS

New York Corporate Headquarters 612 Muncy Avenue • Lindenhurst, NY 11757 P: 631.669.0700 • F: 631.669.0711

Nicostone by Nicolock 200 Henry Street • Lindenhurst, NY 11757 P: 631.669.0600 • F: 631.669.8052

Albany 801 Watervliet Shaker Road • Latham, NY 12110 P: 518.888.2731 • F: 518.252.4937

New Jersey 482 Houses Corner Rd • Sparta, NJ 07871 P: 551.232.6443 • F: 973.425.5188

New Jersey Design Center 620 Cedar Swamp Road • Jackson, NJ 08527 P: 201.932.4500 • F: 732.960.9950

NPS Outdoor Living Showroom 9 Aaron Way • Sparta, NJ 07871 P: 908.482.8483

New England 99 Stoddard Avenue • North Haven, CT 06473 P: 203.234.2800 • F: 203.985.0381

Massachusetts 168 Mendon Street • Bellingham, MA 02019 P: 508.298.2243 • F: 508.590.7678

Maryland 8400 Progress Court • Frederick, MD 21701 P: 301.620.0100 • F: 301.620.0007

Delaware 1000 South Market Street • Wilmington, DE 19801 P: 302.981.0986 • F: 302.691.4500

Virginia 9135 Barricade Lane • Mechanicsville, VA 23116 P: 571.332.3513 • F: 571.406.1251



CAT1# 2024 01.10 50M.\$2.53 | ©nicolock 2024 | all rights reserved